

2013

interlock

Interlock Medizintechnik GmbH
Zum Windpark 1
23738 Lensahn
Germany
phone: +49 4363 905900
telefax: +49 4363 90590590



**Products for CSSD
and hospital**

Products for CSSD

www.interlockmed.de
info@interlockmed.de



A film
by the Central Service Supply Department (CSSD)
of the Diakonia Clinic in Schwäbisch-Hall,
Germany
produced: 2011
duration: 46 min.

DVD „Reprocessing of Medical Devices“
39,90 Euro / DVD incl. freight charges

REF 08552

The Quality Management Systems of Interlock Medizintechnik GmbH




<i>Container accessories (seals, labels and filters)</i>	1
<i>Mesh baskets, sterilization trays and accessories</i>	2
<i>Protective clothing</i>	3
<i>Brushes, cleaner and maintenance</i>	4
<i>Tip guards, sterilization packaging and silicone products</i>	5
<i>Documentation labels</i>	6
<i>Tapes and identification / Lettering</i>	7
<i>Quality assurance</i>	8
<i>Stainless steel tools</i>	9
<i>Kirschner wires</i>	10
<i>Trays and containers</i>	11
<i>Sealers</i>	12
<i>Surgery requirements and patient care</i>	13




Paper seals

	REF		pack. unit
	01010	The original Interlock seal without indicator, for safety lock of Aesculap containers. Simple to use and millionfold approved. Environment-friendly, internationally patented. 100 x 18 mm	1000 pcs.
	01004	seal with documentation field white with steam indicator and flap 117 x 38 mm	500 pcs.
	04120	132 x 38 mm	500 pcs.
	01005	seal with documentation field single self-adhesive, white with steam indicator and flap 117 x 38 mm	500 pcs.
	04179	with documentation field single self-adhesive, white with steam indicator 145 x 35 mm	750 pcs.

Paper seals for new Aesculap containers

		with documentation field single self-adhesive with steam indicator insertion from the right side 35 x 74 mm	
	01006	white	1000 pcs.
	04128	yellow	1000 pcs.
	04129	blue	1000 pcs.
	04130	red	1000 pcs.
	04131	green	1000 pcs.
	04113	35 x 80 mm white	1000 pcs.

REF		pack. unit	
04114	like REF 01006 single self-adhesive but blank insertion from the right side 35 x 74 mm	1000 pcs.	
01008	with documentation field non-adhesive, white with steam indicator insertion from the right side 35 x 74 mm	1000 pcs.	
01009	with documentation field white, with steam indicator insertion from the left side 35 x 74 mm single self-adhesive	1000 pcs.	
04108	non-adhesive	1000 pcs.	
04109	seal on reel with documentation field, dispensed on the outside single self-adhesive, white with steam indicator 1500 pcs./reel core diameter: 76 mm 78 x 32.6 mm	1 reel	
Foil labels			
01001	foil label for sealing containers removable without residues single self-adhesive 500 pcs./reel core diameter: 76 mm 102 x 25 mm with steam indicator	1 reel	
01002	without indicator	1 reel	


Universal plastic seals

	REF		pack. unit
		UniLock XL with large flap also suitable to affix labels onto the seals without indicator	
	01250	blue	1000 pcs.
	01251	green	1000 pcs.
	01252	white	1000 pcs.
	01253	red	1000 pcs.
	01254	yellow	1000 pcs.
		with steam indicator	
	01255	blue	1000 pcs.
	01256	green	1000 pcs.
	01257	white	1000 pcs.
	01258	red	1000 pcs.
	01259	yellow	1000 pcs.

		UniLock without indicator	
	01240	blue	1000 pcs.
	01241	green	1000 pcs.
	01242	white	1000 pcs.
	01243	red	1000 pcs.
	01244	yellow	1000 pcs.
		with steam indicator	
	01245	blue	1000 pcs.
	01246	green	1000 pcs.
	01247	white	1000 pcs.
	01248	red	1000 pcs.
	01249	yellow	1000 pcs.

		amongst others also suitable for Aesculap and Wagner containers without indicator	
	01025	blue	1000 pcs.
	01026	red	1000 pcs.
	01027	green	1000 pcs.
	01028	yellow	1000 pcs.
	01029	white	1000 pcs.
	02624	orange	1000 pcs.
	02625	violet	1000 pcs.
		with steam indicator	
	01220	blue	1000 pcs.
	01221	red	1000 pcs.
	01233	green	1000 pcs.
	01238	yellow	1000 pcs.
	01239	white	1000 pcs.

REF		pack. unit	
	plastic seal "2011" amongst others also suitable for Aesculap and Wagner containers without indicator		
02500	blue	1000 pcs.	
02501	green	1000 pcs.	
02502	white	1000 pcs.	
02503	red	1000 pcs.	
02504	yellow	1000 pcs.	
02505	neon-yellow	1000 pcs.	
02506	neon-orange	1000 pcs.	
	with steam indicator		
02507	blue	1000 pcs.	
02508	green	1000 pcs.	
02509	white	1000 pcs.	
02510	red	1000 pcs.	
02511	yellow	1000 pcs.	
02512	neon-yellow	1000 pcs.	
02513	neon-orange	1000 pcs.	

	without indicator		
01262	blue	1000 pcs.	
01263	red	1000 pcs.	
01264	green	1000 pcs.	
01265	yellow	1000 pcs.	
	with indicator		
01266	blue	1000 pcs.	
01267	red	1000 pcs.	
01268	green	1000 pcs.	
01269	yellow	1000 pcs.	

	without indicator		
01270	red	1000 pcs.	
01271	green	1000 pcs.	
01272	yellow	1000 pcs.	
01273	blue	1000 pcs.	
	with steam indicator		
01274	red	1000 pcs.	
01275	green	1000 pcs.	
01276	yellow	1000 pcs.	
01277	blue	1000 pcs.	

	REF		pack. unit
	02620	plastic seal without indicator red	1000 pcs.
  	02600	1-2-3 seal without indicator natural colour	1000 pcs.
	02602	white	1000 pcs.
	02604	yellow	1000 pcs.
	02606	red	1000 pcs.
	02608	blue	1000 pcs.
	02610	green	1000 pcs.
	02601	with steam indicator natural colour	1000 pcs.
	02603	white	1000 pcs.
	02605	yellow	1000 pcs.
	02607	red	1000 pcs.
	02609	blue	1000 pcs.
	02611	green	1000 pcs.
 	01204	blue with rated break point without indicator	1000 pcs.
	01205	with steam indicator	1000 pcs.

REF		pack. unit	
	without indicator		
01014	blue	1000 pcs.	
01216	red	1000 pcs.	
01217	green	1000 pcs.	
01218	yellow	1000 pcs.	
01219	black	1000 pcs.	
	with steam indicator		
01013	blue	1000 pcs.	
01212	red	1000 pcs.	
01213	green	1000 pcs.	
01214	yellow	1000 pcs.	
01215	black	1000 pcs.	

Plastic seals

	for Aesculap containers		
	without indicator		
01015	light blue	1000 pcs.	
01016	green	1000 pcs.	
01017	white	1000 pcs.	
01018	red	1000 pcs.	
01019	yellow	1000 pcs.	
01206	black	1000 pcs.	
	with steam indicator		
01210	light blue	1000 pcs.	
01222	green	1000 pcs.	
02621	white	1000 pcs.	
01211	red	1000 pcs.	
02616	yellow	1000 pcs.	

	for Wagner containers		
	without indicator		
01200	red	1000 pcs.	
01201	blue	1000 pcs.	
01202	green	1000 pcs.	
01203	yellow	1000 pcs.	
	with steam indicator		
01224	red	1000 pcs.	
01225	blue	1000 pcs.	
01226	green	1000 pcs.	
01227	yellow	1000 pcs.	

	for Martin containers		
01011	without indicator	1000 pcs.	
01012	with steam indicator	1000 pcs.	

	REF		pack. unit
		for Martin containers (Miniset)	
	02630	without indicator, red	1000 pcs.
	02631	with steam indicator, red	1000 pcs.
		for Martin containers (Microstop)	
	02636	without indicator, red	500 pcs.
	02637	with steam indicator, red	500 pcs.
		Plastic seal "AW" for Aesculap and Wagner containers	
	02612	without indicator	
		red	1000 pcs.
	02613	blue	1000 pcs.
	02614	green	1000 pcs.
	02615	yellow	1000 pcs.
		with steam indicator	
	02632	red	1000 pcs.
	02633	blue	1000 pcs.
	02634	green	1000 pcs.
	02635	yellow	1000 pcs.
		for Aesculap containers	
		without indicator	
	01020	blue	1000 pcs.
	01021	green	1000 pcs.
	01022	white	1000 pcs.
	01023	red	1000 pcs.
	01024	yellow	1000 pcs.
	01234	orange	1000 pcs.
	01236	violet	1000 pcs.
	02618	neon-yellow	1000 pcs.
	02619	neon-orange	1000 pcs.
		with steam indicator	
	01228	blue	1000 pcs.
	01229	green	1000 pcs.
	01230	white	1000 pcs.
	01231	red	1000 pcs.
	01232	yellow	1000 pcs.
	01235	orange	1000 pcs.
	01237	violet	1000 pcs.

REF		pack. unit	
	for Aesculap containers easier to open without indicator		
01279	blue	1000 pcs.	
01280	green	1000 pcs.	
01281	white	1000 pcs.	
01282	red	1000 pcs.	
01283	yellow	1000 pcs.	
01284	orange	1000 pcs.	
01285	violet	1000 pcs.	
01286	black	1000 pcs.	
	with steam indicator		
01287	blue	1000 pcs.	
01288	green	1000 pcs.	
01289	white	1000 pcs.	
01290	red	1000 pcs.	
01291	yellow	1000 pcs.	
01292	orange	1000 pcs.	
01293	violet	1000 pcs.	
01294	black	1000 pcs.	


Container labels for Aesculap containers

01135	with steam indicator (4 strokes) non-adhesive size: 39.5 x 68 mm	1000 pcs.	
-------	---	-----------	---

04117	with steam indicator (imprint "Steril") non-adhesive size: 39.5 x 68 mm	1000 pcs.	
-------	--	-----------	---

	blank size: 39.5 x 68 mm		
04102	non-adhesive	1000 pcs.	
04106	single self-adhesive	1000 pcs.	

01136	with steam indicator (dot) single self-adhesive size: 39.5 x 67 mm	1000 pcs.	
-------	---	-----------	---

	REF		pack. unit
	04104	with steam indicator (imprint "Steril") with frame single self-adhesive size: 39.5 x 67 mm	1000 pcs.
	04118	with steam indicator (imprint "Steril") single self-adhesive size: 39.5 x 67 mm	1000 pcs.
	04005	for old Aesculap containers with steam indicator non-adhesive size: 18 x 50 mm	1000 pcs.
	04000	with steam indicator single self-adhesive size: 18 x 60 mm	1000 pcs.
	01123	without indicator non-adhesive size: 39 x 65 mm	1000 pcs.
	01400	non-adhesive size: 35 x 80 mm	1000 pcs.
	04184	with steam indicator without indicator	1000 pcs.

Container labels for Martin containers

	01137	with steam indicator size: 35 x 50 mm non-adhesive	1000 pcs.
	01125	single self-adhesive	1000 pcs.

REF		pack. unit
01138	with steam indicator non-adhesive size: 46 x 50 mm	1000 pcs.



01139	with steam indicator single self-adhesive size: 46 x 50 mm	1000 pcs.
-------	---	-----------



01119	with steam indicator size: 46 x 60 mm non-adhesive	1000 pcs.
01122	single self-adhesive	1000 pcs.



04112	for Microstop containers with steam indicator single self-adhesive size: 39 x 63 mm	1000 pcs.
-------	---	-----------



Container labels for Medicon containers

01120	with steam indicator single self-adhesive size: 36 x 67 mm	1000 pcs.
-------	---	-----------



01121	with steam indicator non-adhesive size: 36 x 64 mm	1000 pcs.
-------	---	-----------




Container labels for Wagner containers

	REF		pack. unit
	01133	with steam indicator non-adhesive size: 40 x 59 mm	1000 pcs.

	01134	with steam indicator single self-adhesive size: 40/10 x 59 mm	1000 pcs.
---	-------	--	-----------

	01169	with steam indicator single self-adhesive size: 40 x 59/15 mm	1000 pcs.
--	-------	--	-----------

Container label for Geuder containers

	04067	with steam indicator single self-adhesive size: 23 x 60 mm	1000 pcs.
---	-------	---	-----------

Container label for CBM containers

	04116	with steam indicator non-adhesive size: 39.5 x 55 mm	1000 pcs.
---	-------	---	-----------

Container labels

		with steam indicator non-adhesive size:	
	01118	39.5 x 67 mm	1000 pcs.
	01116	38.0 x 67 mm	1000 pcs.

REF		pack. unit	
	blank without indicator		
	size: 46 x 60 mm		
01124	non-adhesive	1000 pcs.	
04105	single self-adhesive	1000 pcs.	

Container paper filters for Aesculap containers according to ISO 11607-1 / for single use

	round filter		
	diameter: 190 mm		
01140	with steam indicator	500 pcs.	
01152	with steam indicator, packed at 100 pcs.	500 pcs.	
01141	without indicator	500 pcs.	

	miniset filter		
	size: 118 x 235 mm		
01148	with steam indicator	200 pcs.	
01186	without indicator	200 pcs.	

01317	rectangular filter with steam indicator	500 pcs.	
	size: 170 x 230 mm		

	rectangular filter		
	size: 230 x 230 mm		
01153	with steam indicator, with bevelled corners	500 pcs.	
01142	without indicator, with bevelled corners	500 pcs.	
01149	without indicator, with pointed corners	500 pcs.	

Container filter made of non-woven material according to ISO 116071 / for single use

01368	round fleece filter (blue) without indicator	1000 pcs.	
	diameter: 92 mm		

Container filter made of non-woven material for Aesculap containers according to ISO 116071 / for single use

REF

pack. unit



01365

round fleece filter (blue)
with steam indicator

500 pcs.

diameter: 190 mm**Container filter made of non-woven material for Martin containers according to ISO 11607-1 / for single use**

01145

rectangular fleece filter (blue)
with two holes
with steam indicator

500 pcs.

size: 225 x 225 mm**Container paper filter for Martin containers according to ISO 11607-1 / for single use**

01330

rectangular filter
with steam indicator
with rounded corners
with oblong hole

250 pcs.

size: 104 x 104 mm

01158

rectangular filter
with steam indicator
with two holes
with pointed corners

200 pcs.

size: 110 x 240 mm

01143

rectangular filter
with steam indicator

500 pcs.

01321

size:
180 x 270 mm
180 x 255 mm

500 pcs.

Container paper filter for Wagner containers according to ISO 11607-1 / for single use

01355

round filter
with steam indicator
with centre hole Ø 10 mm

500 pcs.

diameter: 190 mm

REF		pack. unit	
01369	round filter with steam indicator with centre hole Ø 10 mm diameter: 75 mm	1000 pcs.	
01363	rectangular filter with steam indicator size: 245 x 400 mm	500 pcs.	
01323	rectangular filter with steam indicator size: 96 x 212 mm	250 pcs.	
01314	rectangular filter with steam indicator size: 145 x 205 mm	100 pcs.	
01357	rectangular filter with steam indicator size: 170 x 255 mm	500 pcs.	
01356	rectangular filter with steam indicator size: 200 x 435 mm	100 pcs.	

	REF		pack. unit
	01315	rectangular filter with steam indicator with bevelled corners	250 pcs.
		size: 240 x 240 mm	

		rectangular filter with steam indicator	
	01312	size: 240 x 540 mm with bevelled corners	100 pcs.
	01327	with pointed corners	100 pcs.


	01367	rectangular filter with steam indicator	200 pcs.
		size: 250 x 350 mm	

Container paper filter according to ISO 11607-1 without indicator / for single use

	01157	round filter with two holes	200 pcs.
		diameter: 130 mm	

		rectangular filter with four holes with rounded corners	
	01318	size: 132 x 358 mm	50 pcs.
	01167	165 x 245 mm	100 pcs.
	01305	210 x 210 mm	500 pcs.
	01304	210 x 490 mm	100 pcs.
	01345	with pointed corners size: 160 x 280 mm	200 pcs.

REF		pack. unit	
01306	rectangular filter with four holes with two rounded and two pointed corners	100 pcs.	
	size: 220 x 255 mm		

	rectangular filter		
	size:		
01303	40 x 155 mm	250 pcs.	
01301	40 x 285 mm	250 pcs.	
01313	85 x 140 mm	200 pcs.	
01302	85 x 155 mm	250 pcs.	
01300	85 x 285 mm	200 pcs.	
01377	100 x 200 mm	100 pcs.	
01352	100 x 300 mm	250 pcs.	
01366	100 x 230 mm	250 pcs.	
01351	110 x 170 mm	250 pcs.	
01336	112 x 225 mm	250 pcs.	
01333	120 x 120 mm	250 pcs.	
01370	130 x 215 mm	250 pcs.	
01311	145 x 205 mm	200 pcs.	
01371	165 x 245 mm	250 pcs.	
01183	180 x 260 mm	250 pcs.	
01194	180 x 270 mm	250 pcs.	
01361	185 x 390 mm	500 pcs.	
01354	200 x 400 mm	250 pcs.	
01358	200 x 550 mm	250 pcs.	
01196	210 x 490 mm	100 pcs.	
01198	230 x 540 mm	250 pcs.	
01144	240 x 240 mm	250 pcs.	
01181	240 x 540 mm	100 pcs.	
01359	300 x 400 mm	500 pcs.	

Textile filter with zz-seam, unbleached, without holes

	rectangular filter		
	size:		
01672	95 x 205 mm	50 pcs.	
01675	95 x 210 mm	50 pcs.	
01104	110 x 200 mm	50 pcs.	
01655	110 x 270 mm	50 pcs.	
01177	115 x 230 mm	50 pcs.	
01096	115 x 365 mm	50 pcs.	
01660	120 x 170 mm	50 pcs.	
01172	120 x 225 mm	50 pcs.	
01687	120 x 240 mm	50 pcs.	
01668	120 x 330 mm	50 pcs.	
01662	130 x 280 mm	50 pcs.	
01666	130 x 320 mm	50 pcs.	
01673	130 x 325 mm	50 pcs.	
01674	130 x 345 mm	50 pcs.	
01678	135 x 175 mm	50 pcs.	
01077	155 x 280 mm	50 pcs.	
01084	160 x 400 mm	50 pcs.	

Textile filter with zz-seam, unbleached, without holes

REF			pack. unit
	01178	170 x 230 mm	50 pcs.
	01072	170 x 360 mm	50 pcs.
	01671	170 x 400 mm	50 pcs.
	01688	180 x 240 mm	50 pcs.
	01079	180 x 260 mm	50 pcs.
	01663	190 x 370 mm	50 pcs.
	01080	200 x 300 mm	50 pcs.
	01063	205 x 490 mm	50 pcs.
	01099	205 x 205 mm	50 pcs.
	02300	210 x 270 mm	50 pcs.
	01653	210 x 490 mm	50 pcs.
	01074	210 x 540 mm	50 pcs.
	01693	212 x 226 mm	50 pcs.
	01089	218 x 218 mm	50 pcs.
	01681	220 x 235 mm	50 pcs.
	01690	220 x 500 mm	50 pcs.
	01680	225 x 225 mm	50 pcs.
	01170	230 x 230 mm	50 pcs.
	01073	235 x 530 mm	50 pcs.
	01091	240 x 240 mm	50 pcs.
	01695	240 x 520 mm	50 pcs.
	01651	240 x 540 mm	50 pcs.
	01093	250 x 530 mm	50 pcs.
	01085	260 x 540 mm	50 pcs.
	01111	270 x 350 mm	50 pcs.
	01087	290 x 590 mm	50 pcs.
	01092	330 x 330 mm	50 pcs.

round filter

	diameter:		
	without holes		
	01103	110 mm	50 pcs.
	01686	120 mm	50 pcs.
	01076	130 mm	50 pcs.
	01685	185 mm	50 pcs.
	01684	220 mm	50 pcs.
	01078	230 mm	50 pcs.
	01652	280 mm	50 pcs.

Textile filter with zz-seam, unbleached, with holes


	rectangular filter		
	with two holes		
	size:		
	01682	130 x 360 mm	50 pcs.
	01171	218 x 218 mm	50 pcs.

	01113	rectangular filter	50 pcs.
		with six holes	
		size: 220 x 230 mm	

REF		pack. unit	
	rectangular filter		
01694	size: 245 x 540 mm, with 10 holes	50 pcs.	
01175	size: 235 x 530 mm, with 12 holes	50 pcs.	

	rectangular filter with four holes		
	size:		
01677	90 x 195 mm	50 pcs.	
01683	110 x 220 mm	50 pcs.	
01656	120 x 180 mm	50 pcs.	
01179	120 x 270 mm	50 pcs.	
01661	135 x 328 mm	50 pcs.	
01670	140 x 150 mm	50 pcs.	
01108	165 x 250 mm	50 pcs.	
01109	170 x 255 mm	50 pcs.	
01112	220 x 255 mm	50 pcs.	

01070	round filter with three holes diameter: 130 mm	50 pcs.	
01691	with 2 holes diameter: 120 mm	50 pcs.	

01692	round filter with central hole diameter: 180 mm	50 pcs.	
01173	diameter: 195 mm	50 pcs.	

Protective strips

09006	To protect the surface of coated (anodised) container lids when the containers are stacked up and to improve their lubricity while stacking. Size: 10 x 205 mm	4 pcs.	
-------	--	--------	---

System small parts sieve trays

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free.


Trays, lids and dividers with double peripheral safety frame (DBGM).

	REF		pack. unit
	08400	system small parts sieve tray SET 1/1 with lid and partition size: 480 x 250 x 57 mm mesh size: 2.5 x 2.5 x 1.0 mm 1 x lengthwise divider 1/1, 1 x crosswise divider 1/1, 1 x crosswise divider 2/3, 1 x crosswise divider 1/3, 8 x T-clip	1 pc.
	08401	system small parts sieve tray 1/1 without lid and partition size: 480 x 250 x 50 mm mesh size: 2.5 x 2.5 x 1.0 mm	1 pc.
	08471	system small parts sieve tray SET 1/2 with lid and clips size: 236 x 236 x 28 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08402	system small parts sieve tray SET 1/2 with lid and clips size: 236 x 236 x 28 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08472	system small parts sieve tray SET 1/2H with lid and clips size: 236 x 236 x 46 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08403	system small parts sieve tray 1/2 without lid and clips size: 236 x 236 x 28 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08469	system small parts sieve tray SET 1/3L with lid and clips size: 466 x 73.5 x 28 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08470	system small parts sieve tray SET 1/3L with lid and clips size: 466 x 73.5 x 47 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08463	system small parts sieve tray SET 1/4 with lid and clips size: 236 x 121 x 28 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08464	system small parts sieve tray SET 1/4 with lid and clips size: 236 x 121 x 28 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.

System small parts sieve trays

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free.


Trays, lids and dividers with double peripheral safety frame (DBGM).

REF		pack. unit	
08465	system small parts sieve tray 1/4 without lid and clips size: 236 x 121 x 28 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.	
08466	system small parts sieve tray 1/4 without lid and clips size: 236 x 121 x 28 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.	
08404	system small parts sieve tray SET 1/4 with lid and clips size: 236 x 121 x 46 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.	
08405	system small parts sieve tray 1/4 without lid and clips size: 236 x 121 x 46 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.	
08454	system small parts sieve tray SET 1/6 with lid and clips size: 236 x 73.5 x 28 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.	
08457	system small parts sieve tray 1/6 without lid and clips size: 236 x 73.5 x 28 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.	
08453	system small parts sieve tray SET 1/6 with lid and clips size: 236 x 73.5 x 47 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.	
08456	system small parts sieve tray 1/6 without lid and clips size: 236 x 73.5 x 47 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.	
08455	system small parts sieve tray SET 1/6 XL with lid and clips size: 296 x 73.5 x 47 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.	
08459	system small parts sieve tray 1/6 XL without lid and clips size: 296 x 73.5 x 47 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.	

System small parts sieve trays

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free.


Trays, lids and dividers with double peripheral safety frame (DBGM).

	REF		pack. unit
	08448	system small parts sieve tray SET 1/8 with lid and clips, size: 121 x 121 x 29 mm, mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08450	system small parts sieve tray 1/8 without lid and clips, size: 121 x 121 x 29 mm, mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08406	system small parts sieve tray SET 1/8 with lid and clips size: 121 x 121 x 29 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08451	system small parts sieve tray 1/8 without lid and clips size: 121 x 121 x 47 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08449	system small parts sieve tray SET 1/8 with lid and clips, size: 121 x 121 x 47 mm, mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08407	system small parts sieve tray 1/8 without lid and clips size: 121 x 121 x 29 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08408	system small parts sieve tray SET 1/16 with lid and clips size: 121 x 73 x 29 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08409	system small parts sieve tray 1/16 without lid and clips size: 121 x 73 x 29 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.

System small parts sieve trays

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free.


Trays, lids and dividers with double peripheral safety frame (DBGM).

	08442	system small parts sieve tray SET 1/32 with lid and clips size: 63 x 63 x 23.4 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
---	-------	---	-------

System small parts sieve trays

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free.

Trays, lids and dividers with double peripheral safety frame (DBGM).

REF		pack. unit	
Suitable lids			
08445	lid for small part sieve tray REF 08401, with clips	1 pc.	
08446	lid for small part sieve tray REF 08403, with clips	1 pc.	
08431	lid for small part sieve tray REF 08407, with clips	1 pc.	
08452	lid for small part sieve tray REF 08450, with clips	1 pc.	
08430	lid for small part sieve tray REF 08409, with clips	1 pc.	
08460	lid for small part sieve tray REF 08456, with clips	1 pc.	
08461	lid for small part sieve tray REF 08457, with clips	1 pc.	
08462	lid for small part sieve tray REF 08459, with clips	1 pc.	
08467	lid for small part sieve tray REF 08465, with clips	1 pc.	
08468	lid for small part sieve tray REF 08466, with clips	1 pc.	

Clips for system sieve trays, removable

08918	64 x 30 x 0.5 mm	1 pc.	
08919	84 x 30 x 0.5 mm	1 pc.	

Clamp element for REF 08408

08438	2 x 2 crosswires for choice clamps size: 107 x 59 x 16 mm	1 pc.	
-------	---	-------	---

**Cross- / lengthwise divider for system small parts sieve trays incl. 2 clips,
for individual division**

	REF		pack. unit
	08436	size: 465 x 43 mm mesh size: 2.5 x 2.5 x 1.0 mm	1 pc.
	08482	size: 300 x 43 mm mesh size: 2.5 x 2.5 x 1.0 mm	1 pc.
	08480	size: 278 x 241 mm	1 pc.
	08479	size: 278 x 118 mm	1 pc.
	08483	size: 232 x 43 mm mesh size: 2.5 x 2.5 x 1.0 mm	1 pc.
	08412	size: 224 x 42 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08411	size: 224 x 24 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08410	size: 224 x 24 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08484	size: 152 x 43 mm mesh size: 2.5 x 2.5 x 1.0 mm	1 pc.
	08485	size: 152 x 43 mm mesh size: 1.0 x 1.0 x 0.7 mm	1 pc.
	08414	size: 109 x 24 mm mesh size: 2.5 x 2.5 x 0.7 mm	1 pc.
	08413	size: 109 x 24 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.
	08437	size: 71 x 43 mm mesh size: 2.5 x 2.5 x 1.0 mm	1 pc.
	08486	size: 71 x 43 mm mesh size: 1.0 x 1.0 x 0.7 mm	1 pc.
	08481	size: 61.5 x 24 mm mesh size: 1.0 x 1.0 x 0.5 mm	1 pc.

Flushing mesh basket with lid, made of stainless steel electrolytically polished

REF		pack. unit
08434	size: 80 x 80 x 40 mm mesh size: 1.5 x 1.5 x 0.7 mm	1 pc.
08435	size: 80 x 40 x 30 mm mesh size: 1.5 x 1.5 x 0.7 mm	1 pc.



Dish trays

Base frame designed for stacking, with perforated steel jacket, with drop-type handles, material 1.4301, electrolytically polished, burr-free.

08432	dish tray 1/1-100/105 with stacking frame size: 480 x 250 x 105 mm mesh size of base: 4 x 4 x 1 mm	1 pc.
08475	dish tray 1/1-100 without stacking frame size: 480 x 250 x 100 mm mesh size of base: 4 x 4 x 1 mm	1 pc.
08474	dish tray 1/1-60/65 with stacking frame size: 480 x 250 x 65 mm mesh size of base: 4 x 4 x 1 mm	1 pc.
08473	dish tray 1/1-60 without stacking frame size: 480 x 250 x 60 mm mesh size of base: 4 x 4 x 1 mm	1 pc.
08478	dish tray 1/2-60/65 with stacking frame size: 240 x 250 x 65 mm mesh size of base: 4 x 4 x 1 mm	1 pc.
08476	dish tray 1/1-60 without stacking frame size: 240 x 250 x 60 mm mesh size of base: 4 x 4 x 1 mm	1 pc.



Sieve trays in DIN and ISO standard

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free
 can be stacked on top of each other, with drop-type handles
 mesh size: 4 x 4 mm and 5 x 5 mm with a height of over 60 mm
 with double peripheral safety frame (DBGM).

	REF		pack. unit
	08810	sieve tray XL-560/70 size: 560 x 250 x 70 mm	1 pc.
	08809	sieve tray XL-560/50 size: 560 x 250 x 50 mm	1 pc.
	08808	sieve tray 1/1-100 size: 480 x 250 x 100 mm	1 pc.
	08417	sieve tray 1/1-70 size: 480 x 250 x 70 mm	1 pc.
	08416	sieve tray 1/1-50 size: 480 x 250 x 50 mm	1 pc.
	08415	sieve tray 1/2-50 size: 240 x 250 x 50 mm	1 pc.

System basket in DIN-StE-standard

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free
 with double peripheral safety frame (DBGM).

		1/1	
	08811	system basket 1/1 with grip hole 295 x 580 x 150 mm	1 pc.
	08812	system basket 1/1 with grip hole 295 x 580 x 204 mm	1 pc.
	08813	system basket 1/1 with grip hole 295 x 580 x 250 mm	1 pc.
	08814	system basket 1/1 with grip hole and transport fixation 295 x 580 x 150 mm	1 pc.
	08815	system basket 1/1 with grip hole and transport fixation 295 x 580 x 204 mm	1 pc.
	08816	system basket 1/1 with grip hole and transport fixation 295 x 580 x 250 mm	1 pc.

System basket in DIN-StE-standard



stainless steel 18/10, material 1.4301, electrolytically polished, burr-free
with double peripheral safety frame (DBGM).

REF		pack. unit	
	1/2		
08817	system basket 1/2 with grip hole 295 x 300 x 150 mm	1 pc.	
08818	system basket 1/2 with grip hole 295 x 300 x 204 mm	1 pc.	
08819	system basket 1/2 with grip hole 295 x 300 x 250 mm	1 pc.	
08820	system basket 1/2 with grip hole and transport fixation 295 x 300 x 150 mm	1 pc.	
08821	system basket 1/2 with grip hole and transport fixation 295 x 300 x 204 mm	1 pc.	
08822	system basket 1/2 with grip hole and transport fixation 295 x 300 x 250 mm	1 pc.	
08823	Fixing SET transport fixation for system basket 150 x 33 x 22 mm	1 pc.	

System sieves in DIN-StE-standard



stainless steel 18/10, material 1.4301, electrolytically polished, burr-free
with double peripheral safety frame (DBGM).

REF		pack. unit
1/1		
08830	system sieve 1/1 SL 480 x 240 x 50 mm	1 pc.
08831	system sieve 1/1 SL 480 x 240 x 70 mm	1 pc.
08824	system sieve SET 1/1 SL contains: 2 x system sieve 1/1 480 x 240 x 50 mm and 2 x clip	1 pc.
08825	system sieve SET 1/1 SL contains: 1 x system sieve 1/1 480 x 240 x 50 mm, 1 x system sieve 480 x 240 x 70 mm and 2 x clip	1 pc.
08826	system sieve SET 1/1 SL contains: 2 x system sieve 1/1 480 x 240 x 70 mm and 2 x clip	1 pc.
1/2		
08832	system sieve 1/2 SL 240 x 240 x 50 mm	1 pc.
08833	system sieve 1/2 SL 240 x 240 x 70 mm	1 pc.
08827	system sieve SET 1/2 SL contains: 2 x system sieve 1/2 240 x 240 x 50 mm and 2 x clip	1 pc.
08828	system sieve SET 1/2 SL contains: 1 x system sieve 1/2 240 x 240 x 50 mm, 1 x system sieve 1/2 240 x 240 x 70 mm and 2 x clip	1 pc.
08829	system sieve SET 1/2 SL contains: 2 x system sieve 1/2 240 x 240 x 70 mm and 2 x clip	1 pc.



System sieves in DIN-StE-standard

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free
with double peripheral safety frame (DBGM).

REF		pack. unit	
	Suitable lids		
08834	lid for system sieve REF 08830 with two fixed clips, 482 x 241 x 8 mm	1 pc.	
08835	lid for system sieve REF 08830 with two replaceable clips, 482 x 241 x 8 mm	1 pc.	
08836	lid for system sieve REF 08831 with two fixed clips, 482 x 241 x 8 mm	1 pc.	
08837	lid for system sieve REF 08831 with two replaceable clips, 482 x 241 x 8 mm	1 pc.	
08838	lid for system sieve REF 08832 with two fixed clips, 242 x 241 x 8 mm	1 pc.	
08839	lid for system sieve REF 08832 with two replaceable clips, 242 x 241 x 8 mm	1 pc.	
08840	lid for system sieve REF 08833 with two fixed clips, 242 x 241 x 8 mm	1 pc.	
08841	lid for system sieve REF 08833 with two replaceable clips, 242 x 241 x 8 mm	1 pc.	


Fixture SET MIC

08493	fixture SET MIC for small parts sieve tray 1/4 109 x 38 mm 2 x crosswise divider, 1 x silicone tray "fir tree", 1 x silicone tray "slotted", 4 x clip	1 pc.	
-------	--	-------	---

Fixture sets for lenses

	REF		pack. unit
	08487	fixture SET for one lens Ø 5 mm 60 x 38 mm 2 x crosswise divider, 2 x silicone tray and 4 x clip	1 pc.
	08491	fixture SET for one lens Ø 10 mm 60 x 38 mm 2 x crosswise divider, 2 x silicone tray and 4 x clip	1 pc.
	08913	fixture SET for two lenses Ø 2 mm 2 x crosswise divider, 2 x silicone tray and 4 x clip	1 pc.
	08492	fixture SET for two lenses Ø 5 mm and Ø 10 mm 60 x 38 mm 2 x crosswise divider, 2 x silicone tray and 4 x clip	1 pc.
	08494	fixture SET for three lenses Ø 10 mm 152 x 38 mm 2 x crosswise divider, 2 x silicone tray 3-fold and 4 x clip	1 pc.
	08842	fixture SET for three lenses Ø 5 mm 152 x 38 mm 2 x crosswise divider, 2 x silicone tray 3-fold and 4 x clip	1 pc.
	08843	fixture SET for five lenses Ø 10 mm 152 x 38 mm 2 x crosswise divider, 2 x silicone tray 5-fold and 4 x clip	1 pc.
	08844	fixture SET for five lenses Ø 5 mm 152 x 38 mm 2 x crosswise divider, 2 x silicone tray 5-fold and 4 x clip	1 pc.

Retainers for silicone fixture, screwable

	08848	length: 55 mm, 2 pins, distance: 30 mm	1 pc.
	08849	length: 65 mm, 2 pins, distance: 45 mm	1 pc.
	08850	length: 90 mm, 3 pins, distance: 30 mm	1 pc.
	08851	length: 110 mm, 3 pins, distance: 45 mm	1 pc.
	08852	length: 140 mm, 3 pins, distance: 60 mm	1 pc.
	08853	length: 200 mm, 4 pins, distance: 60 mm	1 pc.

Silicone fixtures

REF		pack. unit
08859	silicone fixture for one lens (Ø 5 mm) 44 x 30 x 5 mm suitable for retainer REF 08848	1 pc.
08857	silicone fixture for two lenses (Ø 5 mm) 46 x 33 x 5 mm suitable for retainer REF 08848	1 pc.
08856	silicone fixture for two lenses (Ø 5 mm, Ø 10 mm) 46 x 33 x 5 mm suitable for retainer REF 08848	1 pc.
08855	silicone fixture for one lens (Ø 10 mm) 44 x 30 x 5 mm suitable for retainer REF 08848	1 pc.
08863	silicone fixture for five lenses (Ø 10 mm) 137 x 35 x 5 mm suitable for retainer REF 08852	1 pc.
08865	silicone fixture slotted (17-fold) 137 x 25 x 5 mm suitable for retainer REF 08852	1 pc.
08866	silicone fixture "fir tree" (12-fold) Ø 8 - 14.5 mm 229 x 35 x 5 mm suitable for retainer REF 08853	1 pc.
08867	silicone fixture "fir tree" (18-fold) Ø 1 - 7.5 mm 206 x 25 x 5 mm suitable for retainer REF 08853	1 pc.
08870	silicone fixture slotted (37-fold) 230 x 25 x 5 mm suitable for retainer REF 08853	1 pc.
08871	silicone fixture slotted (51-fold) 206 x 25 x 5 mm suitable for retainer REF 08853	1 pc.
08868	silicone fixture "fir tree" (5-fold) Ø 8 - 14 mm 94 x 25 x 5 mm suitable for retainer REF 08850	1 pc.
08872	silicone fixture slotted (23-fold) 89 x 25 x 5 mm suitable for retainer REF 08850	1 pc.



Rochard sieve


08801	Rochard sieve with lid 725 x 275 x 113 mm mesh size: 5.0 x 5.0 x 1.0 mm	1 pc.
-------	---	-------



Rochard sieve


	REF		pack. unit
	08802	endoscope fixture SET for REF 08801 257 x 98 mm 2 x crosswise divider 1/1 2 x silicone tray "fir tree" 12-fold 4 x clip	1 pc.

Screw rack

	08495	screw rack 215 x 100 x 45 mm	1 pc.
	08496	lid for REF 08495 222 x 116 x 7 mm	1 pc.


Raised inlay tray

with handles & double frame

	08433	raised inlay tray for sieve trays 1/1-50 size: 420 x 230 x 35 mm mesh size: 4 x 4 mm	1 pc.
--	-------	---	-------

Sterile goods basket DIN-StU

stainless steel 18/10, material 1.4301, electrolytically polished, burr-free,
base frame designed for stacking, certified by German Association for
Technical Inspection

	08418	sterile goods basket 1/2 StU with handle opening size: 575 x 280 x 135 mm	1 pc.
	08419	sterile goods basket 1 StU with handle opening size: 575 x 280 x 265 mm	1 pc.

Wire container

stainless steel 18/10, material 1.4301, electrolytically polished,
base frame designed to facilitate stacking

	08420	wire container size 3 size: 350 x 210 x 200 mm	1 pc.
	08421	wire container size 4 size: 230 x 150 x 125 mm	1 pc.

Soil sieves made of stainless steel

REF		pack. unit
08458	size: 245 x 175 x 90 mm mesh size: 10.0 x 10.0 mm suitable for REF 17190, 17191 and 17192	1 pc.
08803	size: 245 x 175 x 90 mm mesh size: 3.0 x 3.0 mm suitable for REF 17190, 17191 and 17192	1 pc.



Small parts sieve trays with lid, made of stainless steel, mesh size: 1 x 1 mm

08910	size: 40 x 40 x 20 mm	1 pc.
08911	size: 80 x 80 x 30 mm	1 pc.
08912	size: 160 x 40 x 20 mm	1 pc.



Mesh baskets with lid, made of stainless steel, mesh size: 3 x 3 mm


08896	size: 40 x 40 x 20 mm	1 pc.
08897	size: 80 x 40 x 20 mm	1 pc.
08900	size: 80 x 40 x 30 mm	1 pc.
08901	size: 80 x 80 x 30 mm	1 pc.
08902	size: 90 x 90 x 40 mm	1 pc.
08903	size: 140 x 100 x 20 mm	1 pc.
08898	size: 160 x 40 x 20 mm	1 pc.
08904	size: 170 x 120 x 20 mm	1 pc.
08899	size: 200 x 40 x 30 mm	1 pc.
08905	size: 200 x 160 x 20 mm	1 pc.
08906	size: 240 x 190 x 20 mm	1 pc.
08907	size: 290 x 170 x 20 mm	1 pc.



**Mesh baskets without lid, made of stainless steel,
with drop-type handles, mesh size: 6 x 6 mm**

	REF		pack. unit
	08909	size: 240 x 230 x 40 mm	1 pc.
	08908	size: 395 x 240 x 65 mm	1 pc.

Small parts washing basket

	08880	small parts washing basket size: 200 x 200 x 25 mm mesh size: 2.5 x 2.5 mm with lid, hinge and spring cap; side walls, division bars, lid and base perforated, electrolytically polished, stainless steel 1.4301 with 65 panels 40 x 15 mm each	1 pc.

	08878	for fixture REF 08876 (semi circular design) mesh size: 0.4 x 0.4 mm electrolytically polished, stainless steel 1.4301	1 pc.
---	-------	--	-------

	08879	for fixture REF 08877 (bucket design) mesh size: 0.4 x 0.4 mm electrolytically polished, stainless steel 1.4301	1 pc.
---	-------	---	-------

Fixtures for small parts washing basket

		size: 80 x 80 x 92 mm mesh size: 0.5 x 0.5 mm (lid) mesh size: 0.4 x 0.4 mm (washing basket) lid snaps into place electrolytically polished, stainless steel 1.4301	
	08876	fixture, washing basket (semi circular design) and lid	1 pc.
	08877	fixture, washing basket (bucket design) and lid	1 pc.


Covering basket for small parts washing baskets

REF

pack. unit


08874 size: 330 x 230 x 97 mm
6-fold fixture (82 x 82 mm)
2 recessed grips
stackable
electrolytically polished, stainless steel 1.4301
(small parts washing baskets and fixtures not included)

1 pc.



Sterilization trays with lid made of plastic, to protect instruments

example of use



08422

heat resistant up to 134 °C
inner size: **140 x 55 x 17 mm**
outer size: **150 x 65 x 26 mm**

1 pc.

08423

with hinge between lid and tray
inner size: **175 x 129 x 20 mm**
outer size: **190 x 138 x 36 mm**

1 pc.

08424



inner size: **200 x 135 x 32 mm**
outer size: **230 x 175 x 42 mm**


1 pc.

08425

inner size: **270 x 173 x 40 mm**
outer size: **300 x 200 x 50 mm**

1 pc.



	REF		pack. unit
	08883	size: 185 x 50 x 20 mm heat resistant up to 134 °C silicone instrument holder Ø 0.8 mm (1-fold)	1 pc.
	08884	silicone instrument holder Ø 0.8 mm (2-fold)	1 pc.
	08885	with lid and silicone nub mat heat resistant up to 134 °C size: 185 x 50 x 20 mm	1 pc.
	08892	size: 185 x 75 x 20 mm	1 pc.
	08886	size: 150 x 60 x 20 mm	1 pc.
	08890	with lid and silicone nub mat heat resistant up to 134 °C size: 190 x 100 x 35 mm	1 pc.
	08887	with lid, clips and silicone nub mat heat resistant up to 134 °C size: 270 x 160 x 15 mm	1 pc.
	08888	size: 270 x 160 x 35 mm with two plastic tiers and two silicone nub mats	1 pc.
	08889	size: 270 x 160 x 35 mm	1 pc.

**Sterilization cassettes made of stainless steel,
to protect instruments**

	08893	with lid for max. instrument diameter: 10 mm heat resistant up to 134 °C size: 185 x 65 x 20 mm with silicone holder 5-fold (red)	1 pc.
	08894	size: 185 x 125 x 20 mm with silicone holder 10-fold (yellow)	1 pc.
	08895	size: 280 x 180 x 25 mm with silicone holder 20-fold (cyan)	1 pc.


Instrument tray made of stainless steel

REF		pack. unit	
	size:		
08488	213 x 113 x 10 mm	1 pc.	
08489	235 x 165 x 10 mm	1 pc.	
08490	288 x 163 x 10 mm	1 pc.	


Instrument tray made of synthetic material

	heat resistant up to 134 °C washable in washer-disinfector size: 195 x 135 x 23 mm		
09832	red	12 pcs.	
09833	yellow	12 pcs.	
09834	green	12 pcs.	
09835	blue	12 pcs.	

Silicone mesh cover 1/1 for system tray

	heat resistant up to 134 °C washable in washer-disinfector frame: rigid colour: blue		
08447	445 x 210 mm (outer size) 420 x 180 mm (inner size)	1 pc.	


Silicone mesh cover 1/1 for system tray

	heat resistant up to 134 °C washable in washer-disinfector colour: blue		
08882	frame: rigid 445 x 230 mm (outer size) 425 x 210 mm (inner size)	1 pc.	
08881	frame: flexible 430 x 230 mm (outer size) 415 x 210 mm (inner size)	1 pc.	

Silicone mesh cover 1/2 for system tray

REF		pack. unit	
	08845	heat resistant up to 134 °C washable in washer-disinfector 235 x 210 mm (outer size) 215 x 190 mm (inner size) colour: blue frame: rigid	1 pc.
	08846	frame: flexible	1 pc.

Mesh cover 1/1 made of stainless steel for system tray

	08847	heat resistant washable in washer-disinfector 445 x 230 mm	1 pc.
---	-------	---	-------

Mesh basket labels for marking mesh baskets,
re-usable

	01421	made of heat resistant synthetic material up to 134 °C size: 90 x 50 mm	150 pcs.
	01422	90 x 33 mm	200 pcs.
	04122	size: 60 x 40 mm without holes	1000 pcs.

Suitable for P-touch labelling tapes.

PP-Mesh basket labels for marking mesh baskets, durable material

REF

pack. unit

	made of heat resistant synthetic material up to 134 °C laser imprint is technically not feasible size: 90 x 33 mm		
01423	red	100 pcs.	
01424	dark green	100 pcs.	
01996	light green	100 pcs.	
01425	dark blue	100 pcs.	
01997	light blue	100 pcs.	
01426	yellow	100 pcs.	
01427	black	100 pcs.	
01428	white	100 pcs.	
01429	brown	100 pcs.	
01430	orange	100 pcs.	
01431	natural colour	100 pcs.	
01441	assortment: each 10 pcs. of 01423 - 01430 + 20 pcs. of 01431	100 pcs.	
	<u>Not suitable for P-touch labelling tapes.</u>		

	made of heat resistant synthetic material up to 134 °C laser imprint is technically not feasible size: 90 x 50 mm		
01432	red	100 pcs.	
01433	dark green	100 pcs.	
01998	light green	100 pcs.	
01434	dark blue	100 pcs.	
01999	light blue	100 pcs.	
01435	yellow	100 pcs.	
01436	black	100 pcs.	
01437	white	100 pcs.	
01438	brown	100 pcs.	
01439	orange	100 pcs.	
01440	natural colour	100 pcs.	
01442	assortment: each 10 pcs. of 01432 - 01439 + 20 pcs. of 01440	100 pcs.	
	<u>Not suitable for P-touch labelling tapes.</u>		

**PTL-Mesh basket labels for marking mesh baskets,
durable material**

	REF		pack. unit
		made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 90 x 33 mm	
	01900	red	100 pcs.
	01972	coral red	100 pcs.
	01901	green	100 pcs.
	01962	dark blue	100 pcs.
	01902	light blue	100 pcs.
	01903	yellow	100 pcs.
	01912	black	100 pcs.
	01904	white	100 pcs.
	01905	orange	100 pcs.
	01956	brown	100 pcs.
	01976	pink	100 pcs.
	01977	purple	100 pcs.
		<u>Suitable for P-touch labelling tapes.</u>	

		made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 90 x 50 mm	
	01906	red	100 pcs.
	01973	coral red	100 pcs.
	01907	green	100 pcs.
	01963	dark blue	100 pcs.
	01908	light blue	100 pcs.
	01909	yellow	100 pcs.
	01994	black	100 pcs.
	01910	white	100 pcs.
	01911	orange	100 pcs.
	01957	brown	100 pcs.
	01978	pink	100 pcs.
	01979	purple	100 pcs.
		<u>Suitable for P-touch labelling tapes.</u>	

REF		pack. unit	
	made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 40 x 20 mm		
02227	white	100 pcs.	
02228	red	100 pcs.	
02229	green	100 pcs.	
02230	light blue	100 pcs.	
02231	dark blue	100 pcs.	
02232	yellow	100 pcs.	
	<u>Suitable for P-touch labelling tapes.</u>		

PTL-tags, durable material

	made of heat resistant synthetic material up to 134 °C laser imprint with text possible diameter: 25 mm		
01591	white	100 pcs.	
01592	red	100 pcs.	
01593	green	100 pcs.	
01594	light blue	100 pcs.	
01595	dark blue	100 pcs.	
01596	yellow	100 pcs.	
	<u>Suitable for P-touch labelling tapes.</u>		

PTL-plastic labels for marking mesh baskets

also suitable for Wagner containers, durable material,
suitable for label holder REF 01498.

	made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 60 x 40 mm		
01948	white	100 pcs.	
01949	red	100 pcs.	
01950	green	100 pcs.	
01969	dark blue	100 pcs.	
01951	light blue	100 pcs.	
01952	orange	100 pcs.	
01953	black	100 pcs.	
01954	yellow	100 pcs.	
01990	pink	100 pcs.	
01991	purple	100 pcs.	
	<u>Suitable for P-touch labelling tapes.</u>		
	<u>Items suitable for our labels item no. 04186 and item no. 04189.</u>		

Mesh basket label holder, made of stainless steel, with clip
durable material


	REF		pack. unit
	01498	heat resistant size: 60 x 40 mm	25 pcs.

PP-Mesh basket labels with clips for marking mesh baskets,
durable material

		made of heat resistant synthetic material up to 134 °C laser imprint is technically not feasible size: 90 x 50 mm	
	02210	orange	25 pcs.
	02211	red	25 pcs.
	02212	blue	25 pcs.
	02213	yellow	25 pcs.
	02214	green	25 pcs.
	02247	black	25 pcs.
<u>Not suitable for P-touch labelling tapes.</u>			

		made of heat resistant synthetic material up to 134 °C laser imprint is technically not feasible size: 90 x 30 mm	
	02205	orange	25 pcs.
	02206	red	25 pcs.
	02233	dark blue	25 pcs.
	02207	light blue	25 pcs.
	02208	yellow	25 pcs.
	02209	green	25 pcs.
<u>Not suitable for P-touch labelling tapes.</u>			

		made of heat resistant synthetic material up to 134 °C laser imprint is technically not feasible size: 70 x 30 mm	
	02200	orange	25 pcs.
	02201	red	25 pcs.
	02202	blue	25 pcs.
	02203	yellow	25 pcs.
	02204	green	25 pcs.
<u>Not suitable for P-touch labelling tapes.</u>			

		made of heat resistant synthetic material up to 134 °C laser imprint is technically not feasible size: 55 x 30 mm	
	01578	orange	25 pcs.
	01579	red	25 pcs.
	02235	dark blue	25 pcs.

REF		pack. unit	
01580	light blue	25 pcs.	
01581	yellow	25 pcs.	
01582	green	25 pcs.	
<u>Not suitable for P-touch labelling tapes.</u>			

	made of heat resistant synthetic material up to 134 °C laser imprint is technically not feasible size: 30 x 30 mm		
01583	orange	25 pcs.	
01584	red	25 pcs.	
02234	dark blue	25 pcs.	
01585	light blue	25 pcs.	
02248	ochre yellow	25 pcs.	
01586	yellow	25 pcs.	
01587	green	25 pcs.	
02236	white	25 pcs.	
02237	black	25 pcs.	
02239	pink	25 pcs.	
02240	purple	25 pcs.	
02241	brown	25 pcs.	
<i>Not suitable for P-touch labelling tapes.</i>			

**PTL-Mesh basket labels with clips for marking mesh baskets,
durable material**

	made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 90 x 50 mm		
01941	white	25 pcs.	
01942	red	25 pcs.	
01943	green	25 pcs.	
01968	dark blue	25 pcs.	
01944	light blue	25 pcs.	
01945	orange	25 pcs.	
01946	black	25 pcs.	
01947	ochre yellow	25 pcs.	
01565	yellow	25 pcs.	
01988	pink	25 pcs.	
01989	purple	25 pcs.	
01955	brown	25 pcs.	
<i>Suitable for P-touch labelling tapes.</i>			

	made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 90 x 30 mm		
01934	white	25 pcs.	
01935	red	25 pcs.	

	REF		pack. unit
	01975	coral red	25 pcs.
	01936	green	25 pcs.
	01967	dark blue	25 pcs.
	01937	light blue	25 pcs.
	01938	orange	25 pcs.
	01939	black	25 pcs.
	01940	ochre yellow	25 pcs.
	01564	yellow	25 pcs.
	01986	pink	25 pcs.
	01987	purple	25 pcs.
	01958	brown	25 pcs.
<u>Suitable for P-touch labelling tapes.</u>			

		made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 70 x 30 mm	
	01927	white	25 pcs.
	01928	red	25 pcs.
	01929	green	25 pcs.
	01966	dark blue	25 pcs.
	01930	light blue	25 pcs.
	01931	orange	25 pcs.
	01932	black	25 pcs.
	01933	ochre yellow	25 pcs.
	01562	yellow	25 pcs.
	01984	pink	25 pcs.
	01985	purple	25 pcs.
	01959	brown	25 pcs.
<u>Suitable for P-touch labelling tapes.</u>			

		made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible size: 54 x 30 mm	
	01561	yellow	25 pcs.
<u>Suitable for P-touch labelling tapes.</u>			

		made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 55 x 30 mm	
	01920	white	25 pcs.
	01921	red	25 pcs.
	01922	green	25 pcs.
	01965	dark blue	25 pcs.
	01923	light blue	25 pcs.
	01924	orange	25 pcs.
	01925	black	25 pcs.
	01926	ochre yellow	25 pcs.

REF		pack. unit	
01982	pink	25 pcs.	
01983	purple	25 pcs.	
01960	brown	25 pcs.	
<u>Suitable for P-touch labelling tapes.</u>			


	made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 30 x 30 mm			
01913	white	25 pcs.		
01914	red	25 pcs.		
01915	green	25 pcs.		
01964	dark blue	25 pcs.		
01916	light blue	25 pcs.		
01917	orange	25 pcs.		
01918	black	25 pcs.		
01919	ochre yellow	25 pcs.		
01563	yellow	25 pcs.		
01980	pink	25 pcs.		
01981	purple	25 pcs.		
01961	brown	25 pcs.		
<i>Suitable for P-touch labelling tapes.</i>				

Mesh basket labels, made of stainless steel, durable material

	heat resistant size:		
01445	90 x 33 mm	50 pcs.	
01444	90 x 50 mm	50 pcs.	

01456	heat resistant size: 40 x 20 mm	50 pcs.	
-------	--	---------	---

**Mesh basket labels with clip, made of stainless steel,
durable material**

	REF		pack. unit
	01449	heat resistant size: 90 x 30 mm	25 pcs.
	01454	90 x 50 mm	25 pcs.
	01495	70 x 30 mm	25 pcs.
	01559	55 x 30 mm	25 pcs.
	01493	30 x 30 mm	25 pcs.

**Mesh basket labels with clip, made of stainless steel,
durable material**

	01590	heat resistant size: 75 x 35 mm	25 pcs.
	01520	42 x 36 mm	25 pcs.

**Tags, made of stainless steel,
durable material**

	01452	heat resistant with hole (4 x 9 mm)	50 pcs.
	01453	diameter: 25 mm diameter: 50 mm	50 pcs.

Tie-on label, made of stainless steel

	01588	65 x 24 mm with hole (6 x 10 mm)	5 pcs.
---	-------	-------------------------------------	--------

Clipper for tie-on label

	01589	Clipper for tie-on label REF 01588 length: 40 mm	1 pc.
---	-------	---	-------

Laser imprints

Text and barcode in compliance with your request!



We create any kind of laser imprints on stainless steel, also on instruments.



**Mesh basket label holder, made of stainless steel, with clip,
durable material**

	REF		pack. unit
	01497	heat resistant size: 50 x 20 mm	25 pcs.

**Insertion plastic labels for label holder REF 01497,
durable material**

		made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text	
		size: 56 x 18 mm	
	01550	white	10 pcs.
	01551	red	10 pcs.
	01552	green	10 pcs.
	01553	light blue	10 pcs.
	01554	yellow	10 pcs.
	01555	orange	10 pcs.
	01556	black	10 pcs.
	01557	ochre yellow	10 pcs.
	01970	dark blue	10 pcs.
	01971	coral red	10 pcs.
	01992	pink	10 pcs.
	01993	purple	10 pcs.
	01558	brown	10 pcs.


Suitable for P-touch labelling tapes.

**Insertion plastic labels for label holder REF 01497,
durable material**

		made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text	
		size: 90 x 35 mm	
	02221	white	25 pcs.
	02222	red	25 pcs.
	02223	green	25 pcs.
	02224	light blue	25 pcs.
	02225	dark blue	25 pcs.
	02226	yellow	25 pcs.
	01599	black	25 pcs.

Suitable for P-touch labelling tapes.

Insertion plastic labels for label holder REF 01497, durable material

REF		pack. unit	
	made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 70 x 35 mm		
02215	white	25 pcs.	
02216	red	25 pcs.	
02217	green	25 pcs.	
02218	light blue	25 pcs.	
02219	dark blue	25 pcs.	
02220	yellow	25 pcs.	
01598	black	25 pcs.	
	<u>Suitable for P-touch labelling tapes.</u>		

Insertion plastic labels for label holder REF 01497, durable material

	made of heat resistant synthetic material up to 134 °C laser imprint with text and barcode possible, green labels can only be engraved with text size: 55 x 35 mm		
01566	white	25 pcs.	
01567	red	25 pcs.	
01568	green	25 pcs.	
01569	light blue	25 pcs.	
01570	yellow	25 pcs.	
01571	orange	25 pcs.	
01573	dark blue	25 pcs.	
01575	pink	25 pcs.	
01576	purple	25 pcs.	
01597	black	25 pcs.	
	<u>Suitable for P-touch labelling tapes.</u>		

Mesh basket label holder, made of stainless steel, with clip, for wire container

01995	heat resistant size: 80 x 30 mm	25 pcs.	
-------	--	---------	---

Fixing elements for mesh basket labels (cable binder), heat resistant up to 134 °C

09415	made of synthetic material length: 80 mm	250 pcs.	
-------	---	----------	---

Cable binder

	REF		pack. unit
		cable binder made of silicone to affix mesh basket labels length: 110 mm	
	09231	natural colour	100 pcs.
	09235	red	100 pcs.
	09236	yellow	100 pcs.
	09237	green	100 pcs.
	09238	blue	100 pcs.
	09369	violet	100 pcs.
	09370	black	100 pcs.
		length: 210 mm	
	09239	red	100 pcs.
	09240	yellow	100 pcs.
	09241	green	100 pcs.
	09242	blue	100 pcs.
	09371	violet	100 pcs.
	09372	black	100 pcs.

Cable binder mini, midi and maxi

		cable binder made of silicone to affix mesh basket labels length: 60 mm (mini)	
	09246	natural colour	100 pcs.
	09252	green	100 pcs.
	09253	blue	100 pcs.
	09254	yellow	100 pcs.
	09255	black	100 pcs.
	09256	red	100 pcs.
	09257	white	100 pcs.
	09258	orange	100 pcs.
	09259	brown	100 pcs.
	09260	grey	100 pcs.
	09261	violet	100 pcs.
	09397	light blue	100 pcs.
		length: 110 mm (midi)	
	09373	natural colour	100 pcs.
	09374	red	100 pcs.
	09375	yellow	100 pcs.
	09376	green	100 pcs.
	09377	blue	100 pcs.
	09378	orange	100 pcs.
	09379	black	100 pcs.
		length: 190 mm (maxi)	
	09282	natural colour	100 pcs.
	09283	red	100 pcs.
	09284	green	100 pcs.
	09285	blue	100 pcs.
	09286	yellow	100 pcs.
	09381	orange	100 pcs.
	09382	black	100 pcs.

Fixing rings

REF		pack. unit	
	made of synthetic material to affix mesh basket labels inner diameter: 10 mm		
09418	blue	100 pcs.	
09419	green	100 pcs.	
09420	white	100 pcs.	
09421	red	100 pcs.	
09422	yellow	100 pcs.	
09423	orange	100 pcs.	
09424	violet	100 pcs.	
09425	black	100 pcs.	
09426	transparent	100 pcs.	

Silicone stopper

	to affix mesh basket labels		
09097	natural colour	100 pcs.	
09225	blue	100 pcs.	
09226	red	100 pcs.	
09227	yellow	100 pcs.	
09228	green	100 pcs.	

Nylon stopper

09230	to affix mesh basket labels white	100 pcs.	
-------	---	----------	---

Key ring holder

01458	made of special steel to affix mesh basket labels inner diameter: 20 mm	100 pcs.	
-------	--	----------	---

Cable binder

09416	made of stainless steel to affix mesh basket labels length: 100 mm	100 pcs.	
-------	---	----------	---

Bolts and screw-nuts made of stainless steel

	REF		pack. unit
	08443	bolt with raised head made of V2A size: M4 x 8 mm	50 pcs.
	08444	cap nut made of V2A for bolts (REF 08443) approx. 8 mm high size: M4	50 pcs.
	08477	clamping fixture consists of one cap nut, one flat washer and one fixing plate size: M4	100 pcs.

Mesh basket labels made of synthetic material

		mesh basket labels heat resistant up to 134 °C size: 236 x 50 mm	
	09244	white	250 pcs.
	09264	blue	250 pcs.
	09265	green	250 pcs.
	09266	red	250 pcs.
	09267	yellow	250 pcs.
	09269	orange	250 pcs.

Mesh basket labels made of synthetic material

REF		pack. unit	
	mesh basket labels mini heat resistant up to 134 °C size: 160 x 35 mm		
09634	white	250 pcs.	
09635	blue	250 pcs.	
09636	green	250 pcs.	
09637	red	250 pcs.	
09638	yellow	250 pcs.	
09676	brown	250 pcs.	
09677	black	250 pcs.	

Mesh basket label made of synthetic material

09268	mesh basket label heat resistant up to 134 °C size: 206 x 110 mm white	250 pcs.	
-------	---	----------	---

Mesh basket label "fir tree" made of synthetic material

09678	mesh basket label heat resistant up to 134 °C size: 100 x 110 mm white	250 pcs.	
-------	---	----------	--

Mesh basket labels made of synthetic material

	REF		pack. unit
	09691	mesh basket labels on reel heat resistant up to 134 °C with tear-off perforation colour: white 5000 pcs. / reel size: 160 x 19 mm	1 reel
	09876	thermotransfer foil recommended for mesh basket labels REF 09691 110 mm x 300 m	1 reel
	09399	600 pcs. / reel size: 254 x 42 mm	1 reel
	09882	thermotransfer foil recommended for mesh basket labels REF 09399 45 mm x 300 m	1 reel

Printing example for REF 09691 and REF 09399

We create mesh basket labels according to your requirements, even with barcodes and graphics (minimum quantity 100 pcs.).




PP-Mesh basket labels

	09679	mesh basket labels heat resistant up to 134 °C label area: 50 x 30 mm total length: 200 mm white	100 pcs.
	09680	blue	100 pcs.
	09681	green	100 pcs.
	09682	red	100 pcs.
	09683	yellow	100 pcs.

Magnoline® magnetic rack for micro instruments

REF


pack. unit

	made of stainless steel heat resistant washable in washer-disinfector double-sided usable		
	Attention: Instruments can get magnetized!!		
20400	size: 150 x 170 mm	1 pc.	
20401	80 x 170 mm	1 pc.	


Instrument clips made of stainless steel

20403	The clips can be used to bundle instruments. small 75 mm	1 pc.	
20404	medium 100 mm	1 pc.	
20405	large 125 mm	1 pc.	

**Band clamps made of stainless steel
with silicone covering**

	REF		pack. unit
		The band clamps ensure that the joints and jaws of bone forceps remain open.	
	20411	inner size: 50 mm yellow	1 pc.
	20408	60 mm blue	1 pc.
	20406	70 mm orange/red	1 pc.
	20412	80 mm green	1 pc.

Spreader for instruments with ring handle

	20407	With this spreader non-dismantable instruments with ring handle can be cleaned more efficiently in the washer-disinfector. The jaws remain open during the cleaning process, thus assuring thorough cleaning.	1 pc.

Spreaders made of stainless steel, durable material

		With this spreader non-dismantable vessel clips can be cleaned more efficiently in the washer-disinfector. The jaws remain open during the cleaning process, thus assuring thorough cleaning.	
	20413	for microclips inner hole diameter: 4.8 mm	1 pc.
	20409	for Dieffenbach vessel clips inner hole diameter: 6 mm	5 pcs.
	20429	for Dieffenbach vessel clips inner hole diameter: 8.4 mm	5 pcs.
	20410	for Dieffenbach vessel clips inner hole diameter: 10 mm	5 pcs.
	20430	for Dieffenbach vessel clips inner hole diameter: 14 mm oval	5 pcs.

Spreaders made of plastic for single use

REF

pack. unit

	With this spreader non-dismantable vessel clips can be cleaned more efficiently in the washer-disinfector. The jaws remain open during the cleaning process, thus assuring thorough cleaning.	
	heat resistant up to 134 °C	
	for microclips	
	inner hole diameter: 4.8 mm	
20414	red	50 pcs.
20415	green	50 pcs.
20416	blue	50 pcs.
20417	yellow	50 pcs.
20418	white	50 pcs.
	for Dieffenbach vessel clips	
	inner hole diameter: 6 mm	
20419	red	50 pcs.
20420	green	50 pcs.
20421	blue	50 pcs.
20422	yellow	50 pcs.
20423	white	50 pcs.
	for Dieffenbach vessel clips	
	inner hole diameter: 10 mm	
20424	red	50 pcs.
20425	green	50 pcs.
20426	blue	50 pcs.
20427	yellow	50 pcs.
20428	white	50 pcs.



Fixing SET

08515	fixing SET for sterile packaging, contents: silicone cord with two stainless steel spider hooks, silicone mat 60 x 30 cm red/brown, clamping fixture, washable, heat resistant up to 134 °C	1 set
-------	--	-------



Silicone cord with stainless steel clamps and clamping fixture for silicone cord

08516	silicone cord 65 cm, with two stainless steel spider hooks, washable, heat resistant up to 134 °C	1 pc.
08517	clamping fixture, washable, heat resistant up to 134 °C	1 pc.



Heat protective gloves

	REF		pack. unit
	09031	- high heat resistant up to 180 °C - allround protection for hand and wrist - nitrile coating with fleece lining - extremely breathable - washable up to 60 °C - length: 33 cm size: 9	1 pair
	09034	10	1 pair
	09223	- good mechanical resistance - heat resistant up to 100 °C - excellent fine touch - high cut protection due to aramid fibres - good sweat absorption - high wearing comfort - washable up to 30 °C gentle wash size: 9	1 pair
	09224	10	1 pair
	09263	heat protective glove made of silicone - application range: -60 °C to +260 °C - latex free - washable in washer-disinfector - colour: blue - length: 37 cm size: universal	1 pc.
	09368	heat protective glove made of silicone - application range: -40 °C to +240 °C - structured - latex free - washable in washer-disinfector - colour: orange - length: 35 cm size: universal	1 pc.

Protective gloves made of Nomex®

REF

pack. unit

	- suitable for heat and cold use - application range: -180 °C to +260 °C - knitted fabric for comfort - does not shrink or melt - unaffected by washing - hard wearing - good chemical resistance - colour: red		
	length: 52 cm		
	size:		
09883	8½ - 9	1 pair	
09884	9½ - 10	1 pair	
09885	10½ - 11	1 pair	
	length: 30 cm		
	size:		
09886	8½ - 9	1 pair	
09887	9½ - 10	1 pair	
09888	10½ - 11	1 pair	

Chemical protective gloves

	a mixture of neoprene and latex material strength: 0.45 mm size:		
09033	6.5 - 7	12 pairs	
09032	7.5 - 8	12 pairs	
09030	8.5 - 9	12 pairs	

REF			pack. unit
		Material: nitrile, powder-free No danger of contamination with starch powder. Free from latex proteins which can cause allergies. Contrary to latex that becomes porous and permeable in case of overexpansion, nitrile is extremely elastic and impervious up to tear-limit. Nitrile has an excellent wet grip. Additionally the glove has structured fingers for a safe grip. The glove adapts to the hand like a second skin. Thereby very comfortable wear feeling. Optimal heat-transmission, no heat accumulation. Also comfortable for longer wearing times. It absorbs effluent drops when raising hand. Higher protection than latex and vinyl. Nitrile is very abrasion- and puncture-resistant. Resistant to many chemicals and solvents. Use: Ideal for medicine, laboratory and food industry.	
		material thickness: 0.065 mm length: 24 cm colour: blue size: S 100 pcs. / box	1 box
09362		size: M 100 pcs. / box	1 box
09360		size: L 100 pcs. / box	1 box
09361		material thickness: 0.090 mm length: 30 cm colour: white size: M 100 pcs. / box	1 box
09364		size: L 100 pcs. / box	1 box
09363			

REF		pack. unit
	material: made of nitril, powder-free, latex-free high puncture- and cut-resistance (EN388) high chemical protection (EN374) fulfills category 3, irreversible risks (89/686/EEC) ambidextrously wearable good grip on wet products due to rough fingertips excellent tactility length: 40 cm	
09455	size: S 100 pcs. / box	1 box
09385	size: M 100 pcs. / box	1 box
09386	size: L 100 pcs. / box	1 box
09387	size: XL 100 pcs. / box	1 box
09390	size: XXL 100 pcs. / box	1 box



PE-protective gloves for cleaning work

09836	material: polyethylene material thickness: 30 µm length: 90 cm colour: green with elastic band	50 pcs.
-------	---	---------



Dispenser for single use gloves, made of stainless steel

09200	either suitable for self-supporting use or wall mounting with screws and dowels size: 262 x 152 x 90 mm	1 pc.
-------	---	-------



Dispenser "Solo" for single use gloves, made of stainless steel

REF

pack. unit



09202

for wall mounting
with screws and dowels
size: 250 x 135 x 95 mm

1 pc.

Dispenser "Trio" for single use gloves, made of stainless steel



09201

with size identification S, M and L,
for wall mounting,
with screws and dowels
size: 258 x 392 x 96 mm

1 pc.

Safety goggles / visors



09081

yellow frame for 2-piece safety goggles

10 pcs.

09431

pink frame for 2-piece safety goggles

10 pcs.

09082

visors for 2-piece safety goggles
made of plastic

25 pcs.

Protective shield



09417

- low reflection
- equipped with anti-fog
- with elastic strap

10 pcs.

POLYDENTIA VISTA-TEC ultra light classic protective shield, 1 frame, 10 shields, 2 clipon for spectacle wearers

REF		pack. unit	
	- excellent protection - made of transparent foil - high scratch- and abrasion-resistance - does not reflect the light - does not turn yellow at daylight - feathery (16 g) - angle and height adjustable		
09405	white	1 set	
09406	blue	1 set	
09407	transparent	1 set	
09408	pink	1 set	
09427	yellow	1 set	
09428	green	1 set	
	frame colour:		

09414	10 shields (without frames)	1 set	
-------	-----------------------------	-------	--

POLYDENTIA VISTA-TEC Clipon protective shield for spectacle wearers, 5 shields, 2 clipon for spectacle wearers

09409	clip for Vista-Tec shields has been specially developed for spectacle wearers	1 set	
-------	---	-------	---

POLYDENTIA VISTA-TEC frames

	frame colour:		
09410	white	1 pc.	
09411	blue	1 pc.	
09412	transparent	1 pc.	
09413	pink	1 pc.	
09429	yellow	1 pc.	
09430	green	1 pc.	

Protective gowns

	REF		pack. unit
	09401	• non-woven protective gown, non-sterile • for single use • breathable (back side) • partially lined • water resistant (front side and sleeves) • to be worn on the unclean side of the CSSD • for protection against contaminants • long sleeves with rubber cuff • covers entire front and back of upper part of the body size: universal length: approx. 136 cm colour: bright yellow material: 30 g/m²	100 pcs.
	09402	colour: orange material: 15 g/m²	100 pcs.
	09437	• spunbonded protective gown, non-sterile • for single use • breathable • water resistant • to be worn on the unclean side of the CSSD • for protection against contaminants • long sleeves with elastic cuff • to tie at the waist • covers entire front and back of upper part of the body size: universal length: approx. 130 cm colour: blue material: 72 g/m²	50 pcs.

REF		pack. unit
09442	• non-woven protective gown • non-sterile • for single use • water resistant, breathable • partially lined (front side and sleeves) • long sleeves with rubber cuff size: XXL length: 150 cm colour: white material: 30 g/m²	100 pcs.
		

Arm cover

	arm cover made of polyethylene moisture-proof sturdy with elastic band	
09438	length: 40 cm material thickness: 20 µm	100 pcs.
		

LDPE disposable apron

09443	colour: white size: 76 x 140 cm material thickness: 50 µm	500 pcs.
		

Masks

	REF		pack. unit
	09440	3 layers with elastic ear-loop blue-white without visor 50 pcs. / box	1 box
	09441	with visor 50 pcs. / box	1 box

Neck-warmer (turtle neck)

	09439	made of 100% cotton anti-pilling preshrunk öko-tex standard 100 size: S	1 pc.
	09403	M	1 pc.
	09404	L	1 pc.

Hearing Protector

	09432	FLEXICAP with clamp and flexible ends (replacement earplugs: REF 09434)	1 pc.
---	-------	---	-------

REF		pack. unit	
09433	EARCAPS with clamp (replacement earplugs: REF 09434)	1 pc.	

09434	replacement earplugs for REF 09432 and REF 09433 10 pairs/box	1 box	
-------	---	-------	---

	dispenser EAR Classic 2 for earplugs The dispenser delivers earplugs quickly and easily. Versatile design includes tabletop or wall-mount options.		
09435	incl. 500 pairs / dispenser	1 dispenser	

Shoe automat for overshoes

09960	FarStar shoe automat inclusive 300 overshoes	1 pc.	
09961	overshoes for FarStar shoe automat (3 packages of 600 pcs.)	1800 pcs.	

Cleaning brushes with nylon bristles for MIS instruments,
washable in washer-disinfector

REF	total length	brush length	brush diameter	pack. unit
09365	850 mm	100 mm	5.0 mm	5 pcs.
09317	650 mm	100 mm	5.0 mm	5 pcs.
09316	650 mm	100 mm	7.0 mm	5 pcs.
09315	650 mm	100 mm	10.0 mm	5 pcs.
09314	650 mm	100 mm	12.0 mm	5 pcs.
09312	610 mm	100 mm	5.0 mm	5 pcs.
09311	610 mm	100 mm	7.0 mm	5 pcs.
09310	610 mm	100 mm	10.0 mm	5 pcs.
09309	610 mm	100 mm	12.0 mm	5 pcs.
09313	610 mm	50 mm	2.5 mm	5 pcs.
09345	500 mm	100 mm	4.0 mm	5 pcs.
09332	500 mm	100 mm	20.0 mm	5 pcs.
09346	500 mm	35 mm	3.5 mm	5 pcs.
09324	500 mm	35 mm	5.0 mm	5 pcs.
09050	500 mm	30 mm	2.5 mm	5 pcs.
09344	450 mm	100 mm	3.0 mm	5 pcs.
09343	400 mm	80 mm	2.5 mm	5 pcs.
09318	405 mm	80 mm	5.0 mm	5 pcs.
09051	350 mm	80 mm	7.0 mm	5 pcs.
09342	350 mm	60 mm	2.0 mm	5 pcs.
09339	300 mm	100 mm	2.0 mm	5 pcs.
09340	300 mm	100 mm	2.5 mm	5 pcs.
09341	300 mm	100 mm	3.0 mm	5 pcs.
09052	300 mm	100 mm	4.0 mm	5 pcs.
09306	300 mm	100 mm	5.0 mm	5 pcs.
09053	300 mm	100 mm	6.0 mm	5 pcs.
09307	300 mm	100 mm	7.0 mm	5 pcs.
09054	300 mm	100 mm	8.0 mm	5 pcs.
09055	300 mm	100 mm	10.0 mm	5 pcs.
09056	300 mm	100 mm	15.0 mm	5 pcs.
09308	300 mm	50 mm	2.5 mm	5 pcs.

Brush set

09057	each 1 pc. of REF	1 set
	09050	
	09051	
	09052	
	09053	
	09054	
	09055	
	09056	

Cleaning brushes with nylon bristles, washable in washer-disinfector

REF


pack. unit

	total length	brush length	brush diameter	
09335	250 mm	100 mm	3.5 mm	5 pcs.
09336	250 mm	100 mm	5.0 mm	5 pcs.
09059	300 mm	80 mm	30.0 mm	5 pcs.
09334	500 mm	60 mm	40.0 mm	5 pcs.
09068	500 mm	100 mm	7.0 mm	5 pcs.
09066	800 mm	100 mm	15.0 mm	5 pcs.



Cleaning brushes for Frazier suction tube, washable in washer-disinfector, heat resistant up to 134 °C

	total length	diameter	colour	
45906	215 mm	1.6 mm	white	3 pcs.
45908	215 mm	2.0 mm	black	3 pcs.
45910	215 mm	2.5 mm	pink	3 pcs.
45912	215 mm	3.0 mm	orange	3 pcs.



Cleaning brushes washable in washer-disinfector, heat resistant up to 134 °C

	total length	diameter	
09095	450 mm	1.0 mm	2 pcs.
09099	450 mm	1.6 mm	2 pcs.
09319	450 mm	1.8 mm	2 pcs.



Cleaning brush / single use

	brush length: 20 mm diameter: 5 mm total length: 150 mm	
09049		100 pcs.
09322	total length: 200 mm	100 pcs.



Cleaning brush with nylon bristles for spouts

	total length: 140 mm brush length: 45 mm diameter: 10 mm	
09303		5 pcs.



Cleaning brush with nylon bristles for Bülau bottles

	REF		pack. unit
	09458	total length: 650 mm brush length: 60 mm diameter: 40 mm	5 pcs.


Cleaning brushes with covered wire, tapered brush head

		brush length: 100 mm diameter: 15 - 20 mm	
	09333	total length: 280 mm	1 pc.
	09380	total length: 460 mm	1 pc.

Cleaning brush with plastic grip

	09338	total length: 265 mm brush length: 60 mm diameter: 3.5 mm	2 pcs.

Disposable cleaning brushes single ended, heat resistant up to 134 °C

	09366	total length: 450 mm brush length: 8 mm diameter: 0.6 mm the first 90 mm are without bristles	5 pcs.
	09388	total length: 450 mm brush length: 8 mm diameter: 1.4 mm the first 90 mm are without bristles	5 pcs.

Cleaning brush with nylon bristles, double ended for forceps, heat resistant up to 134 °C

	09098	total length 175 mm	brush length 35 mm 25 mm	length of bristles 10 mm 5 mm	2 pcs.

	09459	total length 175 mm	brush length 40 mm 30 mm	length of bristles 10 mm 10 mm	2 pcs.

Cleaning brush with synthetic bristles double ended, for instruments

REF

pack. unit

REF	total length	brush length	length of bristles	pack. unit	
09064	155 mm	30 mm 10 mm	12 - 15 mm 15 mm	10 pcs.	

Cleaning brush, washable in washer-disinfector, heat resistant up to 134 °C

	with extra strong synthetic bristles for stubborn soils colour: blue				
REF	total length	brush length	length of bristles	pack. unit	
09320	165 mm	45 mm 30 mm	12 mm	10 pcs.	

	with extra strong synthetic bristles for stubborn soils colour: blue				
REF	total length	brush length	length of bristles	pack. unit	
09460	215 mm	75 mm	15 mm	1 pc.	


Cleaning brushes for stubborn soils

09325	with stainless steel bristles	1 pc.
09012	with brass bristles	1 pc.
09326	with synthetic bristles	1 pc.
Please pay attention to careful use as sensitive surfaces could be damaged with stainless steel and brass bristles.		

Cleaning brush for rectoscopes, washable in washer-disinfector

REF	total length:	brush diameter:	brush length:	pack. unit	
09331	450 mm	20 mm	150 mm	5 pcs.	

**Cleaning brush for endoscopes,
heat resistant up to 134 °C**

	REF		pack. unit
	09305	single ended	1 pc.
		total length: 256 cm	
		brush diameter: 6.0 mm	
		minimal size of biopsy channel: 2.6 mm	

**Cleaning brush for bronchoscopes,
heat resistant up to 134 °C**

	09304	single ended	1 pc.
		total length: 128.5 cm	
		brush diameter: 3 - 5 mm	
		minimal size of biopsy channel: 2.0 mm	

**Disposable cleaning brush single ended, heat resistant up to 134 °C,
washable in washer-disinfector**

	09351	total length: 230 cm	1 pc.
		brush diameter: 2.5 mm	
		minimal size of biopsy channel: 1.1 mm	
		brush length: 14.0 mm	
		yellow	

Disposable cleaning brushes double ended, heat resistant up to 134 °C

REF		pack. unit
09352	total length: 100 cm brush diameter: 2.0 mm minimal size of biopsy channel: 1.2 mm brush length: 12.0 mm yellow	1 pc.
09353	total length: 100 cm brush diameter: 3.0 mm minimal size of biopsy channel: 2.0 mm brush length: 12.0 mm white	1 pc.
09355	total length: 180 cm brush diameter: 5.5 mm minimal size of biopsy channel: 2.8 mm brush length: 19.0 mm green	1 pc.
09348	total length: 230 cm brush diameter: 5.0 mm minimal size of biopsy channel: 2.8 mm brush length: 23.0 mm red	1 pc.
09354	total length: 230 cm brush diameter: 5.5 mm minimal size of biopsy channel: 2.8 mm brush length: 20.0 mm green	1 pc.



Disposable cleaning brushes single ended, washable in washer-disinfector

09350	total length: 230 cm brush diameter: 3.0 mm minimal size of biopsy channel: 1.7 mm brush length: 18 mm green	1 pc.
09349	total length: 230 cm brush diameter: 5.0 mm minimal size of biopsy channel: 2.8 mm brush length: 23 mm red	1 pc.



Disposable set of cleaning brushes for endoscopes

	REF		pack. unit
	09356	disposable set of cleaning brushes for endoscopes non-sterilizable	1 pc.
		1. double-ended endoscope brush blue total length: 257 cm brush diameter: 6.5 mm brush length: 20 mm 2. double-ended valve cleaning brush yellow total length: 150 mm brush diameter: 4.5 mm, brush length: 18 mm brush diameter: 10 mm, brush length: 30 mm	

Hoods set for endoscope-trays,
non-sterile

	03056	1 HDPE-insertion bag unprinted (size: 380 x 880 mm)	1 set
		1 LDPE-hood with elastic band imprint: kontaminiert/contaminated (size: 580 x 650 mm) white solid colour for trays with size: approx. 420 x 360 x 180 mm	

Scrub brushes, sterile


		disposable hand scrub brush "Interlock surgical scrub" with sponge and nailcleaner 40 pcs. / dispenser	
	09391	dry (without detergent solution)	240 pcs.


REF		pack. unit	
	for single use with sponge and nailcleaner 25 pcs. / dispenser		
09323	dry (without detergent solution)	375 pcs.	
09337	with 1.1% iodine in detergent solution	375 pcs.	
09367	with 4% chlorhexidine gluconate in detergent solution	375 pcs.	

Holder for brush-dispenser

09347	holder for brush-dispenser made of stainless steel for Mediscrub dispenser REF 09323, 09337 and 09367	1 pc.	
-------	--	-------	---

**Scrub brushes, non-sterile, heat resistant up to 134 °C,
not washable in washer-disinfector**

09321	with plain back hardness of bristles: middle Not suitable for dispensers REF 09329 and 09330.	14 pcs.	
09357	with plain back and integrated nailbrush hardness of bristles: soft Not suitable for dispensers REF 09329 and 09330.	14 pcs.	
09327	Suitable for dispensers REF 09329 and 09330.	12 pcs.	

	REF		pack. unit
	09328	with open back hardness of bristles: soft Suitable for dispensers REF 09329 and 09330.	6 pcs.

**Brush dispenser made of stainless steel
only for REF 09327 and 09328**

	09329	size: 543 x 75 x 130 mm for 12 brushes REF 09327 or 18 brushes REF 09328	1 pc.
	09330	size: 795 x 76 x 130 mm for 16 brushes REF 09327 or 24 brushes REF 09328	1 pc.

Racks for brushes

	06011	plastic rack with 8 hooks to hang up brushes with screws and dowels colour: white length: 260 mm	1 pc.
	06012	stainless steel rack with 10 hooks to hang up brushes with screws and dowels length: 300 mm	1 pc.

Lubrinol

	02004	Lubrinol maintenance oil for surgical instruments has a high creeping effect, excellent lubricating qualities for joints and is physiologically safe. The cleaned instruments have to be sprayed at a distance of 20 - 30 cm and then be sterilized. Lubrinol is suitable for steam sterilization at 134 °C.	400 ml aerosol

Enginol

REF

pack. unit

02006

Enginol is a special maintenance oil for compressed air machines.
Not suitable for high speed motors.

50 ml bottle



Chirol ultra

02110

Chirol ultra is the solution for particularly strong and obstinate contamination on metallic surfaces.
With Chirol ultra you can easily remove silicate coatings, burnt adhesive-tape residues and dried sterilized blood from the instrument joints.
It is especially suitable for container maintenance.
Chirol ultra supersedes the use of acids and organic solvents (ether, surgical spirit).
Metallic surfaces are cleaned highly effective. Also suitable for coated aluminium.
Chirol ultra is water-soluble and contains no solvent.

250 ml bottle



Tape-Ex

02111

"Tape-Ex" removes stubborn soils and residues of glue from adhesive tapes and labels.

300 ml aerosol



neodisher® IR

02007

For the basic cleaning of surgical instruments in a plunge or ultrasonic bath.

1.0 l bottle



HygoTopp dispenser

	REF		pack. unit
		without content	
	02018	lid colour: white	1 pc.
	02019	blue	1 pc.
	02020	red	1 pc.
	02021	green	1 pc.
	02022	yellow	1 pc.

HygoTopp non-woven reel

	02023	white	6 reels
		60 g/m ²	
		90 towels / reel	

IsoTopp-plus surface cleaning wipes

	02016	Perfect cleaning and care of alcohol-resistant surfaces. With antistatic and bactericidal effect. 40 wipes / dispenser	1 dispenser
	02017	refill pack 40 wipes / pack	12 packs

Polishing set for cleaning, dissolving and finishing

	08518	polishing machine with handpiece and foot switch, incl. 3 polishing wheels fine/medium/rough and 3 mandrels	1 set

REF		pack. unit	
	polishing wheel Ø 19 mm for polishing machine REF 08518, for metal polishing		
08519	fine / orange	6 pcs.	
08520	medium / blue	6 pcs.	
08521	rough / red	6 pcs.	
08524	Polishing wheel Ø 25 mm rough / yellow	6 pcs.	

08527	mandrel Ø 2.35 mm for REF 08518	10 pcs.	
-------	---------------------------------	---------	---

Particle exhauster

08522	particle exhauster for polishing set REF 08518 exhaust of particles during the cleaning process	1 pc.	
	• filter can be changed easily (spare filter triple pack REF 08523) • delivery with one filter • filter size: 130 x 130 mm • acoustic level: 43 dB • class: 94/EN779, weight: 1.4 kg size: 220 x 270 x 168 mm		

08523	replacement filterset for REF 08522 size: 130 x 130 mm 3 filters / set	1 set	
-------	--	-------	---

Disinfectant dispenser

	REF		pack. unit
	09962	disinfect	1 pc.
		• with battery or mains adapter • with drip pan • fixing material for stable installation • contactless activation • bottles from 0.5 to 1 litre can be used • display with background lighting • dispensed amount shown on the display sizes: height: 499 mm width: 205 mm depth: 239 mm (with drip pan)	
	09963	Steritron® touchless disinfection unit. Steritron® is a unique spraying device for touchless hand disinfection. It covers both hands equally with disinfection liquid. A preset dosage is delivered automatically, simply by positioning the hands under the spraying nozzle. It works with all known disinfection liquids (1.0 liter containers). - power input: 12V DC / 0.4A with power adaptor - fluid dosage: 0.5 - 5 ml (10 steps) - housing: powder coated aluminium sizes: height: 280 mm width: 182 mm depth: 106 mm	1 pc.

Tip guards for Steinmann nails, made of coloured vinyl

REF			pack. unit
01053	blue	3.5 mm	100 pcs.
01054	green	4.0 mm	100 pcs.
01055	brown	4.5 mm	100 pcs.
01056	black	5.0 mm	100 pcs.
01057	grey	10.0 mm	100 pcs.



for optics, made of coloured vinyl

01058	red diameter: 8.0 mm	100 pcs.
-------	-------------------------	----------



for ocular funnels

01861	black diameter: 31.8 mm height: 6.4 mm	100 pcs.
-------	--	----------



made of transparent vinyl

01050	size 1, diameter: approx. 2.0 mm corresponds to ch. 10	100 pcs.
01051	size 2, diameter: approx. 3.5 mm corresponds to ch. 12	100 pcs.
01052	size 3, diameter: approx. 5.0 mm corresponds to ch. 16	100 pcs.
01483	diameter: 15 mm, length: 35 mm	100 pcs.



for Kirschner wires

01059	white diameter: 1.5 mm length: 15 mm	10 pcs.
-------	--	---------



Sterilizable with steam 121/134 °C and EO.

5 Tip guards, sterilization packaging and silicone products


vented, round

	REF			pack. unit
	01484	clear	1.6 x 19.0 mm	100 pcs.
	01485	clear	2.0 x 19.0 mm	100 pcs.
	01486	clear	2.8 x 19.0 mm	100 pcs.
	01487	clear	3.2 x 25.4 mm	100 pcs.
	01488	clear	5.0 x 25.0 mm	100 pcs.
	01489	clear	10.0 x 19.0 mm	100 pcs.

vented, rectangular

	01480	clear	2 x 9 x 25 mm	100 pcs.
	01481	clear	2 x 16 x 25 mm	100 pcs.
	01482	clear	3 x 25 x 25 mm	100 pcs.

vented, tinted, round

	01460	white	1.6 x 19.0 mm	100 pcs.
	01461	blue	2.0 x 19.0 mm	100 pcs.
	01462	green	2.8 x 19.0 mm	100 pcs.
	01463	red	3.2 x 25.4 mm	100 pcs.
	01464	yellow	5.0 x 25.0 mm	100 pcs.
	01465	violet	10.0 x 19.0 mm	100 pcs.

vented, tinted, rectangular

	01466	orange	2 x 9 x 25 mm	100 pcs.
	01467	brown	2 x 16 x 25 mm	100 pcs.
	01468	black	3 x 25 x 25 mm	100 pcs.

for Verres needles, vented

	01856	clear	2 x 19 mm	50 pcs.

for Trocar probes, vented

	01857	clear	5 x 20 mm	25 pcs.
	01858	clear	5 x 43 mm	20 pcs.
	01859	clear	10 x 20 mm	25 pcs.
	01860	clear	10 x 57 mm	20 pcs.


Sterilizable with steam 121/134 °C and EO.

for Osteotomes, vented

REF			pack. unit	
01806	clear	6.4 x 19.0 mm	50 pcs.	
01807	clear	9.5 x 25.0 mm	50 pcs.	
01808	clear	12.7 x 25.0 mm	50 pcs.	
01809	clear	19.0 x 25.4 mm	50 pcs.	
01810	clear	25.0 x 25.0 mm	50 pcs.	
01811	clear	32.0 x 32.0 mm	50 pcs.	
01812	clear	38.0 x 38.0 mm	50 pcs.	
01813	clear	44.5 x 32.0 mm	50 pcs.	

Web guards

exclusively usable at low heat and H₂O₂ sterilization (plasma)

01850	orange	10 x 76 mm	24 pcs.	
01851	green	15 x 76 mm	24 pcs.	
01852	blue	20 x 76 mm	24 pcs.	
01853	red	40 x 76 mm	24 pcs.	
01854	black	60 x 76 mm	16 pcs.	
01855	white	70 x 76 mm	16 pcs.	

Tip guards, vented, tinted

length: 38 mm

		fits tip sizes:		
01826	white	2 - 3 mm	70 pcs.	
01827	blue	3 - 4 mm	70 pcs.	
01828	green	4 - 5 mm	70 pcs.	
01829	red	5 - 6 mm	70 pcs.	
01830	yellow	6 - 7 mm	70 pcs.	
01831	violet	7 - 8 mm	70 pcs.	
01832	orange	8 - 9 mm	70 pcs.	
01833	brown	9 - 10 mm	70 pcs.	
01834	black	10 - 11 mm	70 pcs.	
01835	green	15 - 16 mm	50 pcs.	
01836	yellow	19 - 20 mm	50 pcs.	
01837	orange	21 - 22 mm	50 pcs.	

Sterilizable with steam 121/134 °C and EO.

Web guards exclusively usable at low heat and H₂O₂ sterilization.

5 Tip guards, sterilization packaging and silicone products

vented, tinted
length: 51 mm

	REF			pack. unit
	01838	white	fits tip sizes: 2 - 3 mm	70 pcs.
	01839	blue	3 - 4 mm	70 pcs.
	01840	green	4 - 5 mm	70 pcs.
	01841	red	5 - 6 mm	70 pcs.
	01842	yellow	6 - 7 mm	70 pcs.
	01843	violet	7 - 8 mm	70 pcs.
	01844	orange	8 - 9 mm	70 pcs.
	01845	brown	9 - 10 mm	70 pcs.
	01846	black	10 - 11 mm	70 pcs.
	01847	green	15 - 16 mm	50 pcs.
	01848	yellow	19 - 20 mm	50 pcs.

Twin-tip guards, tinted, vented

	01800	white	1.6 x 19 mm	50 pcs.
	01801	blue	2.0 x 19 mm	50 pcs.
	01802	green	2.8 x 19 mm	50 pcs.
	01803	red	3.2 x 25 mm	50 pcs.
	01804	yellow	5.0 x 25 mm	50 pcs.
	01805	orange	2 x 9 x 25 mm	50 pcs.

Tip guards for retractors

	01814	clear	38 mm	55 pcs.
	01815	clear	51 mm	45 pcs.
	01816	clear	76 mm	40 pcs.

for Weitlaner-retractor

	01472	magenta	small	50 pcs.
	01473	clear	small	50 pcs.
	01474	green	medium	50 pcs.
	01475	clear	medium	50 pcs.
opening: small: 25 x 13 mm medium: 32 x 13 mm				

with raised inner nubs, solid colour

	01817	orange	2 x 9 x 25 mm	100 pcs.
	01818	brown	2 x 16 x 25 mm	100 pcs.

Sterilizable with steam 121/134 °C and EO.

clear
REF

			pack. unit
01820	clear	2 x 9 x 25 mm	100 pcs.
01821	clear	2 x 16 x 25 mm	100 pcs.
01822	clear	3 x 25 x 25 mm	100 pcs.



tinted

01823	orange	2 x 9 x 25 mm	100 pcs.
01824	brown	2 x 16 x 25 mm	100 pcs.



Sterilizable with steam 121/134 °C and EO.

vented, with raised inner nubs, rectangular

30001	natural colour	3 x 25 x 25 mm	100 pcs.
-------	----------------	----------------	----------



vented, with raised inner nubs, rectangular

30005	natural colour	2 x 9 x 25 mm	100 pcs.
30000	orange	2 x 9 x 25 mm	100 pcs.
30002	black	3 x 25 x 25 mm	100 pcs.



for Osteotomes, vented, with raised inner nubs

30004	natural colour	6.4 x 19.0 mm	50 pcs.
30003	natural colour	19.0 x 25.4 mm	50 pcs.



Tip guards made of silicone


	form: conical		
01862	natural colour	3 x 22 mm	100 pcs.
01863	natural colour	3 x 37 mm	100 pcs.



Sterilizable with steam 121/134 °C.

5 *Tip guards, sterilization packaging and silicone products*

**Single use tip protectors, made of transparent film,
heat resistant up to 134 °C**

REF		pack. unit
	maximum instrument width	
01477	up to 50 mm width, 140 mm usable length	100 pcs.
01471	up to 25 mm width, 105 mm usable length	1000 pcs.
01476	up to 10 mm width, 60 mm usable length	1000 pcs.
		
How to use: First, the shorter flap is folded to the back and then pushed beneath the V-shaped opening. For narrow instruments the folding borders on each side can be folded inwards to prevent the instruments from slipping out. Lastly, the instruments are pushed through the punched openings, as shown in Figure 3.		
		

**Single use tip protectors, made of carton,
heat resistant up to 134 °C**

			
01492	maximum instrument width		
01469	up to 50 mm width, 140 mm usable length		100 pcs.
01470	up to 25 mm width, 105 mm usable length		1000 pcs.
	up to 10 mm width, 60 mm usable length		1000 pcs.

		the tip protector is already folded and glued suitable for: - slender hooks - slitting knives - sickle knives - septum knives	
01499	maximum instrument width		
01496	up to 20 mm width, 105 mm usable length		100 pcs.
	up to 20 mm width, 105 mm usable length		1000 pcs.

Carton protective covers for amputation knives, heat resistant up to 134 °C

REF

pack. unit

01478 246 x 33 mm 100 pcs.

with 16 holes

01479 123 x 33 mm 100 pcs.


with 8 holes



Suture aid booties / sterile

Suture aid booties protect, tag, and help to locate sutures

Our vinyl suture booties are available in two-, three-, or five-pair configuration and are positioned in an adhesive-backed foam block for quick and easy use. They are radiopaque, latex-free, in sterile package for single-use. Choose from a variety of sizes and colours as listed below.




42020 yellow / standard 1 box

5 pair configuration
50 pcs./box


42021 pink / large 1 box

5 pair configuration
50 pcs./box



42022 red / standard 1 box

5 pair configuration
50 pcs./box




42023 blue / standard 1 box

5 pair configuration
50 pcs./box





42024 white / standard 1 box

5 pair configuration
50 pcs./box



5 Tip guards, sterilization packaging and silicone products

	REF		pack. unit
	42025	assorted (yellow, red, white, blue) / standard 5 pair configuration 50 pcs./box	1 box
	42026	yellow / standard 2 pair configuration 20 pcs./box	1 box
	42027	pink / large 2 pair configuration 20 pcs./box	1 box
	42028	yellow / standard 3 pair configuration 30 pcs./box	1 box

Clamp cushions made of silicone

	42001	sterile length: 125 mm 40 cushions / box 1/10" mini / red	1 box
	42002	40 cushions / box 2/10" midi / white	1 box
	42003	20 cushions / box 3/10" maxi / blue	1 box


Instrument bundle strings made of silicone, heat resistant

REF pack. unit

	length: 30 cm	
09039	green	100 pcs.
09143	blue	100 pcs.
09144	yellow	100 pcs.
09145	black	100 pcs.
09146	red	100 pcs.
09147	grey	100 pcs.
09287	orange	100 pcs.
09196	purple	100 pcs.

	length: 50 cm	
09139	green	100 pcs.
09160	blue	100 pcs.
09161	yellow	100 pcs.
09162	black	100 pcs.
09163	red	100 pcs.
09164	grey	100 pcs.
09288	orange	100 pcs.
09197	purple	100 pcs.

Other sizes on request!



	cable binder made of silicone to bundle instruments 110 mm	
09231	natural colour	100 pcs.
09235	red	100 pcs.
09236	yellow	100 pcs.
09237	green	100 pcs.
09238	blue	100 pcs.
09369	violet	100 pcs.
09370	black	100 pcs.




	210 mm	
09239	red	100 pcs.
09240	yellow	100 pcs.
09241	green	100 pcs.
09242	blue	100 pcs.
09371	violet	100 pcs.
09372	black	100 pcs.



	REF		pack. unit
		cable binder made of silicone to bundle instruments 60 mm (mini)	
	09246	natural colour	100 pcs.
	09252	green	100 pcs.
	09253	blue	100 pcs.
	09254	yellow	100 pcs.
	09255	black	100 pcs.
	09256	red	100 pcs.
	09257	white	100 pcs.
	09258	orange	100 pcs.
	09259	brown	100 pcs.
	09260	grey	100 pcs.
	09261	violet	100 pcs.
		110 mm (midi)	
	09373	natural colour	100 pcs.
	09374	red	100 pcs.
	09375	yellow	100 pcs.
	09376	green	100 pcs.
	09377	blue	100 pcs.
	09378	orange	100 pcs.
	09379	black	100 pcs.
		190 mm (maxi)	
	09282	natural colour	100 pcs.
	09283	red	100 pcs.
	09284	green	100 pcs.
	09285	blue	100 pcs.
	09286	yellow	100 pcs.
	09381	orange	100 pcs.
	09382	black	100 pcs.


Silicone boards


		natural colour thickness: 10 mm size:	
	08624	200 x 60 cm	1 pc.
	08668	130 x 55 cm	1 pc.
	08335	100 x 55 cm	1 pc.
	09191	30 x 21 cm	1 pc.
	09189	30 x 17 cm	1 pc.
	09192	21 x 15 cm	1 pc.
	08669	20 x 10 cm	1 pc.
	09190	17 x 15 cm	1 pc.
	08375	10 x 10 cm	1 pc.
		thickness: 5 mm size:	
	08675	80 x 60 cm	1 pc.
	08719	10 x 10 cm	1 pc.
	08674	3.5 x 3.5 cm	1 pc.
		Other sizes on request!	

Board made of synthetic material

REF		pack. unit	
09436	heat resistant with rounded corners colour: white thickness: 3 mm size: 24 x 19 cm	1 pc.	
09453	thickness: 10 mm size: 24 x 19 cm	1 pc.	

Silicone nub mats

	washable in washer-disinfector flexible for temperatures from -40 °C to +300 °C colour: blue size:		
08321	500 x 320 mm	1 pc.	
08324	250 x 239 mm	1 pc.	


	washable in washer-disinfector flexible for temperatures from -40 °C to +300 °C colour: grey size:		
08757	500 x 320 mm	1 pc.	

08426	heat resistant washable in washer-disinfector flexible colour: blue 140 x 55 mm applicable for sterilization tray REF 08422	1 pc.	
08427	160 x 120 mm applicable for sterilization tray REF 08423	1 pc.	
08428	200 x 135 mm applicable for sterilization tray REF 08424	1 pc.	
08429	250 x 155 mm applicable for sterilization tray REF 08425	1 pc.	

5 Tip guards, sterilization packaging and silicone products

	REF		pack. unit
		heat resistant washable in washer-disinfector flexible colour: pink	
	08698	230 x 1000 mm 10 sections of 100 mm	1 pc.

Silicone fence mat

		washable in washer-disinfector flexible for temperatures from -60 °C to +300 °C colour: blue size:	
	08600	540 x 320 mm	1 pc.

Silicone sheets for packing table, to protect instruments against damage

	08700	The silicone sheets are available in all sizes up to 300 cm (length) x 120 cm (width) in the colours redbrown, transparent and green. thickness: 2 mm.	1 pc.
		They protect your instruments effectively against damage and prevent from unpleasant cold- and dazzling effects of metallic surfaces.	

Silicone tubes, translucent, tinted

	09021	inner Ø 2.0 mm red	wall thickness 1.0 mm	outer Ø 4.0 mm	25 m
	09015	5.0 mm green	1.5 mm	8.0 mm	25 m

Silicone tubes, solid colour

	09135	inner Ø 3.0 mm red	wall thickness 2.0 mm	outer Ø 7.0 mm	25 m
	09154	3.0 mm blue	2.0 mm	7.0 mm	25 m


Silicone tubes, translucent, non-tinted

REF	inner Ø	wall thickness	outer Ø	pack. unit
09043	1.0 mm	0.3 mm	1.6 mm	25 m
09707	1.0 mm	2.0 mm	5.0 mm	25 m
09029	1.5 mm	0.5 mm	3.5 mm	25 m
09037	1.5 mm	0.75 mm	3.0 mm	25 m
09027	1.5 mm	1.0 mm	3.5 mm	25 m
09042	2.0 mm	0.5 mm	3.0 mm	25 m
09028	2.0 mm	0.75 mm	3.5 mm	25 m
09024	2.0 mm	1.0 mm	4.0 mm	25 m
09038	2.0 mm	1.5 mm	5.0 mm	25 m
09023	4.0 mm	1.0 mm	6.0 mm	25 m
09115	4.0 mm	1.5 mm	7.0 mm	25 m
09022	5.0 mm	1.0 mm	7.0 mm	25 m
09014	5.0 mm	2.0 mm	9.0 mm	25 m
09041	6.0 mm	3.0 mm	12.0 mm	25 m
09044	8.0 mm	2.0 mm	12.0 mm	25 m
09701	8.0 mm	2.5 mm	13.0 mm	25 m
09047	10.0 mm	1.5 mm	13.0 mm	25 m
09700	10.0 mm	2.5 mm	15.0 mm	25 m
09016	22.0 mm	2.0 mm	26.0 mm	25 m




Silicone tubes with inner profile, translucent, non-tinted

	inner Ø	wall thickness	outer Ø	
	6 webs / 0.5 mm			
09706	2.5 mm	0.5 mm	3.5 mm	25 m
09183	2.5 mm	1.2 mm	4.9 mm	25 m
	6 webs / 1 mm			
09233	4.0 mm	0.5 mm	5.0 mm	25 m
09150	4.0 mm	1.2 mm	6.4 mm	25 m
09151	6.0 mm	1.2 mm	8.4 mm	25 m
	8 webs / 1 mm			
09152	8.0 mm	1.2 mm	10.4 mm	25 m
09142	10.6 mm	1.2 mm	13.0 mm	25 m
09153	12.0 mm	1.2 mm	14.4 mm	25 m
	16 webs / 1 mm			
09705	20.0 mm	1.0 mm	22.0 mm	25 m



Measuring gauge for tubes

09703	measuring gauge for inner and outer diameter of tubes	1 pc.
-------	---	-------



5 Tip guards, sterilization packaging and silicone products

Scissors to cut tubes

	REF		pack. unit
	09060	scissors made of plastic easy to clean	1 pc.
	08510	scissors made of plastic teflon-plated blade	1 pc.

Tyvek packaging with H₂O₂-indicator for low temperature sterilization

sterilizable with: H₂O₂ (Plasma), EO, FO and Gamma

- the seal seams are extremely strong and durable
- with peelable seal seams
- extra strong materials for superior tear strength and puncture resistance
- excellent barrier properties
- made of Tyvek and multilayer film

Tyvek pouches - flat

	36212	75 x 200 mm	1000 pcs.
	36213	100 x 250 mm	1000 pcs.
	36235	100 x 400 mm	1000 pcs.
	36214	150 x 300 mm	1000 pcs.
	36215	160 x 440 mm	1000 pcs.
	36216	160 x 600 mm	1000 pcs.
	36217	200 x 380 mm	500 pcs.
	36218	250 x 380 mm	500 pcs.
	36219	250 x 500 mm	500 pcs.

Tyvek pouches - self-adhesive

	36220	90 x 200 mm	1000 pcs.
	36221	90 x 250 mm	1000 pcs.
	36222	130 x 270 mm	1000 pcs.
	36223	130 x 380 mm	1000 pcs.
	36234	190 x 330 mm	1000 pcs.
	36224	200 x 350 mm	1000 pcs.
	36225	250 x 400 mm	600 pcs.
	36226	300 x 450 mm	600 pcs.

Tyvek reels - flat

REF		pack. unit	
36227	75 mm x 100 m	1 reel	
36228	100 mm x 100 m	1 reel	
36229	150 mm x 100 m	1 reel	
36230	200 mm x 100 m	1 reel	
36231	225 mm x 100 m	1 reel	
36232	250 mm x 100 m	1 reel	
36233	300 mm x 100 m	1 reel	
36237	400 mm x 100 m	1 reel	
36238	500 mm x 100 m	1 reel	

Tubular film for hot air sterilization

	film thickness: 0.03 mm		
	reel length: 100 m		
36201	reel width: 30 mm	1 reel	
36202	reel width: 50 mm	1 reel	
36203	reel width: 75 mm	1 reel	
36204	reel width: 100 mm	1 reel	
36205	reel width: 150 mm	1 reel	
36206	reel width: 200 mm	1 reel	
36207	reel width: 250 mm	1 reel	
36208	reel width: 300 mm	1 reel	
36209	reel width: 450 mm	1 reel	

Flat pouches for hot air sterilization


	film thickness: 0.036 mm		
36210	80 x 160 mm	500 pcs.	
36211	120 x 200 mm	500 pcs.	

Dustproof bags

LDPE bag

not suitable for sterilization, transparent, unprinted, robust design with flap and adhesive seal for protection and packing of sterilized instruments

suitable to store disinfected anaesthetic equipment

03024	100 x 350 mm, 50 µ	100 pcs.	
03026	120 x 520 mm, 50 µ	100 pcs.	
03023	150 x 270 mm, 50 µ	100 pcs.	
03025	150 x 380 mm, 50 µ	100 pcs.	
03058	165 x 220 mm, 70 µ	100 pcs.	
03029	200 x 300 mm, 50 µ	100 pcs.	
03028	200 x 650 mm, 100 µ	100 pcs.	
03007	300 x 400 mm, 60 µ	100 pcs.	
03030	300 x 500 mm, 50 µ	100 pcs.	
03031	420 x 700 mm, 50 µ	100 pcs.	
03022	450 x 480 mm, 30 µ	100 pcs.	
03032	600 x 750 mm, 50 µ	100 pcs.	
03037	630 x 820 mm, 60 µ	100 pcs.	
03049	700 x 1050 mm, 70 µ	50 pcs.	

5 Tip guards, sterilization packaging and silicone products

	REF		pack. unit
	03057	tapered 90 x 325 mm, 80 µ	100 pcs.

Dustproof bags, with imprint of application range

LDPE bag

not suitable for sterilization, transparent, robust design with flap and adhesive seal

Imprint:

Staubschutzhüllen selbstklebend - Nicht sterilisierbar! Als Lagerschutz nach der Sterilisation

Self Seal Dust Cover - Do not sterilize! For pack protection after sterilization

Buste di protezione autosigillanti - Non sterilizzabili! Protezione delle confezioni dopo la sterilizzazione

Sachets de protection auto-adhésifs - Non stérilisables! Pour la protection des packs après la stérilisation

	03033	245 x 345 mm, 60 µ	100 pcs.
	03036	300 x 600 mm, 60 µ	100 pcs.
	03017	400 x 600 mm, 50 µ	100 pcs.
	03035	460 x 750 mm, 60 µ	100 pcs.
	03040	500 x 500 mm, 60 µ	100 pcs.
	03034	640 x 770 mm, 60 µ	100 pcs.

Microsnap Bags

LDPE bag

not suitable for sterilization, transparent, unprinted,

robust design, reclosable

	09908	40 x 60 mm, 50 µ	2000 pcs.
	09912	70 x 100 mm, 50 µ	1000 pcs.
	09902	80 x 120 mm, 50 µ	1000 pcs.
	09906	100 x 150 mm, 50 µ	1000 pcs.
	09903	150 x 220 mm, 50 µ	1000 pcs.
	09900	220 x 300 mm, 50 µ	1000 pcs.
	09997	250 x 350 mm, 50 µ	1000 pcs.
	09905	300 x 400 mm, 50 µ	1000 pcs.
	09911	400 x 500 mm, 50 µ	500 pcs.
	09909	400 x 600 mm, 50 µ	500 pcs.
	09910	500 x 600 mm, 50 µ	500 pcs.

Dustproof bag with slider zipper

LDPE bag, not suitable for sterilization, transparent, unprinted,


robust design, reclosable

	03044	170 x 120 mm, 60 µ	100 pcs.
	03043	200 x 150 mm, 60 µ	100 pcs.
	03047	200 x 300 mm, 60 µ	100 pcs.
	03042	250 x 170 mm, 60 µ	100 pcs.
	03041	320 x 230 mm, 75 µ	100 pcs.
	03045	320 x 440 mm, 70 µ	50 pcs.
	03046	480 x 640 mm, 70 µ	50 pcs.

LDPE cover for trolleys

REF		pack. unit	
03060	transparent bundled to 20 pcs. 700/620 x 1600 mm	140 pcs.	

OR-microscope covers

	OR-microscope covers for Zeiss microscopes in single sterile packaging		
03050	160 x 115 cm objective lense ring diameter: 65 mm 10 pcs. / dispenser	1 dispenser	
03051	262 x 115 cm objective lense ring diameter: 65 mm 10 pcs. / dispenser	1 dispenser	
03052	300 x 115 cm objective lense ring diameter: 65 mm 10 pcs. / dispenser	1 dispenser	

C-bow cover

	C-bow cover in single sterile packaging		
03053	235 x 104 cm 20 pcs. / dispenser	1 dispenser	

Single labels on reel -BLANK- (sorted by ascending label width)

	REF		pack. unit
		single labels on reel	
		single self-adhesive, without indicator	
		dispensed on the outside	
		heat resistant up to 134 °C	
		500 pcs./reel	
		size: 38 x 98 mm	
	04257	core diameter: 25 mm	1 reel
	04261	core diameter: 25 mm, thermografic paper	1 reel
		single labels on reel	
		double self-adhesive, without indicator	
		dispensed on the outside	
		heat resistant up to 134 °C	
		1000 pcs./reel	
		size: 50 x 33 mm	
		reel width: 53 mm	
	04138	core diameter: 76 mm	1 reel
	04208	core diameter: 40 mm	1 reel
	04189	paper labels on reel	1 reel
		blank	
		dispensed on the outside	
		single self-adhesive	
		removable	
		one-side tear-off tag	
		heat resistant up to 134 °C	
		1000 pcs./reel	
		size: 55 x 35 mm	
		reel width: 59 mm	
		core diameter: 50 mm	
	04224	single labels on reel	1 reel
		single self-adhesive	
		without indicator	
		dispensed on the outside	
		heat resistant up to 134 °C	
		1000 pcs./reel	
		size: 58 x 35 mm	
		reel width: 61 mm	
		core diameter: 40 mm	

REF		pack. unit	
04087	single labels on reel without indicator dispensed on the outside with tear-off perforation double self-adhesive heat resistant up to 134 °C 900 pcs./reel size: 60 x 34 mm reel width: 67 mm core diameter: 25 mm	1 reel	
04152	single labels on reel double self-adhesive, without indicator dispensed on the outside with extra strong glue heat resistant up to 134 °C 1000 pcs./reel size: 60 x 34 mm reel width: 63 mm core diameter: 40 mm	1 reel	
04161	single labels on reel double self-adhesive, without indicator dispensed on the outside heat resistant up to 134 °C 2000 pcs./reel size: 63 x 40 mm reel width: 67 mm core diameter: 76 mm	1 reel	
04146	single labels on reel without indicator dispensed on the outside with tear-off perforation heat resistant up to 134 °C 2000 pcs./reel size: 75 x 35 mm reel width: 78 mm core diameter: 76 mm self-adhesive	1 reel	
04188	double self-adhesive	1 reel	

REF	pack. unit
04187	1 reel
	single labels on reel double self-adhesive dispensed on the outside without indicator 2000 pcs./reel with tear-off perforation heat resistant up to 134 °C size: 102 x 56 mm (subdivided into three labels, 1 pc. 102 x 34 mm and 2 pcs. 51 x 22 mm) reel width: 106 mm core diameter: 76 mm
04078	1 reel
	single labels on reel blank dispensed on the inside single self-adhesive with tear-off perforation removable without residues heat resistant up to 134 °C 1000 pcs./reel size: 105 x 33 mm reel width: 110 mm core diameter: 40 mm
04092	1 reel
	single labels on reel without indicator dispensed on the outside single self-adhesive with tear-off perforation heat resistant up to 134 °C 1000 pcs./reel reel width: 113 mm core diameter: 40 mm
04140	1 reel
	110 x 60 mm 110 x 80 mm

Foil labels on reel -BLANK- (sorted by ascending label width)

REF		pack. unit	
04173	foil labels on reel blank single self-adhesive dispensed on the outside with tear-off perforation strong adhesive washable in washer-disinfector heat resistant up to 134 °C 1000 pcs./reel size: 32 x 22 mm reel width: 36 mm core diameter: 40 mm	1 reel	
04218	foil labels on reel blank single self-adhesive dispensed on the outside with tear-off perforation strong adhesive washable in washer-disinfector heat resistant up to 134 °C 1000 pcs./reel size: 40 x 28 mm reel width: 44 mm core diameter: 25 mm	1 reel	
04174	core diameter: 40 mm	1 reel	
04227	foil labels on reel blank dispensed on the outside single self-adhesive with tear-off perforation strong adhesive washable in washer-disinfector heat resistant up to 134 °C 1000 pcs./reel reel width: 54 mm core diameter: 40 mm 50 x 23 mm	1 reel	
04239	54 x 16 mm	1 reel	

	REF		pack. unit
	04186	foil labels on reel blank dispensed on the outside single self-adhesive removable one-side tear-off tag washable in washer-disinfector heat resistant up to 134 °C 1000 pcs./reel size: 55 x 35 mm reel width: 59 mm core diameter: 50 mm	1 reel
	04176	foil labels on reel blank single self-adhesive dispensed on the outside with tear-off perforation strong adhesive washable in washer-disinfector heat resistant up to 134 °C 1000 pcs./reel size: 60 x 25 mm reel width: 64 mm core diameter: 40 mm	1 reel
	04221 04222 04223 04255	foil labels on reel blank single self-adhesive dispensed on the outside with tear-off perforation strong adhesive washable in washer-disinfector heat resistant up to 134 °C 1000 pcs./reel size: 60 x 25 mm reel width: 64 mm core diameter: 40 mm red green blue yellow	1 reel 1 reel 1 reel 1 reel

REF		pack. unit	
04175	foil labels on reel blank single self-adhesive dispensed on the outside with tear-off perforation strong adhesive washable in washer-disinfector heat resistant up to 134 °C 1000 pcs./reel size: 70 x 33 mm reel width: 74 mm core diameter: 40 mm	1 reel	

Single labels on reel with steam indicator (sorted by ascending label width)

04088	single labels on reel with steam indicator dispensed on the outside double self-adhesive with tear-off perforation 750 pcs./reel size: 40 x 43 mm reel width: 47 mm core diameter: 50 mm	1 reel	
-------	--	--------	--

04207	single labels on reel double self-adhesive with steam indicator dispensed on the outside with tear-off perforation also suitable for non-woven materials 1000 pcs./reel size: 50 x 33 mm reel width: 53 mm core diameter: 40 mm	1 reel	
-------	--	--------	---

04141	single labels on reel double self-adhesive dispensed on the outside with steam indicator 1000 pcs./reel size: 57 x 40 mm reel width: 60 mm core diameter: 40 mm	1 reel	
-------	--	--------	---

	REF		pack. unit
	04209	single labels on reel double self-adhesive dispensed on the outside with steam indicator with tear-off perforation upper material with horizontal slit 1000 pcs./reel size: 58.5 x 35 mm reel width: 62 mm core diameter: 40 mm	1 reel
	04094	single labels on reel double self-adhesive with steam indicator dispensed on the inside with tear-off perforation also suitable for non-woven materials 2000 pcs./reel size: 60 x 31 mm reel width: 64 mm core diameter: 40 mm	1 reel
	04039	single labels on reel double self-adhesive dispensed on the inside with steam indicator 2000 pcs./reel size: 60 x 31 mm reel width: 64 mm core diameter: 40 mm	1 reel
	04029	single labels on reel double self-adhesive dispensed on the inside with steam indicator 1000 pcs./reel size: 60 x 31 mm reel width: 64 mm core diameter: 40 mm	1 reel

REF		pack. unit	
04086	single labels on reel dispensed on the outside with steam indicator with tear-off perforation size: 60 x 33 mm reel width: 63 mm core diameter: 40 mm 1000 pcs./reel double self-adhesive	1 reel	
04158	2000 pcs./reel double self-adhesive	1 reel	
04196	2000 pcs./reel single self-adhesive	1 reel	
04265	single labels on reel dispensed on the inside with steam indicator with tear-off perforation size: 60 x 33 mm reel width: 63 mm core diameter: 40 mm 1000 pcs./reel double self-adhesive	1 reel	
04266	2000 pcs./reel double self-adhesive	1 reel	
04199	2000 pcs./reel single self-adhesive	1 reel	
04028	single labels on reel double self-adhesive with steam indicator with tear-off perforation also suitable for non-woven materials 1000 pcs./reel size: 60 x 31 mm reel width: 64 mm core diameter: 40 mm dispensed on the inside	1 reel	
04160	core diameter: 25 mm dispensed on the outside	1 reel	


	REF		pack. unit
	04010	single labels on reel with steam indicator with tear-off perforation dispensed on the outside with red corner reel width: 64 mm core diameter: 40 mm size: 60 x 33 mm 1000 pcs./reel double self-adhesive	1 reel
	04191	2000 pcs./reel single self-adhesive	1 reel
	04243	blue	1 reel
	04244	green	1 reel
	04245	red	1 reel
	04246	yellow	1 reel
		single labels on reel with steam indicator dispensed on the outside double self-adhesive with tear-off perforation core diameter: 40 mm 1000 pcs. / reel size: 60 x 33 mm	
	04038	single labels on reel double self-adhesive with steam indicator size: 63 x 40 mm reel width: 67 mm core diameter: 40 mm dispensed on the inside	1 reel
	04090		1 reel
	04057	also suitable for non-woven materials core diameter: 76 mm dispensed on the outside 2000 pcs./reel	1 reel



REF		pack. unit
04079	single labels on reel suitable for crepe paper double self-adhesive dispensed on the outside with steam indicator size: 70 x 33 mm reel width: 73 mm core diameter: 40 mm 1000 pcs./reel	 1 reel
04144 04169	single labels on reel with steam indicator dispensed on the outside double self-adhesive with tear-off perforation also suitable for non-woven materials 2000 pcs./reel size: 70 x 33 mm reel width: 73 mm core diameter: 40 mm core diameter: 76 mm	 1 reel 1 reel
04147	single labels on reel with steam indicator dispensed on the inside with tear-off perforation also suitable for non-woven materials 2000 pcs./reel size: 70 x 33 mm reel width: 73 mm core diameter: 76 mm	 1 reel



	REF		pack. unit
		single labels on reel	
		double self-adhesive	
		dispensed on the outside	
		1000 pcs./reel	
		with tear-off perforation	
		reel width: 73 mm	
		also suitable for non-woven materials	
		size: 70 x 33 mm	
	04089	with steam indicator, core diameter: 40 mm	1 reel
	04084	without indicator, core diameter: 40 mm	1 reel
	04027	without indicator, core diameter: 76 mm	1 reel
		size: 70 x 35 mm	
		with steam indicator	
	04136	core diameter: 40 mm	1 reel
	04163	core diameter: 76 mm	1 reel
	04178	single labels on reel	1 reel
		with steam indicator	
		dispensed on the outside	
		with tear-off perforation	
		also suitable for non-woven materials	
		1000 pcs./reel	
		size: 70 x 35 mm	
		reel width: 73 mm	
		core diameter: 40 mm	
	04037	single labels on reel	1 reel
		with steam indicator	
		dispensed on the outside	
		single self-adhesive	
		with tear-off perforation	
		1250 pcs./reel	
		with slit on the back	
		size: 70 x 35 mm	
		core diameter: 40 mm	

REF		pack. unit	
04157	single labels on reel with steam indicator double self-adhesive with tear-off perforation suitable for non-woven materials 2500 pcs./reel size: 70 x 35 mm reel width: 73 mm core diameter: 40 mm dispensed on the inside	1 reel	
04180	dispensed on the outside	1 reel	
04197	single labels on reel with steam indicator double self-adhesive dispensed on the outside 2000 pcs./reel size: 70 x 35 mm reel width: 73 mm core diameter: 40 mm	1 reel	
04182	single labels on reel with steam indicator dispensed on the outside double self-adhesive with tear-off perforation suitable for non-woven materials size: 70 x 35 mm reel width: 73 mm core diameter: 40 mm 1000 pcs./reel with indicator at the left side	1 reel	
04183	with indicator at the right side	1 reel	
04256	dispensed on the inside core diameter: 76 mm with indicator at the right side	1 reel	

REF			pack. unit
		single labels on reel with steam indicator double self-adhesive with tear-off perforation suitable for non-woven materials size: 70 x 35 mm reel width: 73 mm	
	04198	dispensed on the inside core diameter: 40 mm, 1000 pcs./reel	1 reel
	04236	core diameter: 40 mm, 2500 pcs./reel	1 reel
	04250	dispensed on the outside core diameter: 40 mm, 1000 pcs./reel	1 reel
	04242	core diameter: 76 mm, 1000 pcs./reel	1 reel
		single labels on reel with steam indicator dispensed on the outside double self-adhesive with tear-off perforation suitable for Kimberly Clark non-woven materials 1000 pcs./reel size: 70 x 35 mm reel width: 73 mm	
	04226	core diameter: 40 mm	1 reel
	04249	core diameter: 76 mm	1 reel
		single labels on reel with steam indicator dispensed on the outside double self-adhesive with tear-off perforation core diameter: 40 mm 1000 pcs. / reel size: 70 x 35 mm	
	04251	blue	1 reel
	04252	green	1 reel
	04253	red	1 reel
	04254	yellow	1 reel

REF		pack. unit	
04055	single labels on reel with steam indicator with tear-off perforation dispensed on the outside single self-adhesive with slit on the back 2500 pcs./reel size: 70 x 36.8 mm core diameter: 40 mm	1 reel	
04127	single labels on reel double self-adhesive with steam indicator dispensed on the inside with tear-off perforation 750 pcs./reel size: 70 x 38 mm reel width: 73 mm core diameter: 76 mm also suitable for crepe paper	1 reel	
04133	also suitable for non-woven materials and extended heat-impact	1 reel	
04036	single labels on reel with steam indicator with tear-off perforation dispensed on the outside single self-adhesive with slit on the back 2500 pcs./reel size: 70 x 38.1 mm core diameter: 40 mm	1 reel	
04075	single labels on reel with steam indicator double self-adhesive dispensed on the inside 2000 pcs./reel reel width: 74 mm core diameter: 76 mm size: 70 x 39 mm red	1 reel	
04074	blue	1 reel	
04076	green	1 reel	
04077	yellow	1 reel	
04095	red, dispensed on the outside	1 reel	

	REF		pack. unit
	04241	single labels on reel double self-adhesive dispensed on the outside with steam indicator with tear-off perforation size: 83 x 40 mm reel width: 86 mm core diameter: 76 mm 1000 pcs./reel	1 reel
	04066	labels for Webeco on reel dispensed on the outside single self-adhesive central perforation with tear-off perforation with slit on the back 1000 pcs./reel size: 88.5 x 36 mm reel width: 110 mm core diameter: 40 mm with steam indicator	1 reel
	04021	single labels on reel with steam indicator double self-adhesive dispensed on the inside also suitable for non-woven materials 2000 pcs./reel reel width: 94 mm size: 90 x 35 mm core diameter: 76 mm	1 reel
	04024	red core diameter: 40 mm orange	1 reel
	04171	single labels on reel double self-adhesive dispensed on the outside with steam indicator 500 pcs./reel size: 100 x 75 mm (subdivided into three labels, 1 pc. 100 x 50 mm and 2 pcs. 50 x 25 mm) reel width: 104 mm core diameter: 25 mm	1 reel

REF		pack. unit	
04137	single labels on reel double self-adhesive dispensed on the outside with steam indicator 2000 pcs./reel size: 102 x 56 mm (subdivided into three single labels size: 56 x 34 mm) reel width: 105 mm core diameter: 76 mm	1 reel	
04150	single labels on reel double self-adhesive with steam indicator size: 102 x 56 mm (subdivided into three labels, 1 pc. 102 x 34 mm and 2 pcs. 51 x 22 mm) reel width: 106 mm core diameter: 76 mm dispensed on the outside 2000 pcs./reel	1 reel	
04164	core diameter: 25 mm dispensed on the outside 660 pcs./reel	1 reel	
04165	core diameter: 40 mm dispensed on the inside 660 pcs./reel	1 reel	
04234	core diameter: 76 mm dispensed on the inside 660 pcs./reel	1 reel	

Single labels zigzag folded with steam indicator (sorted by ascending label width)

04013	single labels with steam indicator single self-adhesive with tear-off perforation zigzag folded with punch tape size: 94 x 46 mm	3000 pcs.	
-------	--	-----------	---


REF	pack. unit
	single labels with steam indicator double self-adhesive with tear-off perforation zigzag folded with punch tape size: 99 x 37 mm 04002 blank 04004 with line division 2500 pcs. 2500 pcs.

	04219 single labels with steam indicator double self-adhesive with tear-off perforation zigzag folded with punch tape upper material with horizontal slit size: 88 x 35 mm 2400 pcs.
---	---

Single labels with steam indicator and FO-indicator (sorted by ascending label width)

	04185 single labels on reel with FO- and steam indicator double self-adhesive dispensed on the inside 1000 pcs./reel size: 60 x 31 mm reel width: 64 mm core diameter: 40 mm 1 reel
---	--


	04064 04059 single labels on reel double self-adhesive dispensed on the outside 2000 pcs./reel size: 63 x 40 mm reel width: 67 mm core diameter: 76 mm with FO- and steam indicator with EO- and steam indicator 1 reel 1 reel
---	--

REF		pack. unit	
04058	single labels on reel double self-adhesive dispensed on the inside with FO- and steam indicator 2000 pcs./reel size: 63 x 40 mm reel width: 67 mm core diameter: 40 mm	1 reel	
04065	labels for Webeco on reel dispensed on the outside single self-adhesive central perforation with tear-off perforation with slit on the back 1000 pcs./reel size: 88.5 x 36 mm reel width: 110 mm core diameter: 40 mm with FO- and steam indicator	1 reel	

Continuous labels (sorted by ascending label width)


04098	continuous labels on reel with steam indicator dispensed on the outside single self-adhesive reel width: 60 mm reel length: 140 m core diameter: 76 mm	1 reel	
04225	continuous labels on reel with steam indicator double self-adhesive dispensed on the outside reel width: 70 mm reel length: 80 m core diameter: 50 mm with extra strong glue	1 reel	

REF			pack. unit
	04026	continuous labels on reel with steam indicator double self-adhesive dispensed on the outside reel width: 70 mm reel length: 80 m core diameter: 76 mm	1 reel
	04044	core diameter: 50 mm	1 reel
	04142	with special glue which minimizes the soiling of the cutter core diameter: 50 mm	1 reel
	04085	also suitable for non-woven materials core diameter: 50 mm	1 reel
	04145	core diameter: 76 mm	1 reel
	04093	without indicator blank, core diameter: 50 mm	1 reel
	04181	continuous labels on reel with steam indicator double self-adhesive dispensed on the outside with both-sided cleared border reel width: 70 mm reel length: 80 m also suitable for non-woven materials core diameter: 50 mm	1 reel
	04045	continuous labels on reel double self-adhesive dispensed on the outside reel width: 70 mm reel length: 80 m core diameter: 50 mm with EO- and steam indicator	1 reel
	04046	with FO- and steam indicator	1 reel

REF		pack. unit	
	continuous labels on reel with steam indicator dispensed on the outside double self-adhesive reel width: 70 mm reel length: 80 m core diameter: 50 mm		
04060	red	1 reel	
04061	green	1 reel	
04062	blue	1 reel	
04063	yellow	1 reel	
	core diameter: 76 mm		
04210	red	1 reel	
04211	green	1 reel	
04212	blue	1 reel	
04213	yellow	1 reel	

Dispenser for labels

09000	with width up to 120 mm for example: REF 01001 or 01002	1 pc.	
-------	--	-------	--

06013	with width up to 250 mm suitable for inside and outside dispensed reels	1 pc.	
-------	---	-------	---

Labeler and marking labels

	REF		pack. unit
	04230	text for three lines possible matching labels as follows (METO-labels)	1 pc.
	04232	ink refill for labeler REF 04230	1 pc.
	04019	labeler "METO" text for three lines possible matching labels see as follows	1 pc.
	04119	ink refill for labeler REF 04019	2 pcs.
		single METO-labels on reel for labeler REF 04019 with steam indicator double self-adhesive 400 pcs./reel size: 29 x 28 mm	
	04068	orange	12 reels
	04069	white	12 reels
	04070	red	12 reels
	04071	green	12 reels
	04072	blue	12 reels
	04073	yellow	12 reels
		single METO-labels on reel for labeler REF 04019 without indicator single self-adhesive 700 pcs./reel size: 29 x 28 mm	
	04206	green	12 reels

REF		pack. unit
04014	"MONARCH" text for three lines possible matching labels see as follows	1 pc.
04018	ink refill for labeler REF 04014	1 pc.



	single labels on reel for labeler REF 04014 without indicator double self-adhesive 750 pcs./reel size: 22.5 x 31 mm	
04040	green	12 reels
04041	blue	12 reels
04042	red	12 reels
04043	yellow	12 reels
04054	blank	12 reels



	single labels on reel for labeler REF 04014 with steam indicator double self-adhesive 750 pcs./reel size: 22.5 x 31 mm	
04048	orange	12 reels
04049	white	12 reels
04050	red	12 reels
04051	green	12 reels
04052	blue	12 reels
04053	yellow	12 reels




04231	Labeler "Printex" text for two lines possible	1 pc.
04233	ink refill for labeler REF 04231	1 reel




	REF		pack. unit
		single labels on reel, white for labeler REF 04231 with steam indicator, double self-adhesive not suitable for non-woven materials 500 pcs./reel, size: 26 x 16 mm	
	04247	with steam indicator	12 reels
	04248	without indicator, white	12 reels

STERIFIT**Thermotransfer foil for labels**

		black autoclave-resistant outside coated	
	09870	57 mm x 74 m	1 reel
	09213	85 mm x 74 m (overhanging core)	1 reel
	09212	110 mm x 74 m	1 reel
	09078	60 mm x 300 m	1 reel
	09080	70 mm x 300 m	1 reel
	09077	80 mm x 300 m	1 reel
	09062	90 mm x 300 m	1 reel
	09061	110 mm x 300 m	1 reel
		inside coated	
	09067	60 mm x 300 m	1 reel
	09069	76 mm x 300 m	1 reel
	09065	110 mm x 300 m	1 reel

Thermotransfer foil for foil labels

		black autoclave-resistant outside coated	
	09882	45 mm x 300 m	1 reel
	09270	70 mm x 300 m	1 reel
	09876	110 mm x 300 m	1 reel
	09232	inside coated 110 mm x 300 m	1 reel


**Thermotransfer foil,
made of high wax/resin quality**

		black autoclave-resistant outside coated	
	09262	110 mm x 300 m	1 reel

Counting strips

REF

pack. unit

09243	counting strip for processing cycles washable heat resistant up to 134 °C made of synthetic material for 10 cycles (imprint No. 1 - 10)	200 pcs.	
09245	for 10 additional cycles (imprint No. 11 - 20)	200 pcs.	
09247	made of silicone for 10 cycles	100 pcs.	

Indicator strips with steam indicator

01161	size: 20 x 170 mm single self-adhesive, with slit on the back	1000 pcs.	
01410	non-adhesive	1000 pcs.	

Indicator strips with FO - indicator

01403	size: 20 x 170 mm single self-adhesive, with slit on the back	1000 pcs.	
01402	non-adhesive	1000 pcs.	

Indicator strips with EO - indicator

01405	size: 20 x 170 mm single self-adhesive, with slit on the back	1000 pcs.	
01404	non-adhesive	1000 pcs.	


Set label with steam indicator

04003	single self-adhesive size: 40 x 80 mm	1000 pcs.	
-------	--	-----------	---

Insertion cards for instrument trays

01150	with steam indicator double-sided printed size: 20 x 20 mm	1000 pcs.	
01154	size: 45 x 45 mm	1000 pcs.	

Adhesive labels for laser printer with steam indicator

	REF		pack. unit
	04016	single self-adhesive 25 sheets DIN A4 each with 44 labels label size: 48.3 x 25.4 mm	1100 pcs.
	04017	25 sheets DIN A4 each with 21 labels label size: 63.5 x 38.1 mm	525 pcs.

Indicator dots with EO - indicator

	01406	25 pcs./sheet single self-adhesive label size: 10 x 10 mm	500 pcs.

	01408	54 pcs./sheet single self-adhesive diameter: 16 mm	1080 pcs.

	01414	5000 pcs./reel single self-adhesive diameter: 15 mm	1 reel

Indicator dots with FO - indicator

	01415	42 pcs./sheet single self-adhesive size: 16 x 22 mm colour change from violet to green	840 pcs.

Indicator dots with steam indicator


REF		pack. unit	
01159	single self-adhesive diameter: 15 mm 5000 pcs./reel	1 reel	
01401	diameter: 10 mm 10000 pcs./reel	1 reel	

Indicator dots holohedral printed with steam indicator

01164	single self-adhesive diameter: 10 mm 10000 pcs./reel	1 reel	
-------	--	--------	---

01165	single self-adhesive diameter: 15 mm core diameter: 40 mm colour change from blue to black 5000 pcs./reel	1 reel	
-------	---	--------	--

Indicator strips with EO - indicator

01407	with slit on the back single self-adhesive size: 15 x 50 mm	1000 pcs.	
-------	---	-----------	---

08019	single self-adhesive also suitable for metal PCD's size: 6 x 75 mm	200 pcs.	
-------	--	----------	---

Indicator dots with gamma - indicator

	dose range: >10 kGy (>1.0 Mrad) single self-adhesive colour change from yellow to red diameter: 12.5 mm		
01417	1000 pcs./reel	2 reels	
01418	5000 pcs./reel	1 reel	

Sterilization control card with steam indicator


REF		pack. unit
01162	size: 148 x 105 mm	1000 pcs.
		

Repair tags made of synthetic material

	01260	orange with imprint: reparieren repair	100 pcs.
	02629	red with imprint: reparieren repair	100 pcs.
	01261	yellow with imprint: à réparer da riparare	100 pcs.

	01278	red with imprint: schärfen sharpen	100 pcs.
---	-------	---	----------

Repair tags made of Tyvek

		size: 160 x 30 mm washable up to 90 °C not sterilizable with steam	
	01007	size: 160 x 30 mm with documentation field and imprint "defekt / repair"	1000 pcs.
	04121	blank	1000 pcs.
	04132	size: 190 x 30 mm blank	1000 pcs.

Repair tag made of PET


REF

pack. unit

04151

washable up to 90 °C
 heat resistant up to 134 °C
size: 190 x 30 mm
blank

500 pcs.

**Tie-on labels**

to affix to containers with plastic seals
 non-adhesive
 made of carton
 heat resistant up to 134 °C
with hole
size: 90 x 50 + 20 mm

04162

white

1000 pcs.

04192

red

1000 pcs.

04193

blue

1000 pcs.

04194

yellow

1000 pcs.

04195

green

1000 pcs.



04216

size: 110 x 60 + 20 mm

1000 pcs.

white

04237

size: 160 x 100 + 20 mm

1000 pcs.

white

to affix to containers with plastic seals
 non-adhesive
 made of carton
 heat resistant up to 134 °C
with cross slot
size: 75 x 40 + 20 mm
white

04172

1000 pcs.

**Labels with H₂O₂ indicator (plasma)**

single labels on reel
 with H₂O₂ indicator (plasma)
 with tear-off perforation
 dispensed on the outside
 single self-adhesive
 1000 pcs./reel
 reel width: 73 mm
 core diameter: 40 mm

04134

70 x 33 mm

1 reel

04153

70 x 35 mm

1 reel



Continuous label with H₂O₂ - indicator (plasma)

REF

pack. unit

04091

continuous label on reel
with H₂O₂ indicator (plasma)
self-adhesive
dispensed on the outside
single self-adhesive
reel width: 70 mm
reel length: 30 m
core diameter: 50 mm

1 reel

**Indicator strips with H₂O₂ - indicator (plasma)**

01411

with slit on the back
size: 20 x 170 mm
self-adhesive
made of Tyvek

200 pcs.

**Identification label with H₂O₂ - indicator (plasma)**

04103

size: 60 x 40 mm
single self-adhesive
made of Tyvek


1000 pcs.

**Indicator dots with H₂O₂ - indicator (plasma)**

01413

25 pcs./sheet
single self-adhesive
made of Tyvek
label size: 10 x 10 mm

500 pcs.



Adhesive tapes with indicator

REF		pack. unit
01513	with lead-free steam indicator 18 mm width, 50 m length	1 reel
01514	24 mm width, 50 m length	1 reel
01130	with steam indicator 19 mm width, 50 m length	1 reel
01505	25 mm width, 50 m length	1 reel
01500	with steam indicator especially suitable for non-woven material colour: blue strong adhesive 19 mm width, 50 m length	1 reel
01506	25 mm width, 50 m length	1 reel
01131	with EO - indicator 19 mm width, 50 m length	1 reel
01151	with hot-air indicator 19 mm width, 50 m length	1 reel
01509	with H ₂ O ₂ - indicator (plasma) 25 mm width, 25 m length	1 reel



Adhesive crepe tapes without indicator

01132	19 mm width, 50 m length	1 reel
01507	25 mm width, 50 m length	1 reel
01501	especially suitable for non-woven material colour: blue strong adhesive 19 mm width, 50 m length	1 reel
01508	25 mm width, 50 m length	1 reel
01511	colour: blue extra strong adhesive 19 mm width, 50 m length	1 reel



Adhesive foil tape without indicator for H₂O₂ sterilization


01515	19 mm width, 66 m length	1 reel
-------	---------------------------------	--------



Foil labels


	REF		pack. unit
		for marking containers without indicator removable without residues 500 pcs./reel core diameter: 76 mm	
	01002	102 x 25 mm	1 reel
	04096	70 x 33 mm	1 reel

Dispenser for 1 reel adhesive tape

	09001	with width up to 25 mm heavy-duty design	1 pc.
	09005	replacement knife	1 pc.


	09035	with width up to 25 mm strip length can be preset from 1 cm to 10 cm	1 pc.
	09007	replacement knife	1 pc.

Dispenser for 2 reels adhesive tape

	09002	with width up to 25 mm heavy-duty design	1 pc.
	09008	replacement knife	1 pc.
	79002	tape wheel (black)	1 pc.


Dispenser for 4 reels adhesive tape

REF		pack. unit
09063	with width up to 25 mm heavy-duty design	1 pc.
09359	replacement knife	1 pc.




Dispenser for labels

09000	with width up to 120 mm for example: REF 01001 or 01002	1 pc.
-------	--	-------



06013	with width up to 250 mm suitable for inside and outside dispensed reels	1 pc.
-------	---	-------



Coloured adhesive tapes

	9 mm width / 10 m length	
01030	black	1 reel
01031	white	1 reel
01032	blue	1 reel
01033	red	1 reel
01034	orange	1 reel
01035	yellow	1 reel



Identification tapes, heat resistant up to 134 °C

	REF		pack. unit
		6.4 mm width / 7.62 m length	
	01037	white	1 reel
	01038	blue	1 reel
	01039	green	1 reel
	01040	red	1 reel
	01041	yellow	1 reel
	01042	violet	1 reel
	01043	orange	1 reel
	01044	brown	1 reel
	01045	black	1 reel

		6 mm width / 66 m length core diameter: 76 mm	
	01796	red/white with symbol "For single use only"	1 reel
	01797	red, without imprint	1 reel

Identification strips, heat resistant up to 134 °C

		each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm	
	01700	white	1 sheet
	01701	blue	1 sheet
	01702	green	1 sheet
	01703	red	1 sheet
	01704	yellow	1 sheet
	01705	violet	1 sheet
	01706	orange	1 sheet
	01707	brown	1 sheet
	01708	black	1 sheet
	01709	grey	1 sheet
	01710	lavender	1 sheet
	01711	beige	1 sheet
	01712	light blue	1 sheet
	01713	light green	1 sheet
	01714	pink	1 sheet
	01715	plum	1 sheet
	01789	mint green	1 sheet

**Identification strips, heat resistant up to 134 °C,
with diagonal stripes**

REF

pack. unit

	each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm		
01716	violet	1 sheet	
01717	orange	1 sheet	
01718	blue	1 sheet	
01719	rubine	1 sheet	
01720	yellow	1 sheet	
01721	green	1 sheet	
01722	white	1 sheet	

**Identification strips, heat resistant up to 134 °C,
each sheet contains number 0 - 8**

	each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm		
01723	red	1 sheet	
01724	blue	1 sheet	
01725	green	1 sheet	
01726	violet	1 sheet	

**Identification strips, heat resistant up to 134 °C,
with dots**

	each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm		
01727	red	1 sheet	
01728	blue	1 sheet	
01729	green	1 sheet	
01730	violet	1 sheet	

**Identification strips, heat resistant up to 134 °C,
with stars**

	each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm		
01731	red	1 sheet	
01732	blue	1 sheet	
01733	green	1 sheet	
01734	violet	1 sheet	

**Identification strips, heat resistant up to 134 °C,
with triangles**

	REF		pack. unit
		each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm	
	01735	red	1 sheet
	01736	blue	1 sheet
	01737	green	1 sheet
	01738	violet	1 sheet

**Identification strips, heat resistant up to 134 °C,
four-colour**

		each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm	
	01740	red - yellow - purple - orange	1 sheet
	01741	blue - white - black - green	1 sheet

**Identification strips, heat resistant up to 134 °C,
striped**

		each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm	
	01742	black - white	1 sheet
	01743	black - green	1 sheet
	01744	black - red	1 sheet
	01745	black - yellow	1 sheet
	01746	black - orange	1 sheet
	01747	black - grey	1 sheet
	01748	black - lavender	1 sheet
	01749	black - beige	1 sheet
	01750	black - light blue	1 sheet
	01751	black - lime green	1 sheet
	01752	black - pink	1 sheet
	01753	black - plum	1 sheet

Identification strips, heat resistant up to 134 °C,**striped**

REF

pack. unit

	each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm		
01754	white - blue	1 sheet	
01755	white - green	1 sheet	
01756	white - red	1 sheet	
01757	white - yellow	1 sheet	
01758	white - orange	1 sheet	
01759	white - brown	1 sheet	
01760	white - black	1 sheet	
01761	white - lavender	1 sheet	
01762	white - light blue	1 sheet	
01763	white - lime green	1 sheet	
01764	white - pink	1 sheet	
01765	white - plum	1 sheet	

Identification strips, heat resistant up to 134 °C,**striped**

	each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm		
01766	red - white - blue	1 sheet	
01767	red - white - black	1 sheet	
01768	red - yellow - black	1 sheet	
01769	red - black - green	1 sheet	

Identification strips, heat resistant up to 134 °C,**striped**

	each sheet contains 44 strips / 50 mm length 44 strips / 38 mm length 220 strips / 25 mm length width of each strip: 6.35 mm		
01770	blue - green	1 sheet	
01771	blue - red	1 sheet	
01772	yellow - blue	1 sheet	
01773	yellow - green	1 sheet	
01774	yellow - red	1 sheet	

Identification strips, heat resistant up to 134 °C,
assorted symbols

	REF		pack. unit
		each sheet contains	
		44 strips / 50 mm length	
		44 strips / 38 mm length	
		220 strips / 25 mm length	
		width of each strip: 6.35 mm	
	01775	red hearts on white background	1 sheet
	01776	white hearts on red background	1 sheet
	01777	smiley faces, yellow - black	1 sheet
	01778	pink with white alphabet (A - E)	1 sheet

Identification strips, heat resistant up to 134 °C,
with special codes

		each sheet contains	
		44 strips / 50 mm length	
		44 strips / 38 mm length	
		220 strips / 25 mm length	
		width of each strip: 6.35 mm	
	01785	blue - GEN	1 sheet
	01786	light blue - OB/GYN	1 sheet
	01787	red - CARDIAC	1 sheet
	01788	orange - NEURO	1 sheet
	01790	green - ORTHO	1 sheet
	01791	purple - ER ER	1 sheet

Identification dots, heat resistant up to 134 °C

		strong adhesive	
		500 pcs./reel	
		diameter: 10 mm	
	01779	red	1 reel
	01780	yellow	1 reel
	01781	blue	1 reel
	01782	green	1 reel
	01783	black	1 reel
	01784	white	1 reel

Laminated tapes for labelling machine P-touch, washable, heat resistant up to 134 °C,

size: 24 mm x 8 m, lettering colour: black

REF

pack. unit

REF	tape colour:	pack. unit
09501	clear	1 pc.
09502	white	1 pc.
09503	red	1 pc.
09504	blue	1 pc.
09505	yellow	1 pc.
09506	green	1 pc.



size: 24 mm x 5 m

lettering colour: black

REF	tape colour:	pack. unit
09507	fluorescent orange	1 pc.
09508	fluorescent yellow	1 pc.



size: 18 mm x 8 m

lettering colour: black

REF	tape colour:	pack. unit
09510	clear	1 pc.
09511	white	1 pc.
09512	red	1 pc.
09513	blue	1 pc.
09514	yellow	1 pc.
09515	green	1 pc.



lettering colour: white

REF	tape colour:	pack. unit
09541	clear	1 pc.
09516	black	1 pc.



size: 12 mm x 8 m

lettering colour: black

REF	tape colour:	pack. unit
09517	clear	1 pc.
09518	white	1 pc.
09519	red	1 pc.
09520	blue	1 pc.
09521	yellow	1 pc.
09522	green	1 pc.



lettering colour: white

	REF		pack. unit
	09549	tape colour:	
	09523	clear	1 pc.
	09542	black	1 pc.
		blue	1 pc.

size: 12 mm x 5 m

lettering colour: black

	09525	tape colour:	1 pc.
	09526	fluorescent orange	
		fluorescent yellow	1 pc.

size: 9 mm x 8 m

lettering colour: black

	09528	tape colour:	1 pc.
	09529	clear	
		white	1 pc.
	09530	red	1 pc.
	09531	blue	1 pc.
	09532	yellow	1 pc.
	09533	green	1 pc.

size: 9 mm x 8 m

lettering colour: black / flexible tape

	09546	tape colour:	1 pc.
		white	

size: 12 mm x 8 m

lettering colour: black / flexible tape

REF

pack. unit

09535

tape colour:

white

1 pc.



size: 18 mm x 8 m

lettering colour: black / flexible tape

09547

tape colour:

white

1 pc.



size: 24 mm x 8 m

lettering colour: black / flexible tape

09548

tape colour:

white

1 pc.

09550

yellow

1 pc.



size: 12 mm x 8 m

lettering colour: black / with low adhesive strength

09551

tape colour:

white

1 pc.



Stencil tape for chemical etching

REF

pack. unit



09536

09537

tape colour: white
 lettering colour: black
 size:
24 mm x 3 m
18 mm x 3 m

1 pc.

1 pc.

Lettering machine P-touch

09500

PT-2730VP

1 pc.

the professional lettering solution



- navigation dial
- graphic LCD with backlight, 3 lines x 16 characters
- up to 24 mm tape width
- 2800 characters memory, stores last message
- 8 fonts, 10 print styles, 8 print sizes, 15 frame styles
- vertical printing, repeated printing, multiline printing, mirror printing, tab function
- 55 pre-programmed label examples, adjustable label length, 9 built-in barcodes, multi-block (up to 5 blocks)
- automatic tape cutter

option: adaptor

PC keyboard and mouse**washable keyboard**

REF

pack. unit

09603	Sealed structure allows fully cleaning under running water. Can withstand being immersed in antibacterial solution. colour: grey corded with "QWERTZ" key pad	1 pc.	
09609	corded with "AZERTY" key pad	1 pc.	
09610	corded with "QWERTY" key pad	1 pc.	
09607	colour: black corded with "QWERTZ" key pad	1 pc.	

washable mouse

09604	Sealed structure allows fully cleaning under running water. Can withstand being immersed in antibacterial solution. colour: grey corded	1 pc.	
09608	colour: black corded	1 pc.	

Mousepad with teflon coating

06010	- washable in washer-disinfector - heat resistant up to 134 °C - upside: teflon - underside: silicone (anti-slip) - suitable for all kinds of mice - colour: brown - thickness: 0.31 mm - size: 170 x 230 mm	1 pc.	
-------	---	-------	---

Fixing rings for colour marking

REF

pack. unit



09418
09419
09420
09421
09422
09423
09424
09425
09426

fixing rings made of synthetic material
for colour marking, identification, etc.
inner diameter: 10 mm

blue
green
white
red
yellow
orange
violet
black
transparent

100 pcs.
100 pcs.
100 pcs.
100 pcs.
100 pcs.
100 pcs.
100 pcs.
100 pcs.
100 pcs.

Marking strips



01739
01792
01793
01794
01795

for marking sterilization containers
single self-adhesive
with slit on the back
size: 40 x 175 mm

red
green
blue
yellow
white

1000 pcs.
1000 pcs.
1000 pcs.
1000 pcs.
1000 pcs.

Water soluble label

REF		pack. unit	
04148	label on sheet single self-adhesive water soluble heat resistant up to 134 °C blank 100 sheets DIN A4 with each 24 labels label size: 70 x 36 mm	2400 pcs.	

Marker

	edding 400 permanent marker with round tip line thickness: 1 mm colour:		
09086	black	10 pcs.	
09087	blue	10 pcs.	
09170	red	10 pcs.	

05504	edding 8400 permanent marker line thickness: 0.5 - 1 mm quick-drying, lightproof ink colour: black	10 pcs.	
-------	---	---------	--

09088	edding 950 industry painter colour: black line thickness: 10 mm highly permanent colour paste with excellent opacity, lightfast, smudgeproof and water-resistant after drying particularly suitable for marking rough surfaces and metals	10 pcs.	
-------	---	---------	---

09089	edding 8010 x-ray marker colour: white line thickness: 0.8 mm radiograph marker with metal-framed round tip permanent, low odour ink for inscribing and marking x-ray films	10 pcs.	
-------	---	---------	---

REF			pack. unit
	09090	edding 8020 skin marker skin marker with round tip permanent, low odour ink for use in radiology, radiotherapy and nuclear medicine, and also by surgeons and dermatologists line thickness: 1 mm colour:	10 pcs.
	09091	red blue	10 pcs.
	09092	edding 8040 laundry marker colour: black line thickness: 1 mm laundry marker with round tip permanent, low odour ink for waterproof and boil-proof marking of nearly all kinds of textiles	10 pcs.
	05505	permanent marker sterilization-proof line thickness: 0.75 mm colour:	10 pcs.
	05513	black red	10 pcs.


**Ident pearls mini,
for identification of instruments**

	09271	heat resistant up to 134 °C for single use only for ring instruments up to max. 4.0 mm diameter turquoise	100 pcs.
	09272	green	100 pcs.
	09273	blue	100 pcs.
	09274	yellow	100 pcs.
	09275	black	100 pcs.
	09276	red	100 pcs.
	09277	white	100 pcs.
	09278	orange	100 pcs.
	09279	brown	100 pcs.
	09280	grey	100 pcs.
	09281	violet	100 pcs.

**Ident pearls maxi,
for identification of instruments**

REF

pack. unit

	heat resistant up to 134 °C for single use only for ring instruments up to max. 8.0 mm diameter		
09289	turquoise	100 pcs.	
09290	green	100 pcs.	
09291	blue	100 pcs.	
09292	yellow	100 pcs.	
09293	black	100 pcs.	
09294	red	100 pcs.	
09295	white	100 pcs.	
09296	orange	100 pcs.	
09297	brown	100 pcs.	
09298	grey	100 pcs.	
09299	violet	100 pcs.	

**Ident pearls super maxi,
for identification of instruments**

	heat resistant up to 134 °C for single use only for instruments from 10 mm up to 20 mm diameter		
09652	turquoise	100 pcs.	
09653	green	100 pcs.	
09654	blue	100 pcs.	
09655	yellow	100 pcs.	
09656	black	100 pcs.	
09657	red	100 pcs.	
09658	white	100 pcs.	
09659	orange	100 pcs.	
09660	brown	100 pcs.	
09661	grey	100 pcs.	
09662	violet	100 pcs.	

**Ident loops mini,
for identification of instruments**

	REF		pack. unit
		sterilizable	
		for single use only	
		for ring instruments	
		up to max. 3.5 mm diameter	
	09620	light blue	500 pcs.
	09621	dark blue	500 pcs.
	09622	light green	500 pcs.
	09623	dark green	500 pcs.
	09624	white	500 pcs.
	09625	pink	500 pcs.
	09626	dark red	500 pcs.
	09627	light yellow	500 pcs.
	09628	orange	500 pcs.
	09629	brown	500 pcs.
	09630	black	500 pcs.
	09631	light violet	500 pcs.
	09632	turquoise	500 pcs.

**Ident loops maxi,
for identification of instruments**

		sterilizable	
		for single use only	
		for ring instruments	
		up to max. 6.0 mm diameter	
	09639	light blue	500 pcs.
	09640	dark blue	500 pcs.
	09641	light green	500 pcs.
	09642	dark green	500 pcs.
	09643	white	500 pcs.
	09644	pink	500 pcs.
	09645	dark red	500 pcs.
	09646	light yellow	500 pcs.
	09647	orange	500 pcs.
	09648	brown	500 pcs.
	09649	black	500 pcs.
	09650	light violet	500 pcs.
	09651	turquoise	500 pcs.
	09695	grey	500 pcs.

**Ident loops super maxi,
for identification of instruments**

REF

pack. unit

	sterilizable for single use only for instruments up to max. 7.0 mm diameter	
09663	light blue	100 pcs.
09664	dark blue	100 pcs.
09665	light green	100 pcs.
09666	dark green	100 pcs.
09667	white	100 pcs.
09668	pink	100 pcs.
09669	dark red	100 pcs.
09670	light yellow	100 pcs.
09671	orange	100 pcs.
09672	brown	100 pcs.
09673	black	100 pcs.
09674	light violet	100 pcs.
09675	turquoise	100 pcs.


Plastic boxes

09804	transparent with variable compartments size: 200 x 188 x 43 mm 5-11 compartments possible	1 pc.
09819	transparent size: 270 x 185 x 42 mm with 17 compartments	1 pc.


For example for ident pearls and ident loops

Test-equipment according to DIN 58298

	REF		pack. unit
	08500	To test the functional capability of medical instruments (according to DIN 58298). The test-equipment includes test material for the following medical instruments: • bone cutting forceps and rongeurs, bone punches • cutting conchotomes • scalpels and knives • non-cutting conchotomes • surgical scissors • forceps • needle holders • atraumata forceps • chisels, raspatories, bone curettes and gouges Contents: • for bone cutting forceps and rongeurs, bone punches: cardboard 250 g/m² (50 sheets) • for scalpels and knives and for cutting conchotomes: synthetic film 0.05 - 0.1 mm (100 sheets) cylinder made of synthetic material (1 pc.) • for non-cutting conchotomes: synthetic film 0.3 mm (50 pcs.) • for surgical scissors: control material 1.5 m (2 plies) • for forceps: plates made of synthetic material 1.0 / 1.5 / 2.0 mm (5 pcs./size), 2.5 / 3.0 / 4.0 mm (3 pcs./size) • for needle holders: synthetic thread USP 4/0 25 m (1 reel), synthetic thread USP 6/0 25 m (1 reel), wire 0.4 / 0.6 / 0.8 / 1.0 mm (10 pcs./size) • for atraumata forceps: paper 30 g/m² (1 pad) • for chisels, raspatories, bone curettes and gouges: plastic round profiles (3 pcs.) • magnifying glass with 5 x zoom, with light, incl. 2 x 1,5V AAA batteries (1 pc.) • spring scale with Newton graduation 0-25 N (1 pc.) • additional test-equipment (not according to DIN 58298): for rigid endoscopes: magnifying glass to test the inner lenses (1 pc.)	1 set

Refill packs

	08501	• for bone cutting forceps and rongeurs, bone punches • for scalpels and knives and for cutting conchotomes • for non-cutting conchotomes • for atraumata forceps	1 pack
	08502	for surgical scissors	1 pack
	08503	- for forceps - for chisels, raspatories, bone curettes and gouges	1 pack

REF		pack. unit	
08504	- refill pack for needle holder	1 pack	

Spring scale

09987	with Newton graduation 0-25 N	1 pc.	
-------	-------------------------------	-------	---

SEAL PROOF

	To test rotary sealers. Deviations (sealing temperature, sealing pressure) are visible on the indicator. 1. Put the test sheet into your flat pouch. 2. Pass it through the sealer once.		
08011	173 mm x 91 mm for pouches made of paper / film	250 pcs.	
08022	173 mm x 91 mm for pouches made of paper / film	50 pcs.	
08017	172 mm x 90 mm for pouches made of tyvek	100 pcs.	

STERIKING Seal Control

	Sterilization packages have to be sealed to prevent the ingress of micro-organisms and the sealing process needs to be validated accordingly. Under the new ISO standard 11607-2:2006 users and processors are responsible to carry out a process validation program demonstrating the efficacy and reproducibility of all sterilization and packaging processes. The Steriking® Seal Control sheet SC250 enables users to validate sealers and seal quality reliably and rapidly.		
08021	size: 240 x 150 mm simulation for pouches made of paper / film	250 pcs.	

Magnifying lamp with 16 W neon ring

	REF		pack. unit
	09980	table lamp with adjustable arm (120 cm) material: steel and plastic 120 mm real glass lens with 5 dioptries 2.25 x zoom 16 W neon ring (1 x included) on/off switch on lamp table clip with screw fitting (clamp area: 6 cm) hinged cover to protect the lens easy to clean internal springs operates on 230 V colour: white light colour: cold white	1 pc.

LED-Magnifying lamp

	09979	table lamp with adjustable arm (126 cm) material: rugged plastic 125 mm lens with 3 dioptries 1.75 x zoom 48 LED's on/off switch on lamp real glass lens table clip with screw fitting (clamp area: 6 cm) hinged cover to protect the lens easy to clean internal springs operates on 230 V colour: white	1 pc.

Wall bracket for magnifying lamps

	09974	suitable for REF 09980 and 09979	1 pc.

Alternative lens

	09976	applicable for REF 09980 and 09979 diameter: 127 mm with 5 dioptries 2.25 x zoom	1 pc.

Magnifying lamps with 12 W fluorescent ring

REF		pack. unit
09983	table lamp with flexible swanneck (29 cm) material: rugged plastic 100 mm lens with 3 dioptries 1.75 x zoom 12 W fluorescent ring (1 x included) on/off switch integrated into base real glass lens hinged cover to protect the lens easy to clean operates on 230 V colour: white light colour: cold white	1 pc.
09984	replacement fluorescent ring	1 pc.



09978	material: rugged plastic 90 mm lens with 3 and 12 dioptries 12 W fluorescent ring (1 x included) on/off switch integrated into base hinged cover to protect the lens easy to clean operates on 230 V colour: white light colour: cold white	1 pc.
09988	replacement fluorescent ring	1 pc.



Magnifying lamp with clamp

09989	magnifying table lamp with clamp, white with flexible swanneck (29 cm) with 12 W fluorescent ring, 90 mm lens, 3 dioptries, 1.75 x zoom, operates on 230 V	1 pc.
-------	--	-------



Head magnifying glass

09985	adjustable dioptre: 1.8/ 2.3/ 3.7/ 4.8 with dual light power supply: 4 x 1.5 V AAA batteries (incl.)	1 pc.
-------	--	-------



Magnifying glass

08514	2.5 x zoom with LED light made of aluminium incl. 2 x 1.5 V AA batteries incl. case for safekeeping	1 pc.
-------	---	-------



Magnifier

	REF		pack. unit
	08509	magnifier for rigid endoscopes 10 x zoom	1 pc.

Hand microscope

	09975	digital hand microscope with computer connection (USB) with LED`s power supply via USB incl. software for screen output min. requirement Windows XP resolution: 1.3 megapixels magnification: 20 times & 200 times	1 pc.

	09990	digital hand microscope with computer connection (USB) with LED`s power supply via USB with tripod base incl. software for screen output min. requirement: Windows XP SP2 resolution: 4.9 megapixels magnification: 1.5 times to 200 times	1 pc.
	09991	angle mount for REF 09990, made of steel, height adjustable	1 pc.

REF		pack. unit
09998	digital hand microscope with computer connection (USB) with LED's power supply via USB incl. software for screen output min. requirement: Windows XP with autofocus resolution: 2.0 megapixels magnification: 15~65 times, 225 times	1 pc.
09999	angle mount for REF 09998 height adjustable 2-axis movable platform with stage clips adjustable LED light source (power by battery or USB port)	1 pc.



Digital caliper

09800	silver coloured digital caliper 6-digit jumbo LCD display measuring range 0-150 mm resolution 0.1 mm metric / inch change-over auto power-off function supply with two 1.55 V button cells and one stable box	1 pc.
-------	---	-------



TOSI test device

50032	test device for monitoring cleaning efficacy of washer-disinfectors acc. to ISO 15883	12 pcs.
-------	---	---------



TOSI-FlexiCheck

50037	flexible test device for TOSI®FlexiCheck (length: 1 m) with Luer-Lock	1 pc.
50031	cleaning efficiency test for endoscope washers with channel irrigation system use with FlexiCheck test device	25 pcs.
50038	adapter for Olympus endoscope washers	1 pc.
50039	adapter for Wassenburg endoscope washers	1 pc.



TOSI-LumCheck

	REF		pack. unit
	50029	test device made of stainless steel (length: 28 cm) with Luer-Lock	1 pc.
	50030	cleaning efficiency test for cannulated instruments / MIS instruments. Use with LumCheck test device	25 pcs.

Quick protein test

	01420	Miele quick protein test for surgical instruments set for 48 determinations	1 set

Pro-Check indicator

	08005	for control of cleaning and disinfection process of washer-disinfector and for control of surface cleaning procedure	1 box
		50 swabs with 2 indicators (double ended swabs) / box	

HemoCheck-S

REF

pack. unit

50034 test kit for qualitative detection of blood residues on surgical instruments and surfaces.

1 box

12 bottles / box



SonoCheck

03745

for testing ultrasonic energy

1 box

30 bottles / box



pH-Test

08018

pH test strip
pH 1 - 14

50 pcs.



pH-Tester 0.2 pH

08505

- range 0.00 - 14.00 pH
- resolution 0.1 pH
- accuracy +/- 0.1 pH

1 pc.



**Storage solution for electrodes
(pH-Tester REF 08505)**

	REF		pack. unit
	08525	230 ml	1 bottle
	08526	500 ml	1 bottle

**Buffer solution pH 7 and pH 10
to calibrate the pH-Tester REF 08505**

	08507	5 pouches pH 7 / 20 ml 5 pouches pH 10 / 20 ml	1 package

Economical EC Tester 10-19 DiST3

	08506	• range 0 - 1990 $\mu\text{S}/\text{cm}$ • resolution 10 $\mu\text{S}/\text{cm}$ • accuracy (20 °C) +/- 2% of the measuring range	1 pc.

**Conductivity calibration solution 1413 $\mu\text{S}/\text{cm}$
to calibrate the Economical EC tester REF 08506**

	08508	calibration solution 230 ml	1 bottle

Batch control class 2 / for steam sterilization

SMU-LC 121°C / 134°C

REF

pack. unit

08000

50 pcs.

Sterilization Monitoring Unit-Load Control

Ready to use control system to monitor the steam sterilization process of hollow medical instruments

Intended purpose:

A single use control system that monitors the sterilization cycles at 121°C (250°F) and/or 134°C (273°F) for complex sterile or hollow medical instruments in steam sterilizers with fractionated pre-vacuum. It is suitable for sterilizers with a sterilization cycle B according to EN 13060 and large-size sterilizers according to EN 285.

Application/Process:



Place the SMU-LC in the sterilization chamber with the instrument load. Start the appropriate sterilization cycle. Once the sterilization cycle is completed, remove the SMU-LC from the sterilization chamber using the tear-off tab. Let the SMU-LC briefly cool down then open the SMU-LC using the tear-off tab and verify the colour change of the indicator located behind it.

Evaluation of Indicator:

Accurate sterilization cycle:
Complete colour change
of the indicator
from blue to black.



Inaccurate sterilization cycle:
Incomplete colour change
of the indicator,
blue, dark blue or cyan
(blue-green).



Batch control / for steam sterilization
Interlock Bowie & Dick single use test

	REF		pack. unit
	04012	Interlock Bowie & Dick single use test according to EN ISO 11140-4 class 2 for steam sterilizer with pulsed flow vacuum process 134 °C / 3.5 min	1 package

Batch control / for steam sterilization
Bowie & Dick test sheet from propper

	04006	Bowie & Dick test sheet from propper according to EN 867 part 3 for steam sterilizer with pulsed flow vacuum process 134 °C / 3.5 min size: 295 x 210 mm	50 sheets

Batch control / for steam sterilization
Bowie & Dick multiple test pack
for sterilizer with pulsed flow vacuum process

	04200	DIN A4 220 x 295 mm without indicator for 20 applications for TOLZIN clamping frame	1 package
	04202	for HAWO clamping frame	1 package
	04201	DIN A6 Bowie & Dick 106 x 148 mm for TOLZIN clamping frame without indicator for 20 applications	1 package

Batch control

hot air indicator class 4 / thermotest H

REF		pack. unit	
08001	Indicator for hot air sterilization. The strips undergo a complete change of colour from white to brown depending on the time and temperature. A colour sample for an exposure time of 30 min. at 180 °C is enclosed in each package with the product information sheet. size: 10 x 60 mm 200 strips / box	1 box	

Batch control

hot air indicator class 4 / thermocontrol

08002	Indicator for hot air sterilization, self-adhesive, with punch holes and perforation. To facilitate documentation, after sterilization the individual strips can be stuck onto the five documentation sheets supplied. A test strip for an exposure time of 30 min. at 180 °C makes it easier to evaluate the indicator. size: 9 x 48 mm 120 strips / box	1 box	
-------	--	-------	---

Batch control

steam control indicator - class 5

08003	Steam indicator for self-checking. Sterilization with saturated steam and at temperatures between 121 °C and 134 °C. Colour change from ochre-brown through grey to black. Size of individual indicator: 6 x 74 mm, single self-adhesive. Test strips supplied make it easier to evaluate indicator after sterilization. 200 strips / box, with test tube	1 box	
-------	---	-------	--

Batch control

FO indicator - class 4

08006	Indicator for steam-formaldehyde sterilization; colour change depends on formaldehyde concentration, exposure time and operating temperature. Size of individual indicator: 6 x 74 mm, single self-adhesive. Test strips supplied make it easier to evaluate indicator after sterilization. Colour change from light green to deep violet. 200 strips / box, with test tube	1 box	
-------	---	-------	---

**Three-Phase Sequential Indicator
steam indicator - class 5**

REF

pack. unit



08026

The blue indicator changes to black when exposed to steam but this change does not ensure the sterilization process' efficiency (UNSAFE). The pink indicator changes to black to obtain the stated values of the critical variables for class 5 indicators.

These values are obtained when the sterilizer is able to heat the steam at 134 °C for 3.5 minutes or 15 minutes at 121 °C. This situation is named OK.

Longer exposure times or higher temperatures can be determined when the green indicator changes to dark brown up to black.

This situation is named OPTIMUM.

mode:

134 °C / 3.5 min.

121 °C / 15 min.

1 box

250 pcs. / box
**Three-Phase Sequential Indicator
steam indicator - class 6**


08027

The blue indicator changes to black when exposed to steam but this change does not ensure the sterilization process' efficiency (UNSAFE). The green indicator changes to black when the sterilization process has achieved

134 °C for 5.3 minutes. This situation is named OK. Longer exposure times or higher temperatures can be determined when the yellow indicator changes to dark brown up to black.

This situation is named OPTIMUM.

mode:

134 °C / 5.3 min.

1 box

250 pcs. / box
Steam-control-indicator - class 6

08016

1 box



The emulating indicators react to all critical parameters. Parameters for the steam sterilization: Time, temperature and condensate

(saturated steam).

mode:

134 °C / 3.5 min.

121 °C / 15 min.

250 pcs. / box

Des Check for moist heat processes

REF

pack. unit

Cycle verification indicators for use in moist heat processes.

The Des Check range provides an accurate, convenient method of routine control for moist heat processes. When distributed throughout the load, the indicators provide visual confirmation of conditions achieved at point of placement. The vivid colour change from yellow to blue gives clear evidence of the conditions attained, thus allowing a quick and easy assessment of the success of the process.

Designed using advanced polymer technology to withstand conditions present during moist heat processes.

Des Check technology can be applied to different time and temperature combinations. Please contact us to discuss your individual cycle requirements.

Store at or below 0 °C.



50000	order code STERIS / BROWNE 2470AB 93 °C / 10 min. 100 indicators / box according to ISO 11140-1 class 6	1 box
50001	order code STERIS / BROWNE 2471AB 90 °C / 5 min. 100 indicators / box according to ISO 11140-1 class 6	1 box

Batch control

Soil test for washer-disinfector

REF

pack. unit



Inefficient cleaning can put disinfection and sterilization procedures at risk. A poorly functioning washer-disinfector can leave behind microscopic debris that can severely compromise both the disinfection and sterilization process. One of the best and easiest ways to check whether instruments are being cleaned effectively is to present the cleaning equipment with a physical challenge such as the cleaning efficacy tests described in BS2745(9), ISO/TS 15883-5:2005(10) and UK Guidance Document HTM2030(11).

The Browne Washer-Disinfector Test Soil is designed to simulate the soiling that naturally occurs during theatre use and performs in an equivalent manner to the Edinburgh soil.

The Browne Soil Test is supplied in powder form as individual test pots. One pot, one test.

Simply add water to the fill line, replace the cap, shake vigorously and apply to the test load with the brush provided. Following a 30-minute** drying period at room temperature, the test load should be cleaned using normal procedures and then inspected for residual soil. Detailed instructions for use included in each box.

The bright red colour of the Browne Test Soil allows easy identification of areas that have not been properly cleaned, providing a visual analysis of equipment efficiency.

Non-toxic; contains no blood products.

** Drying time should not exceed 2 hours.

50002

order code STERIS / BROWNE 2304AB
10 ready to use tests / box

1 box

Batch control

STF Load Check for washer-disinfectors

REF		pack. unit
	The STF Load Check indicator and holder are intended for use inside each basket or tray to verify the cleaning efficacy of a surgical instrument washer-disinfector machine. The dried test soil formula, printed on both sides of the indicator, contains two sources of protein, lipids and polysaccharides and is formulated to mimic the cleaning efficacy soil tests for surgical instruments described in BS2745(9), ISO/TS 15883-5:2005(10) and UK Guidance Document HTM2030(11). Simply place an STF Load Check indicator in the holder, and place the device (indicator and holder) in the tray or basket. After running one complete cycle, remove the STF Load Check indicator from the holder and examine for evidence of residual soil. Complete removal of the dried 'test soil' pattern from the plastic substrate provides a qualitative assessment of the washer-disinfector cleaning performance.	
50003	order code STERIS / BROWNE 2315AB Load Check indicator 100 indicators / box	1 box
50004	order code STERIS / BROWNE 2316AB Load Check holder	1 pc.



Batch control

TST Bowie & Dick single use test pack / for steam sterilization
for small sterilizers type B and large sterilizers

REF

pack. unit



A successful test confirms that steam penetration into a test pack is rapid and even and, by implication, that air and other non-condensable gases have been effectively removed. The chemical indicator sheet at the centre of the pack shows a defined colour change from yellow to dark blue / purple when exposed to a specific combination of time, temperature and steam. When there is no air or other non-condensable gases in the chamber, steam will penetrate the pack rapidly and completely and the indicator will show a uniform colour change. When air or other non-condensable gases are present they will collect towards the centre of the pack as an air / gas pocket which will impair contact between the steam and the indicator sheet. The temperature or moisture level (or both) will be lower in the region of the air / gas pocket and will result in a non-uniform colour change of the indicator; distinct yellow markings will be evident on the sheet.

50005

Matachana M20 – B
134 °C - 137 °C up to 3.5 min.
order code STERIS / BROWNE 2352 AB
20 test packs / box
according to EN 867 – 5

1 box

TST Helix control-strip for steam sterilization



The Browne TST Helix is a Hollow Load Process Challenge Device (PCD) as defined in EN 867-5 and has been developed and validated for testing of small Type B steam sterilizers only. Use in any other sterilizer or with any other type of indicator, may give dangerously misleading results. A successful test confirms steam penetration through the helix and confirms by implication that air and other non-condensable gases have been removed.

50010

order code STERIS / BROWNE 3780AB
1 TST PCD and 250 indicator strips / set

1 set

Batch control

TST Load Check for steam sterilization

REF

pack. unit

	TST Load Check for batch control		
50006	order code STERIS / BROWNE 3783AB batch control 3.5 min. / 134 °C 1 PCD and 400 indicator strips / set	1 set	
50007	order code STERIS / BROWNE 3777AB batch control 4.0 min. / 134 °C or 12 min. / 121 °C 1 PCD and 400 indicator strips / set	1 set	
50008	order code STERIS / BROWNE 3778AB batch control 5.3 min. / 134 °C or 15 min. / 121 °C 1 PCD and 400 indicator strips / set	1 set	
50009	order code STERIS / BROWNE 3779AB batch control 7.0 min. / 134 °C or 20 min. / 121 °C 1 PCD and 400 indicator strips / set	1 set	

Formaldehyd Load Check

	Formaldehyd Load Check for batch control		
50014	order code STERIS / BROWNE 2445AAB 1 PCD and 200 indicator strips / set	1 set	

Batch control

TST control indicator for steam sterilization

REF		pack. unit
	Browne Cycle Verification (Emulating) Indicators are the third of three types of indicators available for 'in-pack' monitoring. according to ISO 11140-1 Class 6	
50011	order code STERIS / BROWNE 2342AB batch control 5.3 min. / 134 °C or 15 min. / 121 °C 100 pcs. / box	1 box
50025	order code STERIS / BROWNE 3726AB batch control 5.3 min. / 134 °C or 15 min. / 121 °C single self-adhesive 100 pcs. / box	1 box
50012	order code STERIS / BROWNE 3760AB batch control 7.0 min. / 134 °C or 20 min. / 121 °C 200 pcs. / box	1 box
50024	order code STERIS / BROWNE 3725AB batch control 7.0 min. / 134 °C or 20 min. / 121 °C self-adhesive 200 pcs. / box	1 box
50013	order code STERIS / BROWNE 3706AB batch control 18 min. / 134 °C prion 200 pcs. / box	1 box



Batch control

Ethylen oxide integrating indicator

REF

pack. unit

Ethylene Oxide Integrators should be placed inside each pack.
The control indicator turns from red to green when adequate sterilizing conditions have been reached, giving the end-user assurance that adequate sterilizing conditions occurred at point of placement.

Ethylene Oxide Integrators will show a fail if the relative humidity level, gas concentration, temperature or duration of exposure fall outside of the specified limits.

900 mg Concentration (mg per litre)
Temperature: 37 °C - 55 °C
Time: 20 - 55 minutes
Humidity: 40–60 %

600 mg Concentration (mg per litre)
Temperature: 37 °C - 55 °C
Time: 35 - 70 minutes
Humidity: 40–60 %

It is recommended that Browne Ethylene Oxide Process Detector (Order Code 2421) Spots are placed on the outside of each pack to allow processed and unprocessed items to be identified at a glance. Note however that the spots are not calibrated for use as an 'in-pack' control indicator.

according to
ISO 11140-1 class 5



50017

Ethylen oxide integrating indicator
order code STERIS / BROWNE 2420AB
100 indicator cards / box

1 box

Batch control

Formaldehyd control – indicator

REF	pack. unit
	Formaldehyde Control Indicators should be used inside each pack to show that Low Temperature Steam and Formaldehyde gas (LTSF) has penetrated the pack in a sufficient quantity and for the correct length of time for sterilization to occur. The control indicator turns from blue to a complete green when adequate sterilizing conditions have been reached. It is recommended that Browne Formaldehyde Process Detector (Order Code 2402) Spots are placed on the outside of each pack to allow processed and unprocessed items to be identified at a glance. Note that the spots are not calibrated to be used as an 'in-pack' control indicator. according to ISO 11140-1 class 4 50015 order code STERIS / BROWNE 2401AB 100 indicator strips / box 1 box

Detector spots for Formaldehyde and Ethylene oxide sterilization

	The self-adhesive spots should be placed on the outside of every pack being sterilized. The spots change colour after passing through the process allowing differentiation between processed and unprocessed loads. Note: The spots do not act as a control and are not intended as a guide to the efficacy of the process. according to ISO 11140-1 class 1 50016 detector spots for formaldehyde order code STERIS / BROWNE 2402AB 250 spots / box 1 box 50018 detector spots ethylene oxide order code STERIS / BROWNE 2421AB 1000 spots / box 1 box
---	--

Batch control

Sterilization control tubes

for the fluid, steam and heat sterilization

REF		pack. unit
50019	type 1 black spot order code STERIS / BROWNE 7301AB fluid sterilization 121 °C / 15 min. 100 pcs. / box	1 box
50020	type 2 yellow spot order code STERIS / BROWNE 7302AB steam sterilization* 134 °C / 3 min. 100 pcs. / box	1 box
50021	type 3 green spot order code STERIS / BROWNE 7303AB heat sterilization 160 °C / 60 min. 100 pcs. / box	1 box
50022	type 4 blue spot order code STERIS / BROWNE 7304AB heat sterilization 180 °C / 12 min. 100 pcs. / box	1 box
50023	type 5 white spot order code STERIS / BROWNE 7305AB heat sterilization 160 °C / 120 min. and 180 °C / 35 min. 100 pcs. / box	1 box
	* Browne recommends the use of TST Control™ Cycle Verification (Emulating) Indicators for monitoring porous load steam sterilization processes.	



Made of stainless steel without plating or coating of any kind.
Designed specifically for routine sterilization through thousands of cycles.

Chisels / heavy duty / hex stock

	REF	length x width	pack. unit
	10280	125 mm x 8 mm	1 pc.
	10281	138 mm x 10 mm	1 pc.
	10283	300 mm x 12 mm	1 pc.
	10285	300 mm x 16 mm	1 pc.
	10286	175 mm x 19 mm	1 pc.
	10288	300 mm x 19 mm, curved	1 pc.

Chisel with extra wide blade

	10291	length x width	1 pc.
		275 mm x 75 mm blade: 75 mm	

Ice pick

	10289	with heat resistant nylon handle	1 pc.
--	-------	----------------------------------	-------

Diagonal and end cutters

	10091	150 mm (6") with tungsten carbide inserts HRC 62	1 pc.
	10092	150 mm (6") without tungsten carbide inserts HRC 50	1 pc.

	10020	175 mm (7") without tungsten carbide inserts HRC 50	1 pc.
---	-------	--	-------

	10021	end cutter 200 mm (8") without tungsten carbide inserts HRC 50	1 pc.
---	-------	--	-------

Wire cutting pliers (Linesman)

REF		pack. unit	
10116	212 mm (8.5") with tungsten carbide inserts HRC 62 cutting area: 12 mm	1 pc.	

Double-action pin cutters

10005	200 mm (8") ; max. pin diameter: 3 mm (1/8")	1 pc.	
10006	350 mm (14"); max. pin diameter: 4.5 mm (3/16")	1 pc.	
10007	450 mm (18"); max. pin diameter: 5.5 mm (7/32")	1 pc.	
10008	600 mm (24"); max. pin diameter: 6 mm (1/4") with tungsten carbide inserts HRC 62	1 pc.	

Mallet

10190	mallet 12 oz (340 g) with nylon head length: 317 mm	1 pc.	
-------	--	-------	---

Ball pein hammer

10198	6 oz. (170 g), length: 219 mm	1 pc.	
-------	--------------------------------------	-------	---

Hammer

10195	35 oz. (1000 g), length: 250 mm	1 pc.	
-------	--	-------	---

**Ball end hex keys,
metric**

	REF		pack. unit
	11800	1.5 mm	1 pc.
	11801	2.0 mm	1 pc.
	11802	2.5 mm	1 pc.
	11803	3.0 mm	1 pc.
	11804	3.5 mm	1 pc.
	11805	4.0 mm	1 pc.
	11807	5.0 mm	1 pc.
	11808	6.0 mm	1 pc.
	11809	8.0 mm	1 pc.
	11810	10.0 mm	1 pc.
	11811	set of 10 (11800-11810)	1 set
	11812	set of 8 (11800-11808)	1 set

**Ball end hex keys,
inch**

	11850	1/16"	1 pc.
	11851	5/64"	1 pc.
	11852	3/32"	1 pc.
	11853	7/64"	1 pc.
	11854	1/8"	1 pc.
	11855	9/64"	1 pc.
	11856	5/32"	1 pc.
	11857	3/16"	1 pc.
	11858	7/32"	1 pc.
	11859	1/4"	1 pc.
	11861	5/16"	1 pc.
	11862	3/8"	1 pc.
	11863	set of 12 (11850-11862)	1 set
	11864	set of 10 (11850-11859)	1 set

**Hex ball drivers,
inch**

	11874	with heat resistant nylon handle 1/8" x 3.25"	1 pc.
	21870	with steel handle 1/16" x 2.5"	1 pc.

**Hex ball drivers with heat resistant nylon handle,
metric**

	11820	1.5 mm x 62 mm	1 pc.
	11822	2.5 mm x 62 mm	1 pc.
	11823	3.0 mm x 62 mm	1 pc.
	11824	3.5 mm x 100 mm	1 pc.
	11825	4.0 mm x 87 mm	1 pc.
	11827	5.0 mm x 100 mm	1 pc.
	11828	6.0 mm x 112 mm	1 pc.
	11829	8.0 mm x 137 mm	1 pc.
	11830	10.0 mm x 150 mm	1 pc.

Hex ball drivers with steel handle, metric

REF		pack.	unit	
21820	1.5 mm x 62 mm	1 pc.		
21821	2.0 mm x 62 mm	1 pc.		
21822	2.5 mm x 62 mm	1 pc.		
21823	3.0 mm x 62 mm	1 pc.		

Hex keys, L pattern, standard length, inch

11952	3/32"	1 pc.	
11954	1/8"	1 pc.	
11956	5/32"	1 pc.	
11943	set of 10 sizes: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1 set	

Hex keys, L pattern, arm is 33% longer than standard, inch

11974	1/8"	1 pc.	
11976	5/32"	1 pc.	
11977	3/16"	1 pc.	
11978	7/32"	1 pc.	
11983	1/2" special size	1 pc.	
11969	0.050" special size	1 pc.	
11944	set of 10 sizes: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	1 set	

Hex keys, L pattern, standard length, metric

11900	1.5 mm	1 pc.	
11901	2.0 mm	1 pc.	
11902	2.5 mm	1 pc.	
11903	3.0 mm	1 pc.	
11904	3.5 mm	1 pc.	
11905	4.0 mm	1 pc.	
11906	4.5 mm	1 pc.	
11907	5.0 mm	1 pc.	
11908	6.0 mm	1 pc.	
11909	8.0 mm	1 pc.	
11910	10.0 mm	1 pc.	
11940	set of 9 (11900-11908)	1 set	
11912	set of 11 (11900-11910)	1 set	

Hex keys, L pattern, arm is 33% longer than standard, metric

11920	1.5 mm	1 pc.	
11921	2.0 mm	1 pc.	
11922	2.5 mm	1 pc.	
11923	3.0 mm	1 pc.	
11924	3.5 mm	1 pc.	
11925	4.0 mm	1 pc.	
11926	4.5 mm	1 pc.	
11927	5.0 mm	1 pc.	

Hex keys, L pattern,
arm is 33% longer than standard,
metric

	REF		pack. unit
	11928	6.0 mm	1 pc.
	11929	8.0 mm	1 pc.
	11930	10.0 mm	1 pc.
	11941	set of 9 (11920-11928)	1 set
	11913	set of 11 (11920-11930)	1 set

Fold-up hex key sets

	12000	inch, 9 pcs.: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 1/4"	1 pc.
	12001	metric, 7 pcs.: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 mm	1 pc.

Star / Hex lobe keys, L pattern

	10809	#9	0.098" / 2.50 mm	1 pc.
	10810	#10	0.107" / 2.74 mm	1 pc.
	10811	#15	0.128" / 3.27 mm	1 pc.
	10812	#20	0.151" / 3.86 mm	1 pc.
	10813	#25	0.173" / 4.43 mm	1 pc.
	10814	#27	0.195" / 4.99 mm	1 pc.
	10815	#30	0.216" / 5.52 mm	1 pc.
	10816	#40	0.260" / 6.65 mm	1 pc.

Star / Hex lobe drivers with stainless steel handle

	10834	#9	0.098" / 2.50 mm	1 pc.
	10835	#10	0.107" / 2.74 mm	1 pc.
	10836	#15	0.128" / 3.27 mm	1 pc.
	10837	#20	0.151" / 3.86 mm	1 pc.
	10838	#25	0.173" / 4.43 mm	1 pc.
	10839	#27	0.195" / 4.99 mm	1 pc.
	10840	#30	0.216" / 5.52 mm	1 pc.
	10841	#40	0.260" / 6.65 mm	1 pc.

1/4" Star / drive sockets for ratchets

	10859	#9	0.098" / 2.50 mm	1 pc.
	10860	#10	0.107" / 2.74 mm	1 pc.
	10861	#15	0.128" / 3.27 mm	1 pc.
	10862	#20	0.151" / 3.86 mm	1 pc.
	10863	#25	0.173" / 4.43 mm	1 pc.
	10864	#27	0.195" / 4.99 mm	1 pc.
	10865	#30	0.216" / 5.52 mm	1 pc.
	10866	#40	0.260" / 6.65 mm	1 pc.

Nut drivers with heat resistant nylon handle, inch

total length: 8" (200 mm)

REF

pack. unit

10310 set of 7 (3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16")

1 set



Nut driver with steel handle, inch

total length: 9" (225 mm)

20301

1/4"

1 pc.



Nut drivers with heat resistant nylon handle, metric,

total length: 8" (200 mm)

10323 10 mm

1 pc.

10325 12 mm

1 pc.

10330 set of 8

1 set

sizes: 6 - 8 mm and 10 - 14 mm



Nut drivers with steel handle, metric,

total length: 9" (225 mm)

20323 10 mm

1 pc.

20324 11 mm

1 pc.

20325 12 mm

1 pc.



Two position pliers

10010 150 mm (6")

1 pc.

10011 250 mm (10")

1 pc.



Two position pliers, especially for sterile deployment

10131 200 mm (8")

1 pc.



Five position pliers, especially for sterile deployment

	REF		pack. unit
	10132	250 mm (10") five position (chanellock)	1 pc.

Ultimate pliers

  	10127	165 mm (6 1/2") square nose, 6 mm (1/4") wide	1 pc.
	10128	175 mm (7") slim nose, 3 mm (1/8") wide	1 pc.
	10129	200 mm (8") long nose, 3 mm (1/8") wide	1 pc.

Gripping pliers

 	10121	125 mm (5") length, long nose / straight serrated jaws, spring loaded (removable), no cutter	1 pc.
	10122	125 mm (5") length, long nose / bent serrated jaws, spring loaded (removable), no cutter	1 pc.
	10123	125 mm (5") length, long nose / straight, not spring loaded, jaws serrated for outer half of total length	1 pc.
	10170	125 mm (5") length, long nose / straight, not spring loaded, flat jaws (no serrations)	1 pc.

Locking pliers

REF		pack. unit	
10014	125 mm (5"), curved jaws, critical series	1 pc.	
10015	175 mm (7"), straight jaws, critical series	1 pc.	
10016	250 mm (10"), straight jaws, industrial series	1 pc.	
10093	250 mm (10"), straight jaws, industrial series with adapter (thread) for slap hammer (REF 10094)	1 pc.	
10017	150 mm (6"), long nose, critical series	1 pc.	
10018	225 mm (9"), long nose, critical series	1 pc.	
10019	275 mm (11"), long nose, critical series	1 pc.	
10024	175 mm (7"), curved jaws, critical series	1 pc.	
10029	200 mm (8"), curved jaws, industrial series	1 pc.	
10025	250 mm (10"), curved jaws, industrial series	1 pc.	

Locking pliers / Slap hammer

10028	250 mm (10"), straight jaws, industrial series with slap hammer, 350 mm (14")	1 pc.	
10094	350 mm (14") slap hammer	1 pc.	

Parallel jaw pliers

10013	150 mm (6") serrated jaws with pin groove with side cutter	1 pc.	
-------	---	-------	---

Drives with ratchet

10496	1/4" drive, torque rating 300 in./lbs., 162 mm length	1 pc.	
10596	3/8" drive, torque rating 500 in./lbs., 212 mm length	1 pc.	

Extensions for ratchet

	REF		pack. unit
	10492	50 mm (2") extension, 1/4" drive	1 pc.
	10493	100 mm (4") extension, 1/4" drive	1 pc.
	10494	150 mm (6") extension, 1/4" drive	1 pc.
	10593	100 mm (4") extension, 3/8" drive	1 pc.
	10594	150 mm (6") extension, 3/8" drive	1 pc.

Drives without ratchet,
with T-Bar

	10597	1/4" drive, 275 mm length	1 pc.
	10589	3/8" drive, 100 mm length	1 pc.
	10588	1/2" drive, 150 mm length	1 pc.

1/4" Drive sockets, deep well,
metric, length: 50 mm (2")

	10489	set of 9	1 set
		sizes: 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 - 10 mm	

3/8" Drive sockets, deep well,
metric, length: 63 mm (2 1/2")

	10634	set of 12 pcs.	1 set
		sizes: 6 - 8 mm, 10 - 17 mm and 19 mm	

3/8" Drive sockets, standard length,
metric

	10520	6 mm	1 pc.
	10521	7 mm	1 pc.
	10526	13 mm	1 pc.
	10527	14 mm	1 pc.
	10528	15 mm	1 pc.
	10529	16 mm	1 pc.
	10530	17 mm	1 pc.

Parallel tip screwdrivers,
with heat resistant nylon handle

	11208	1/10" (2.5 mm) x 4" (100 mm)	1 pc.
	11200	1/8" (3.0 mm) x 4" (100 mm)	1 pc.
	11201	5/32" (4.0 mm) x 5" (125 mm)	1 pc.
	11202	3/16" (4.7 mm) x 6" (150 mm)	1 pc.
	11211	7/32" (5.5 mm) x 6" (150 mm)	1 pc.
	11203	1/4" (6.35 mm) x 6" (150 mm)	1 pc.
	11204	5/16" (8.0 mm) x 7" (175 mm)	1 pc.
	11205	3/8" (9.5 mm) x 8" (200 mm)	1 pc.
	11210	set of 8 (11200-11205, 11208, 11211)	1 set

Parallel Tip screwdrivers, with heat resistant nylon handle

REF		pack. unit
11213	1/8" (3.0 mm) x 1.5" (37 mm)	1 pc.
11214	5/32" (4.0 mm) x 1.5" (37 mm)	1 pc.
11215	3/16" (4.7 mm) x 1.5" (37 mm)	1 pc.
11216	7/32" (5.5 mm) x 1.5" (37 mm)	1 pc.
11217	1/4" (6.35 mm) x 1.5" (37 mm)	1 pc.
11209	set of 5 (11213-11217)	1 set



Screwdrivers (Phillips), with heat resistant nylon handle

11221	Phillips #0 x 3" (75 mm)	1 pc.
11222	Phillips #1 x 4" (100 mm)	1 pc.
11223	Phillips #2 x 6" (150 mm)	1 pc.
11224	Phillips #3 x 6" (150 mm)	1 pc.
11229	set of 4 (11221-11224)	1 set



Screwdrivers (Phillips), with heat resistant nylon handle

11220	Phillips #0 x 1.5" (37 mm)	1 pc.
11225	Phillips #1 x 1.5" (37 mm)	1 pc.
11226	Phillips #2 x 1.5" (37 mm)	1 pc.
11228	set of 3 (11220, 11225, 11226)	1 set



Square drive screwdrivers (Robertson), with heat resistant nylon handle

11231	Robertson #1 x 6" (150 mm)	1 pc.
11232	Robertson #2 x 6" (150 mm)	1 pc.
11233	Robertson #3 x 6" (150 mm)	1 pc.

Parallel tip screwdrivers, with stainless steel handle

21208	1/10" (2.5 mm) x 4" (100 mm)	1 pc.
21200	1/8" (3.0 mm) x 4" (100 mm)	1 pc.
21201	5/32" (4.0 mm) x 5" (125 mm)	1 pc.
21202	3/16" (4.7 mm) x 6" (150 mm)	1 pc.
21211	7/32" (5.5 mm) x 6" (150 mm)	1 pc.
21205	3/8" (9.5 mm) x 8" (200 mm)	1 pc.



Screwdrivers (Phillips), with stainless steel handle

21222	Phillips #1 x 4" (100 mm)	1 pc.
21223	Phillips #2 x 6" (150 mm)	1 pc.

**Mini precision screwdrivers,
total length 4" (10.2 cm)**

	REF		pack. unit
	11241	1.5 mm with parallel tip	1 pc.
	11242	2.0 mm with parallel tip	1 pc.
	11243	2.5 mm with parallel tip	1 pc.
	11244	3.0 mm with parallel tip	1 pc.
	11247	Phillips #0	1 pc.
	11248	Phillips #1	1 pc.
	11240	set of 6	1 set
	(11241-11244, 11247, 11248)		

Bit screwdrivers and bits

	11300	hex bit driver 1/4"	1 pc.
	11310	1/8" with parallel tip	1 pc.
	11311	5/32" with parallel tip	1 pc.
	11312	3/16" with parallel tip	1 pc.
	11313	7/32" with parallel tip	1 pc.
	11314	1/4" with parallel tip	1 pc.
	11322	Phillips #1	1 pc.
	11323	Phillips #2	1 pc.
	11324	Phillips #3	1 pc.
	11301	1/4" bit holder (with magnet)	1 pc.

Adjustable wrench

	10228	open-jaw capacity: 22 mm (7/8")	1 pc.
--	-------	---------------------------------	-------

Adjustable spanner wrenches

	10225	155-230 mm (6 1/8"- 9 1/8")	1 pc.
	10226	set of 5 sizes: 20 - 35 mm, 35 - 60 mm, 60 - 90 mm, 90 - 155 mm and 155 - 230 mm	1 set

Combination wrenches, inch

	20134	1/4"	1 pc.
	20136	3/8"	1 pc.
	20137	7/16"	1 pc.
	20138	1/2"	1 pc.
	20139	9/16"	1 pc.

Combination wrenches, metric

	20035	6 mm	1 pc.
	20036	7 mm (special design)	1 pc.
	20038	8 mm	1 pc.
	20041	10 mm	1 pc.
	20042	11 mm	1 pc.
	20044	12 mm	1 pc.
	20045	13 mm	1 pc.
	20047	14 mm	1 pc.
	20048	15 mm	1 pc.

Open end wrenches, inch

REF		pack.	unit	
10135	3/8" x 7/16"	1 pc.		
10136	1/2" x 9/16"	1 pc.		
10139	7/8" x 15/16"	1 pc.		
10140	1" x 1 1/16"	1 pc.		

Open end wrenches, metric

10035	6 x 7 mm	1 pc.		
10038	8 x 9 mm	1 pc.		
10041	10 x 11 mm	1 pc.		
10044	12 x 13 mm	1 pc.		
10047	14 x 15 mm	1 pc.		
10049	16 x 17 mm	1 pc.		
10053	19 x 22 mm	1 pc.		
10055	24 x 27 mm	1 pc.		
10056	28 x 29 mm	1 pc.		
10057	30 x 32 mm	1 pc.		
10060	set of 7 (10035, 10038, 10041, 10044, 10047, 10049, 10053)	1 set		
10061	set of 9 (10035, 10038, 10041, 10044, 10047, 10049, 10053, 10055, 10057)	1 set		

Stainless Steel Tools, for repair work

Screwdriver - set

21224	screwdriver - set with wall holder 6 pcs. screwdriver - parallel tip: 3.0; 4.0; 5.5 and 6.5 mm screwdriver - square drive: PH 1 and PH 2	1 set	
-------	---	-------	---

Hex key - set L pattern

11985	hex key - set with ball end 9 pcs. 1.5; 2; 2.5; 3; 4; 5; 6; 8 and 10 mm	1 set	
-------	--	-------	---

Scissors to cut tubes

	REF		pack. unit
	09060	scissors made of plastic	1 pc.
		colour: white, length: 160 mm blade and spring made of stainless steel lockable easy to clean washable in washer-disinfector heat resistant up to 134 °C	
	08510	scissors made of plastic	1 pc.
		teflon-plated blade washable in washer-disinfector heat resistant up to 134 °C	

trocars - round**size: diameter x length**

REF

pack. unit

07005	1.2 x 60 mm TR/RD	10 pcs.
07010	1.8 x 60 mm TR/RD	10 pcs.
07018	0.8 x 100 mm TR/RD	10 pcs.
07020	1.0 x 100 mm TR/RD	10 pcs.
07022	1.2 x 100 mm TR/RD	10 pcs.
07403	0.7 x 150 mm TR/RD	10 pcs.
07404	0.8 x 150 mm TR/RD	10 pcs.
07406	1.0 x 150 mm TR/RD	10 pcs.
07408	1.2 x 150 mm TR/RD	10 pcs.
07409	1.4 x 150 mm TR/RD	10 pcs.
07410	1.5 x 150 mm TR/RD	10 pcs.
07411	1.6 x 150 mm TR/RD	10 pcs.
07412	1.7 x 150 mm TR/RD	10 pcs.
07413	1.8 x 150 mm TR/RD	10 pcs.
07414	1.9 x 150 mm TR/RD	10 pcs.
07415	2.0 x 150 mm TR/RD	10 pcs.
07416	2.2 x 150 mm TR/RD	10 pcs.
07417	2.4 x 150 mm TR/RD	10 pcs.
07418	2.5 x 150 mm TR/RD	10 pcs.

**trocars - round****size: diameter x length**

07035	0.8 x 160 mm TR/RD	10 pcs.
07036	0.9 x 160 mm TR/RD	10 pcs.
07037	1.0 x 160 mm TR/RD	10 pcs.
07038	1.1 x 160 mm TR/RD	10 pcs.
07039	1.2 x 160 mm TR/RD	10 pcs.
07040	1.4 x 160 mm TR/RD	10 pcs.
07042	1.6 x 160 mm TR/RD	10 pcs.
07044	1.8 x 160 mm TR/RD	10 pcs.
07046	2.0 x 160 mm TR/RD	10 pcs.
07047	2.2 x 160 mm TR/RD	10 pcs.
07048	2.4 x 160 mm TR/RD	10 pcs.
07049	2.5 x 160 mm TR/RD	10 pcs.
07051	3.0 x 160 mm TR/RD	10 pcs.
07052	0.8 x 310 mm TR/RD	10 pcs.
07053	0.9 x 310 mm TR/RD	10 pcs.
07054	1.0 x 310 mm TR/RD	10 pcs.
07055	1.1 x 310 mm TR/RD	10 pcs.
07056	1.2 x 310 mm TR/RD	10 pcs.
07057	1.4 x 310 mm TR/RD	10 pcs.
07058	1.5 x 310 mm TR/RD	10 pcs.
07059	1.6 x 310 mm TR/RD	10 pcs.
07061	1.8 x 310 mm TR/RD	10 pcs.
07063	2.0 x 310 mm TR/RD	10 pcs.
07064	2.2 x 310 mm TR/RD	10 pcs.
07065	2.4 x 310 mm TR/RD	10 pcs.
07066	2.5 x 310 mm TR/RD	10 pcs.
07067	2.8 x 310 mm TR/RD	10 pcs.
07068	3.0 x 310 mm TR/RD	10 pcs.



trocar - trocar

size: diameter x length

	REF		pack. unit
	07117	0.8 x 100 mm TR/TR	10 pcs.
	07118	0.9 x 100 mm TR/TR	10 pcs.
	07119	1.0 x 100 mm TR/TR	10 pcs.
	07121	1.2 x 100 mm TR/TR	10 pcs.
	07122	1.4 x 100 mm TR/TR	10 pcs.
	07134	0.8 x 160 mm TR/TR	10 pcs.
	07136	1.0 x 160 mm TR/TR	10 pcs.
	07138	1.2 x 160 mm TR/TR	10 pcs.
	07139	1.4 x 160 mm TR/TR	10 pcs.
	07141	1.6 x 160 mm TR/TR	10 pcs.
	07143	1.8 x 160 mm TR/TR	10 pcs.
	07147	2.4 x 160 mm TR/TR	10 pcs.
	07148	2.5 x 160 mm TR/TR	10 pcs.
	07150	3.0 x 160 mm TR/TR	10 pcs.
	07155	1.2 x 310 mm TR/TR	10 pcs.
	07156	1.4 x 310 mm TR/TR	10 pcs.
	07158	1.6 x 310 mm TR/TR	10 pcs.
	07159	1.7 x 310 mm TR/TR	10 pcs.
	07160	1.8 x 310 mm TR/TR	10 pcs.
	07162	2.0 x 310 mm TR/TR	10 pcs.
	07163	2.2 x 310 mm TR/TR	10 pcs.

trocar - flat

size: diameter x length

	07233	3.0 x 100 mm TR/FL	10 pcs.
	07234	0.8 x 160 mm TR/FL	10 pcs.
	07235	0.9 x 160 mm TR/FL	10 pcs.
	07236	1.0 x 160 mm TR/FL	10 pcs.
	07238	1.2 x 160 mm TR/FL	10 pcs.
	07239	1.4 x 160 mm TR/FL	10 pcs.
	07241	1.6 x 160 mm TR/FL	10 pcs.
	07242	1.7 x 160 mm TR/FL	10 pcs.
	07243	1.8 x 160 mm TR/FL	10 pcs.
	07245	2.0 x 160 mm TR/FL	10 pcs.
	07255	1.2 x 310 mm TR/FL	10 pcs.
	07257	1.5 x 310 mm TR/FL	10 pcs.
	07259	1.7 x 310 mm TR/FL	10 pcs.
	07260	1.8 x 310 mm TR/FL	10 pcs.
	07262	2.0 x 310 mm TR/FL	10 pcs.
	07263	2.2 x 310 mm TR/FL	10 pcs.
	07264	2.4 x 310 mm TR/FL	10 pcs.
	07265	2.5 x 310 mm TR/FL	10 pcs.
	07267	3.0 x 310 mm TR/FL	10 pcs.

trocar with 15 mm thread - round

size: diameter x length

	07269	1.0 x 160 mm TR/RD	10 pcs.
---	-------	--------------------	---------

trocar with lengthwise knurl and special loop

size: diameter x length

	07268	2.4 x 430 mm TR/LK	10 pcs.
---	-------	--------------------	---------


Also available: Kirschner wires made of pure titanium 5 TiAL6V4 (ELI).

**Container for kirschner wires
made of stainless steel**

REF

pack. unit

	container for kirschner wires internal diameter: 10 mm		
	length:		
07400	160 mm	1 pc.	
07401	240 mm	1 pc.	
07402	320 mm	1 pc.	
07421	440 mm	1 pc.	
	Laser imprint possible!		


	container for kirschner wires with 4 chambers outer diameter: 20 mm		
	length:		
07424	130 mm	1 pc.	
07425	200 mm	1 pc.	
07426	350 mm	1 pc.	
	Laser imprint possible!		

Mesh sleeves for kirschner wires made of stainless steel

	mesh sleeve for kirschner wires Ø 22 mm mesh size: 0.5 mm		
	length:		
07430	170 mm	1 pc.	
07431	200 mm	1 pc.	

Dispenser for kirschner wires made of stainless steel

REF		pack. unit
	dispenser for kirschner wires adjustable in wire length: 150 - 310 mm incl. hex key	
08441	for wire diameter: 0.8 - 2.0 mm	1 pc.
08439	for wire diameter: 1.4 - 3.0 mm	1 pc.



08440	dispenser for kirschner wires for wire length: 150 mm for wire diameter: 0.8 - 1.4 mm	1 pc.
-------	---	-------



Dispenser set for kirschner wires

08800	K-wire dispenser set: 1 x small parts sieve tray 1/6 1 x lid for small parts sieve tray 1 x K-wire dispenser	1 pc.
-------	---	-------



Caliper

07500	caliper for wires 0.7 - 3.0 mm	1 pc.
-------	--------------------------------	-------



Dishes made of cardboard

REF pack. unit

	length x width x height	
09218	225 x 135 x 19.0 mm , Meditainer No. 73 (former Sho-Pak No. 12)	990 pcs.
09217	180 x 136 x 20 mm , Meditainer No. 70 (former Sho-Pak No. 11)	1200 pcs.
09220	180 x 90 x 19.0 mm , Meditainer No. 65 (former Sho-Pak No. 9)	1240 pcs.
09219	260 x 130 x 17.0 mm , Sho - Pak No. 6	500 pcs.
09221	210 x 100 x 16.5 mm , Sho - Pak No. 2	960 pcs.
09222	236 x 154 x 50.0 mm , kidney dish	300 pcs.



Kidney dish made of polypropylene

08216	heat resistant up to 134 °C washable colour: blue size: 260 x 137 x 45 mm	5 pcs.
-------	--	--------



Aluminium bowls

	diameter x height	
08223	62 x 15 mm , content: 32 ml	200 pcs.
08195	64 x 13 mm , content: 28 ml	2100 pcs.
08202	80 x 34 mm , content: 110 ml	2000 pcs.
08224	84 x 27 mm , content: 108 ml	200 pcs.
08196	96 x 25 mm , content: 125 ml	2800 pcs.
08201	99 x 25 mm , content: 110 ml	2000 pcs.



Bowls made of stainless steel

	heat resistant	
08230	height: 30 mm, content: 60 ml	2 pcs.
08231	height: 40 mm, content: 120 ml	2 pcs.
08232	height: 40 mm, content: 175 ml	2 pcs.
08233	height: 50 mm, content: 235 ml	2 pcs.



Disposable bowls / non-sterile

	REF		pack. unit
		disposable bowls heat resistant up to 134 °C graduated made of plastic stackable	
		<u>150 ml</u>	
	08214	transparent	10 pcs.
	08203	blue	10 pcs.
	08204	yellow	10 pcs.
	08205	red	10 pcs.
		<u>250 ml</u>	
	08215	transparent	10 pcs.
	08206	blue	10 pcs.
	08207	yellow	10 pcs.
	08208	red	10 pcs.
		<u>450 ml</u>	
	08209	blue	10 pcs.
		<u>1000 ml</u>	
	08210	blue	10 pcs.
	08211	<u>3000 ml</u> blue	1 pc.

Disposable bowls / sterile

		disposable bowls graduated made of plastic	
		<u>250 ml</u>	
	08218	red	100 pcs.
	08219	blue	100 pcs.
	08220	yellow	100 pcs.
		<u>450 ml</u>	
	08227	blue	40 pcs.
		<u>1000 ml</u>	
	08228	blue	35 pcs.

Disposable bowls set / sterile

REF		pack. unit	
08225	disposable bowls set graduated made of plastic 1 x 250 ml 2 x 450 ml	25 sets	
08226	2 x 250 ml 2 x 450 ml 1 x 1000 ml	25 sets	
08229	1 x 250 ml 1 x spatula 175 mm	50 sets	

Spatula / for single use only

08212	spatula length: 190 mm heat resistant up to 134 °C made of plastic colour: blue	50 pcs.	
08213	spatula length: 175 mm heat resistant up to 134 °C made of plastic colour: white	12 pcs.	
08217	spatula length: 160 mm heat resistant up to 134 °C made of plastic colour: white	50 pcs.	

PRObox disposal box

09826	"PRObox" disposal box for used needles and used scalpel blades with safety closure heat resistant up to 134 °C	500 pcs.	
-------	--	----------	---

Disposal box abox®

	REF		pack. unit
	09879	abox® 300 (without lid) 30 liter size: 340 x 403 x 312 mm colour: blue	1 pc.
	09880	abox® 500 (without lid) 50 liter size: 340 x 403 x 502 mm colour: black	1 pc.
	09881	lid for REF 09879 (abox® 300) and REF 09880 (abox® 500) colour: yellow	1 pc.

Disposal boxes made of polypropylene

		all sides lockable washable in washer-disinfector up to 60 °C liquidproof with drop sieve	
		length x width x height	
	09816	278 x 115 x 103 mm, 2.0 l, without grip	1 pc.
	09817	297 x 152 x 118 mm, 3.4 l, without grip	1 pc.
	09805	301 x 188 x 94 mm, 3.6 l, without grip	1 pc.
	09806	295 x 230 x 106 mm, 4.8 l, with grip	1 pc.
	09807	295 x 230 x 138 mm, 6.5 l, with grip	1 pc.
	09818	295 x 230 x 203 mm, 10.0 l, with grip	1 pc.

Disposal boxes made of polypropylene

		washable in washer-disinfector heat resistant up to 110 °C	
		length x width x height	
	09811	325 x 256 x 100 mm, with clear lid	1 pc.
	09813	530 x 325 x 100 mm, with clear lid	1 pc.
	09824	530 x 325 x 150 mm, with clear lid	1 pc.

Lightweight Container for storage and transportation of dry contaminated instruments

REF

pack. unit

	box is made of PP multi-washable in washer-disinfector		
	lid is made of PET not washable and only for single use		
	length x width x height		
09808	313 x 243 x 90 mm, 5 l, bowl + lid	50 pcs.	
09809	313 x 243 x 90 mm, 5 l, bowl	50 pcs.	
09810	lid for REF 09809	150 pcs.	



Plastic box made of polypropylene

09825	plastic box, transparent thickness: 500 µ 232 x 157 x 35 mm (inner dimensions), heat resistant up to 134 °C	100 pcs.	
09827	plastic box, brown thickness: 800 µ 232 x 157 x 35 mm (inner dimensions) heat resistant up to 134 °C	100 pcs.	



Boxes and lids made of polypropylene

	REF		pack. unit
	17188	closed lid for PP-box natural colour heat resistant up to 134 °C size: 290 x 225 mm	1 pc.
	17189	lid with slit for PP-box natural colour heat resistant up to 134 °C size: 290 x 225 mm	1 pc.
	17190	PP-box natural colour heat resistant up to 134 °C size: 290 x 225 x 125 mm	1 pc.
	17191	PP-box with closed lid natural colour heat resistant up to 134 °C size: 290 x 225 x 125 mm	1 pc.
	17192	PP-box with slitted lid natural colour heat resistant up to 134 °C size: 290 x 225 x 125 mm	1 pc.

Soil sieves made of stainless steel

	08458	size: 245 x 175 x 90 mm mesh size: 10.0 x 10.0 mm suitable for REF 17190, 17191 and 17192	1 pc.
	08803	size: 245 x 175 x 90 mm mesh size: 3.0 x 3.0 mm suitable for REF 17190, 17191 and 17192	1 pc.

Griffin beakers made of polypropylene, graduated

	06004	250 ml	6 pcs.
	06005	400 ml	6 pcs.
	06006	500 ml	6 pcs.

Porcelain measuring beakers, graduated

REF		pack. unit	
06002	500 ml	1 pc.	
06001	250 ml	1 pc.	
06003	100 ml	1 pc.	
06018	50 ml	1 pc.	

Plastic boxes

09804	plastic box transparent with variable compartments size: 200 x 188 x 43 mm 5-11 compartments possible	1 pc.	
09819	plastic box transparent size: 270 x 185 x 42 mm with 17 compartments	1 pc.	

Impulse heat sealers

	REF		pack. unit
	70000	F 70 impulse heat sealer stainless steel housing, with integrated roll holder and cutting device, seal width: 8 mm, seal length: 300 mm, seal time indication by LED, preselectable seal time	1 pc.
	70001	F 70 impulse heat sealer stainless steel housing, with integrated roll holder and cutting device, seal width: 8 mm, seal length: 400 mm, seal time indication by LED, preselectable seal time	1 pc.

Rotary heat sealers


	70002	F 108 standard rotary heat sealer, stainless steel housing, microprocessor controlled, temperature adjustment (100 - 199 °C), temperature indication by LCD display, manual operation of the transportation mechanism	1 pc.
	70003	F 108 T rotary heat sealer, stainless steel housing, temperature indication by LCD display, manual operation of the transportation mechanism, production counter with audible alarm	1 pc.
	70004	F 108 TI rotary heat sealer, stainless steel housing, temperature indication by LCD display, automatically start of the transportation, transportation release at reached temperature, reverse transportation feature	1 pc.
	70005	F 108 TX rotary heat sealer, stainless steel housing, temperature indication by LCD display, automatically start of the transportation, transportation release at reached temperature, reverse transportation feature, production counter with alarm	1 pc.

Rotary heat sealers


REF		pack. unit
70006	F 110 rotary heat sealer stainless steel housing, microprocessor controlled, menu-operation, LCD display, automatically start of transportation, reverse transportation feature standard	1 pc.
70007	F 110 D like F 110 + print packing date, expiry date and LOT-number, alphanumeric keyboard, adjustable print start position, adjustable character width, short and long expiry time, EN 980 printing symbols	1 pc.
70008	F 110 DEP like F 110 D + printing text on packaging and labels, interface for external label printer, enter text with keyboard and interface RS 232, text memory on board, disk with control instructions and null modem cable for PC	1 pc.
70009	F 110 DBC like F 110 DEP + print function: two lines, print bar code (external software necessary) on packaging and labels, communication with / or operation by PC, disk with control instructions and null modem cable for PC	1 pc.



Rotary heat sealers

	REF		pack. unit
	70010	F 220 D rotary heat sealer microprocessor controlled, menu-operation, LCD "All-clear" display, "in-process"-control for monitoring the temperature, force and feeding speed, print packing date, expiry date and LOT-number, selectable printing sequence, EN 980 printing symbols, alphanumeric keyboard	1 pc.
	70011	F 220 DEP like F 220 D + printing text on packaging and labels, interface for external label printer, enter text with keyboard and interface RS 232, text memory on board, disk with control instructions and null modem cable for PC	1 pc.
	70012	F 220 DBC like F 220 DEP + print function: two lines, print bar code (external software necessary) on packaging and labels, communication with / or operation by PC, communication port barcode reader, disk with control instructions and null modem cable for PC	1 pc.

SEAL PROOF

		To test rotary sealers Deviations (sealing temperature, sealing pressure) are visible on the indicator.	
		1. Put the test sheet into your flat pouch. 2. Pass it through the sealer once.	
	08011	175 mm x 99 mm for pouches made of paper / film	250 pcs.
	08022	175 mm x 99 mm for pouches made of paper / film	50 pcs.
	08017	172 mm x 90 mm for pouches made of tyvek	100 pcs.

STERIKING Seal Control

REF

pack. unit

Sterilization packages have to be sealed to prevent the ingress of microorganisms and the sealing process needs to be validated accordingly. Under the new ISO standard 11607-2: 2006 users and processors are responsible to carry out a process validation program demonstrating the efficacy and reproducibility of all sterilization and packaging processes. The Steriking® Seal Control sheet SC250 enables users to validate sealers and seal quality reliably and rapidly.



08021

size:
240 x 150 mm
simulation for pouches made of paper / film

250 pcs.

Steriking impulse sealer IS250

70029

220 x 420 x 300 mm
max. width: 250 mm
max. seal-width: 8 mm

1 pc.

Not suitable for gusseted packaging.
User-friendly and economical sealer for all-day use.
Constant sealing pressure, no warming-up time needed.
Sealing technique according to DIN 58953-7.
Automatic sealing time system with adjustable sealing duration, acoustic alert and signal lamp.
Built-in roll holder and cutting device with rotating circular knife.

Safety tested and approved by EN, VDE.
Shock watch system for delivery safety.




Thermosealing machine "The Euroseal"

70021

Thermosealing machine "The Euroseal"
440 x 200/420 x 300/390 mm
with holders for 3 reels

1 pc.



**Disposable button cannulas, made of plastic material,
for topical wound irrigation, sterile**

REF			pack. unit
		operating length: 35 mm total length: 45 mm internal diameter: 0.8 mm	
	05004	200 pcs. PZN 2435819	200 pcs.
	05053	50 pcs. PZN 2497826	50 pcs.
	05023	21 pcs. PZN 2497832	21 pcs.
		operating length: 60 mm total length: 70 mm internal diameter: 0.8 mm	
	05000	150 pcs. PZN 4954268	150 pcs.
	05050	50 pcs. PZN 4954274	50 pcs.
	05021	21 pcs. PZN 4954280	21 pcs.
		operating length: 80 mm total length: 100 mm internal diameter: 1.0 mm	
	05002	150 pcs. PZN 0424680	150 pcs.
	05052	50 pcs. PZN 0425260	50 pcs.
	05022	21 pcs. PZN 0426466	21 pcs.

**Disposable cannulas, made of plastic material, blunt,
for topical wound irrigation, sterile**

		operating length: 75 mm total length: 90 mm internal diameter: 1.0 mm	
	05006	150 pcs. PZN 1673540	150 pcs.
	05056	50 pcs. PZN 1674479	50 pcs.
	05026	21 pcs. PZN 1674485	21 pcs.



The plastic disposable button cannula can be bent
into any position.

cannula with button


 45 mm

 70 mm and
100 mm


cannula, blunt

 90 mm

**Disposable button cannulas, made of plastic material
for topical wound irrigation / non-sterile**

REF		pack. unit	
05005	operating length: 35 mm total length: 45 mm internal diameter: 0.8 mm	200 pcs.	
05001	operating length: 60 mm total length: 70 mm internal diameter: 0.8 mm	150 pcs.	
05003	operating length: 80 mm total length: 100 mm internal diameter: 1.0 mm	150 pcs.	

**Disposable cannula, made of plastic material, blunt
for topical wound irrigation / non-sterile**

05007	operating length: 75 mm total length: 90 mm internal diameter: 1.0 mm	150 pcs.	
-------	---	----------	---

**Disposable metal button cannulas,
sterile**

05013	operating length: 80 mm total length: 95 mm external diameter (button): 1.4 mm	100 pcs.	
05011	operating length: 100 mm total length: 115 mm external diameter (button): 1.6 mm	100 pcs.	

**Disposable metal cannulas, blunt,
sterile**

05016	operating length: 80 mm total length: 95 mm external diameter: 1.5 mm	100 pcs.	
05036	operating length: 80 mm total length: 95 mm external diameter: 2.5 mm	100 pcs.	
05035	operating length: 80 mm total length: 95 mm external diameter: 2.8 mm	100 pcs.	

Disposable metal cannulas, curved, blunt, sterile

	REF		pack. unit
	05030	operating length: 100 mm total length: 115 mm external diameter: 0.6 mm (23G)	100 pcs.
	05031	operating length: 100 mm total length: 115 mm external diameter: 0.8 mm (21G)	100 pcs.
	05032	operating length: 80 mm total length: 95 mm external diameter: 1.0 mm (19G)	100 pcs.
	05033	operating length: 90 mm total length: 105 mm external diameter: 1.0 mm (19G)	100 pcs.
	05034	operating length: 90 mm total length: 105 mm external diameter: 1.5 mm (17G)	50 pcs.

Safety pins / sterile

		2 pcs., sterile 50 x 2 pcs. / box	
	06007	25 mm	1 box
	06008	38 mm	1 box
	06009	50 mm	1 box

Vessel Loops**10 x 2 silicone ribbons of 45 cm / oval section, mini**

		1.5 x 1.0 mm sterile 20 loops / box	
	41210	blue	1 box
	41220	red	1 box
	41230	white	1 box
	41240	yellow	1 box

10 x 2 silicone ribbons of 45 cm / oval section,**maxi**

REF

pack. unit

	2.5 x 1.0 mm		
	sterile		
	20 loops / box		
41110	blue	1 box	
41120	red	1 box	
41130	white	1 box	
41140	yellow	1 box	

10 x 2 silicone ribbons of 45 cm / oval section,**super-maxi**

41000	5.0 x 1.5 mm	1 box	
	sterile		
	20 loops / box		
	blue		

Carrying bag

03016	made of LDPE quadrilingual: German, English, French, Italian size: 585 x 605 mm imprint: PATIENTENEIGENTUM / PATIENTS PROPERTY / AFFAIRES PERSONNELLES DU PATIENT / EFFETTI PERSONALI DEL PAZIENTE Name / name / nom / nome: Adresse / address / adresse / indirizzo: Zimmer / room / chambre / camera:	250 pcs.	

Bag with flap

03038	Bag for valuables made of LDPE size: 200 x 300 + 50 mm flap imprint in 4 languages: ACHTUNG WERTSACHEN ATTENTION VALUABLES ATTENTION OBJETS DE VALEUR ATTENZIONE OGGETTI DI VALORE	1000 pcs.	

Suture bag

Waste bag

Rigid light handle cover

	06014	sterile, 24 pcs. / box	1 box
---	-------	------------------------	-------

Flexible rigid light handle covers

REF		pack. unit
06015	sterile, 100 pcs. / box	1 box
06016	sterile, 80 x 2 pcs. / box	1 box
06017	sterile, 80 x 3 pcs. / box	1 box

**Display with imprint "TEAM TIME OUT"**


	Display with imprint "TEAM TIME OUT"	
	made of carton	
	size: 270 x 70 mm	
04217	non-sterile	75 pcs.
04220	sterile	50 pcs.

**Bed label**

09210	bed label with 2 bevelled corners, metal eyelet with attached rubber cord no imprint size: 58 x 110 mm	750 pcs.
-------	---	----------

**Bed identification label**

09141	100 sheets / pad size: 105 x 58 mm	100 pads
-------	---------------------------------------	----------

**Fixing hand made of stainless steel**

20600	fixing hand made of stainless steel reusable and bentable heat resistant	1 pc.
09611	silicone ring Ø 18 x 3.5 mm suitable for fixing hand made of stainless steel heat resistant	25 pcs.



Table of contents

	product range/page		product range/page
A		E	
Abox	11/4	Extensions for ratchet	9/9
Adhesive crepe tapes	7/1		
Adhesive foil tape	7/1	F	
Adhesive tapes	7/1-7/4	Filters	1/12-1/18
Adhesive tapes with indicator	7/1	Fixing hand made of stainless steel	13/6
Alternative lens	8/3	Fixing rings	2/32
Aluminium bowls	11/1	Fixing set for sterile goods packaging	2/38
Arm cover	3/8	Fixings made of stainless steel	2/33
		Fixture for small parts washing basket	2/15
B		Fixture set MIC	2/10
Bag with flap	13/4-13/5	Fixture sets for lenses	2/11
Band clamps	2/37	Flat pouches for hot air sterilization	5/15
Batch control	8/10-8/22	Flushing mesh basket	2/6
Bed identification label	13/6	Foil labels	1/2, 6/4-6/6, 7/2
Bed label	13/6		
Board made of synthetic material	5/11	H	
Bowls made of stainless steel	11/1	Hammer	9/2
Brush-dispenser	4/9	Hand microscope	8/5-8/6
Brushes	4/1-4/9	Hearing protector	3/9-3/10
Brushes, cleaner and maintenance	4/1-4/13	HemoCheck-S	8/8
		Hex ball drivers	9/3-9/4
C		Hex keys	9/3-9/5, 9/12
C-bow cover	5/17	Holder for brush-dispenser	4/8
Cable binder	2/30-2/32	Hoods set	4/7
Caliper	8/6, 10/4	HygoTopp non woven	4/11
Carrying bag	13/4		
Chirol ultra	4/10	I	
Chisel	9/1	Ice pick	9/1
Clamp cushion	5/8	Ident loops	7/18-7/19
Clipper for tie-on label	2/27	Ident pearls	7/16-7/17
Clips for system sieve trays	2/4	Identification dots	7/8
Coloured adhesive tapes	7/3	Identification strips	7/4-7/8
Container accessories	1/1-1/18	Identification tapes	7/4
Container filters	1/12-1/18	Indicator dots	6/25-6/26, 6/29
Container for kirschner wires	10/3	Indicator strips	6/24, 6/26, 6/29
Container labels	1/8-1/12	Insert cards	6/24
Counting strips	6/24	Insert labels	2/29-2/30
Cover	5/17	Instrument bundle strings	5/9-5/10
Covering basket with 6-fold fixture	2/16	Instrument clips	2/36
Cross- and lengthwise divider for system small parts sieve trays	2/5	Instrument tray	2/18
		IsoTopp-plus	4/11
D			
Dish trays	2/6	K	
Disinfectant dispenser	4/13	Key ring holder	2/32
Dispenser	7/2-7/3	Kidney dish	11/1
Dispenser for kirschner wires	10/4	Kirschner wires	10/1-10/4
Dispenser for labels	6/20, 7/3		
Dispenser for single-use gloves	3/4-3/5	L	
Dispenser set for kirschner wires	10/4	Label, water soluble	7/15
Display with imprint "TEAM TIME OUT"	13/6	Labeler	6/21-6/22
Disposable apron	3/8	Labels	6/1-6/23, 6/28-6/29
Disposable bowls	11/2-11/3	Labels for laser printer	6/25
Disposable cannulas	13/1-13/3	Laminated tapes for P-touch	7/9-7/11
Disposal boxes	11/3-11/4	Lettering machine P-touch	7/12
Documentation labels	6/1-6/29	Lightweight container	11/5
Double-action pin cutter	9/2	Lubrinol	4/9
Drive sockets	9/9		
Drives with ratchet	9/8	M	
Drives without ratchet	9/9	Magnifier	8/3-8/5
Dustproof bags	5/15-5/16	Magnifying lamps	8/3-8/4
		Magnoline	2/36
E		Mandrels for polishing machines	4/12
Economical EC tester	8/9	Marker	7/15-7/16
Edding marker	7/15-7/16	Marking rings	7/14
End cutters	9/1	Marking strips	7/14
Enginol	4/10	Masks	3/9
Euroseal thermosealing machine	12/4	Measuring beakers	11/6-11/7

Table of contents

product range/page	product range/page
M	S
Measuring gauge for tubes	5/13
Mesh basket and accessories	2/1-2/27, 2/29-2/38
Mesh basket label holder	2/23, 2/29-2/30
Mesh basket labels	2/19-2/27, 2/33-2/35
Mesh basket labels on reels	2/35
Mesh basket labels with clip	2/23-2/27
Mesh baskets	2/14-2/15
Mesh cover made of stainless steel	2/19
Mesh sleeves for kirschner wires	10/3
Microsnap bags	5/16
Miele quick protein test	8/7
Mousepad	7/13
N	S
Neck-warmer	3/9
Neodisher	4/10
Nut drivers	9/6
Nylon stopper	2/32
O	S
OR-microscope covers	5/17
Overshoes	3/10
P	S
PC keyboard	7/13
PC mouse	7/13
PH-Tests	8/8-8/9
PRObox	11/3
PTL-tags	2/22
Particle exhaustor	4/12
Patient care	13/1-13/6
Plastic boxes	7/19, 11/5, 11/7
Pliers	9/6-9/8
Polishing machine set	4/11
Polishing wheels	4/12
Pro-Check indicator	8/7
Protective clothing	3/1-3/10
Protective gloves	3/1-3/4
Protective gowns	3/7-3/8
Protective shield	3/5-3/6
Protective strips	1/18
Q	T
Quality assurance	8/1-8/22
R	T
Racks for brushes	4/9
Raised inlay tray	2/13
Repair tag	6/27-6/28
Replacement filterset	4/12
Retainers for silicone fixtures	2/11
Rigid light handle covers	13/5-13/6
Rochard sieve	2/12-2/13
S	T
Safety goggles	3/5
Safety pins	13/3
Scissors to cut tubes	5/14, 9/13
Screw rack	2/13
Screwdrivers	9/9-9/12
Scrub brushes	4/7-4/9
Seal proof	8/2, 12/3
Sealers	12/1-12/4
Seals	1/1-1/8
Set label	6/24
Shoe automat	3/10
	S
	Sieve trays
	2/7
	Silicone boards
	5/10
	Silicone cord with clamps
	2/38
	Silicone fence mat
	5/12
	Silicone fixtures
	2/12
	Silicone mesh cover
	2/18-2/19
	Silicone nub mats
	5/11-5/12
	Silicone sheets
	5/12
	Silicone stopper
	2/32
	Silicone tubes
	5/12-5/13
	Small parts sieve trays
	2/1-2/4, 2/14
	Small parts washing basket
	2/15
	Soil sieves
	2/14, 11/6
	SonoCheck
	8/8
	Spatula
	11/3
	Spreaders
	2/37-2/38
	Spring scale
	8/2
	Star / drive sockets
	9/5
	Star / hex lobe keys
	9/5
	Stencil tape for P-touch
	7/12
	Steriking Seal Control
	8/2, 12/4
	Sterile goods basket
	2/13
	Sterilization cassettes made of stainless steel
	2/17
	Sterilization control card
	6/27
	Sterilization trays made of plastic
	2/16-2/17
	Suture aid booties
	5/7-5/8
	Suture bag
	13/5
	System baskets
	2/7-2/8
	System sieves
	2/9-2/10
	T
	TOSI test device
	8/6
	TOSI-FlexiCheck
	8/6
	TOSI-LumCheck
	8/7
	Tag - made of stainless steel
	2/27
	Tape-Ex
	4/10
	Tapes and identification / lettering
	7/1-7/19
	Test-equipment
	8/1
	Test-equipment refill packs
	8/1-8/2
	Thermotransfer foil
	6/23
	Tie-on label made of stainless steel
	2/27
	Tie-on labels
	6/28
	Tip guards
	5/1-5/7
	Tip guards, sterilization packaging and silicone products
	5/1-5/17
	Tools
	9/1-9/13
	Trays and containers
	11/1-11/7
	Tubular film for hot air sterilization
	5/15
	Tyvek packaging
	5/14-5/15
	V
	Vessel loops
	13/3-13/4
	W
	Wall bracket
	8/3
	Waste bag
	13/5
	Web guards
	5/3
	Wire container
	2/13
	Wire cutting pliers
	9/2
	Wrenches
	9/11-9/12

product name	REF	pack. unit

price list:


On request we will send you a price list by post or e-mail.

telefax: +49 4363 90590590

customer ID:

sender (stamp):

Interlock Medizintechnik GmbH
Zum Windpark 1
23738 Lensahn
Germany
phone: +49 4363 905900
telefax: +49 4363 90590590



Products for CSSD and hospital

info@interlockmed.de

www.interlockmed.de