

UTENSILI IN ACCIAIO INOX

- L'acciaio inox senza cromatura o rivestimento è un materiale omogeneo. L'utilizzo di utensili in acciaio inox elimina il rischio di formazioni particellari.
- Lo strato invisibile di protezione, costituito da ossido di cromo, non è reattivo e di conseguenza non corrosivo.
- Contrariamente ai materiali generalmente cromati, esso ha proprietà "autoriparanti" in caso di graffi o ammaccature.
- Progettato specificatamente per ripetute sterilizzazioni, è resistente a migliaia di cicli. La lunghissima vita utile di questi utensili elimina la necessità di sostituzioni frequenti, massimizzando velocemente l'investimento iniziale e inoltre previene il rischio di cessione di formazioni particellari che altrimenti si depositerebbero sulle superfici trattate con conseguente contaminazione di tipo corrosivo.

Chisel / heavy duty / hex stock

	item. No		pack. unit
		size: length x width	
	10280	125 mm x 8 mm	1 pcs.
	10281	138 mm x 10 mm	1 pcs.
	10282	138 mm x 11 mm	1 pcs.
	10283	300 mm x 12 mm	1 pcs.
	10284	150 mm x 16 mm	1 pcs.
	10285	300 mm x 16 mm	1 pcs.
	10286	175 mm x 19 mm	1 pcs.
	10287	300 mm x 19 mm	1 pcs.
		curved 300 mm x 19 mm	1 pcs.

Chisel with extra wide blade

	10291	size: length x width 275 mm x 75 mm	1 pcs.
		blade: 75 mm	

Ice pick

	10289	with autoclavable nylon handle	1 pcs.
---	-------	--------------------------------	--------

Diagonal and end cutters

item No.		pack. unit	
10091	150 mm (6") with tungsten carbide inserts HRC 62	1 pc.	
10092	150 mm (6") no tungsten carbide inserts HRC 50	1 pc.	

10020	175 mm (7") no tungsten carbide inserts HRC 50	1 pc.	
-------	---	-------	---

10021	end cutter 200 mm (8") no tungsten carbide inserts HRC 50	1 pc.	
-------	---	-------	--

Wire cutting pliers (Linesman)

10116	212 mm (8.5") with tungsten carbide inserts HRC 62 cutting area: 12 mm	1 pc.	
-------	---	-------	---

Double-action pin cutter

10005	200 mm (8") ; max. pin diameter: 3 mm (1/8")	1 pc.	
10006	350 mm (14"); max. pin diameter: 4.5 mm (3/16")	1 pc.	
10007	450 mm (18"); max. pin diameter: 5.5 mm (7/32")	1 pc.	
10008	600 mm (24"); max. pin diameter: 6 mm (1/4") with tungsten carbide inserts HRC 62	1 pc.	

Mallet and Hammer

	item. No		pack. unit
	10190	mallet 12 oz (340 g) with nylon head length: 317 mm	1 pc.
	10191	nylon replacement head for mallet	1 pc.

		ball pein hammer:	
	10198	6 oz. (170 g), length: 219 mm	1 pc.
	10199	12 oz. (340 g), length: 270 mm	1 pc.
	10200	16 oz. (450 g), length: 311 mm	1 pc.
	10201	32 oz. (996 g), length: 375 mm	1 pc.

Ball-end hex keys
metric

	11800	1.5 mm	1 pc.
	11801	2.0 mm	1 pc.
	11802	2.5 mm	1 pc.
	11803	3.0 mm	1 pc.
	11804	3.5 mm	1 pc.
	11805	4.0 mm	1 pc.
	11807	5.0 mm	1 pc.
	11808	6.0 mm	1 pc.
	11809	8.0 mm	1 pc.
	11810	10.0 mm	1 pc.
	11811	set of 10 (11800-11810)	1 set
	11812	set of 8 (11800-11808)	1 set

Ball-end hex keys
inch

	11850	1/16"	1 pc.
	11851	5/64"	1 pc.
	11852	3/32"	1 pc.
	11853	7/64"	1 pc.
	11854	1/8"	1 pc.
	11855	9/64"	1 pc.
	11856	5/32"	1 pc.
	11857	3/16"	1 pc.
	11858	7/32"	1 pc.
	11859	1/4"	1 pc.
	11861	5/16"	1 pc.
	11862	3/8"	1 pc.
	11863	set of 12 (11850-11862)	1 set
	11864	set of 10 (11850-11859)	1 set

**Hex ball driver with autoclavable nylon handle
inch**

item No.		pack. unit
11870	1/16" x 2.5"	1 pc.
11871	5/64" x 2.5"	1 pc.
11872	3/32" x 3"	1 pc.
11873	7/64" x 3"	1 pc.
11874	1/8" x 3.25"	1 pc.
11875	9/64" x 3.25"	1 pc.
11876	5/32" x 3.5"	1 pc.
11877	3/16" x 4"	1 pc.
11878	7/32" x 4"	1 pc.
11879	1/4" x 4.5"	1 pc.
11881	5/16" x 5.5"	1 pc.
11882	3/8" x 6"	1 pc.

**Hex ball driver with steel handle
inch**

21870	1/16" x 2.5"	1 pc.
21871	5/64" x 2.5"	1 pc.
21872	3/32" x 3"	1 pc.
21873	7/64" x 3"	1 pc.
21874	1/8" x 3.25"	1 pc.
21875	9/64" x 3.25"	1 pc.
21876	5/32" x 3.5"	1 pc.
21877	3/16" x 4"	1 pc.
21878	7/32" x 4"	1 pc.
21879	1/4" x 4.5"	1 pc.
21881	5/16" x 5.5"	1 pc.

**Hex ball driver with autoclavable nylon handle
metric**

11820	1.5 mm x 62 mm	1 pc.
11821	2.0 mm x 62 mm	1 pc.
11822	2.5 mm x 62 mm	1 pc.
11823	3.0 mm x 62 mm	1 pc.
11824	3.5 mm x 100 mm	1 pc.
11825	4.0 mm x 87 mm	1 pc.
11827	5.0 mm x 100 mm	1 pc.
11828	6.0 mm x 112 mm	1 pc.
11829	8.0 mm x 137 mm	1 pc.
11830	10.0 mm x 150 mm	1 pc.

**Hex ball driver with steel handle
metric**

21820	1.5 mm x 62 mm	1 pc.
21821	2.0 mm x 62 mm	1 pc.
21822	2.5 mm x 62 mm	1 pc.
21823	3.0 mm x 62 mm	1 pc.
21824	3.5 mm x 100 mm	1 pc.
21825	4.0 mm x 87 mm	1 pc.
21827	5.0 mm x 100 mm	1 pc.



Hex keys, L pattern, standard length inch



item. No		pack. unit
11950	1/16"	1 pc.
11951	5/64"	1 pc.
11952	3/32"	1 pc.
11953	7/64"	1 pc.
11954	1/8"	1 pc.
11955	9/64"	1 pc.
11956	5/32"	1 pc.
11957	3/16"	1 pc.
11958	7/32"	1 pc.
11959	1/4"	1 pc.
11960	9/32"	1 pc.
11961	5/16"	1 pc.
11962	3/8"	1 pc.
11943	set of 10 (11950-11959)	1 set
11915	set of 12 (11950-11962)	1 set

Hex keys, L pattern, long arm is 33% longer than standard, inch



11970	1/16"	1 pc.
11971	5/64"	1 pc.
11972	3/32"	1 pc.
11973	7/64"	1 pc.
11974	1/8"	1 pc.
11975	9/64"	1 pc.
11976	5/32"	1 pc.
11977	3/16"	1 pc.
11978	7/32"	1 pc.
11979	1/4"	1 pc.
11981	5/16"	1 pc.
11982	3/8"	1 pc.
11983	1/2" special size	1 pc.
11984	7/16" special size	1 pc.
11944	set of 10 (11970-11979)	1 set
11916	set of 12 (11970-11982)	1 set

Hex keys, L pattern, standard length metric

item No.		pack. unit
11900	1.5 mm	1 pc.
11901	2.0 mm	1 pc.
11902	2.5 mm	1 pc.
11903	3.0 mm	1 pc.
11904	3.5 mm	1 pc.
11905	4.0 mm	1 pc.
11906	4.5 mm	1 pc.
11907	5.0 mm	1 pc.
11908	6.0 mm	1 pc.
11909	8.0 mm	1 pc.
11910	10.0 mm	1 pc.
11940	set of 9 (11900-11908)	1 set
11912	set of 11 (11900-11910)	1 set



Hex keys, L pattern, long arm is 33% longer than standard, metric

11920	1.5 mm	1 pc.
11921	2.0 mm	1 pc.
11922	2.5 mm	1 pc.
11923	3.0 mm	1 pc.
11924	3.5 mm	1 pc.
11925	4.0 mm	1 pc.
11926	4.5 mm	1 pc.
11927	5.0 mm	1 pc.
11928	6.0 mm	1 pc.
11929	8.0 mm	1 pc.
11930	10.0 mm	1 pc.
11941	set of 9 (11920-11928)	1 set
11913	set of 11 (11920-11930)	1 set
11969	special size, 0.050"	1 pc.




Fold-up hex key sets

12000	inch, 9 pcs.: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 1/4"	1 pc.
12001	metric, 7 pcs.: 1.5 - 2.0 - 2.5 - 3.0 - 4.0 - 5.0 - 6.0 mm	1 pc.



Star / Hex lobe keys, L pattern

	item. No.				pack. unit
	10809	#9	0,098"	2,50 mm	1 pc.
	10810	#10	0,107"	2,74 mm	1 pc.
	10811	#15	0,128"	3,27 mm	1 pc.
	10812	#20	0,151"	3,86 mm	1 pc.
	10813	#25	0,173"	4,43 mm	1 pc.
	10814	#27	0,195"	4,99 mm	1 pc.
	10815	#30	0,216"	5,52 mm	1 pc.
	10816	#40	0,260"	6,65 mm	1 pc.

Star / Hex Lobe driver
with stainless steel handle

	10834	#9	0,098"	2,50 mm	1 pc.
	10835	#10	0,107"	2,74 mm	1 pc.
	10836	#15	0,128"	3,27 mm	1 pc.
	10837	#20	0,151"	3,86 mm	1 pc.
	10838	#25	0,173"	4,43 mm	1 pc.
	10839	#27	0,195"	4,99 mm	1 pc.
	10840	#30	0,216"	5,52 mm	1 pc.
	10841	#40	0,260"	6,65 mm	1 pc.

1/4" Star / drive sockets
for ratchets

	10859	#9	0,098"	2,50 mm	1 pc.
	10860	#10	0,107"	2,74 mm	1 pc.
	10861	#15	0,128"	3,27 mm	1 pc.
	10862	#20	0,151"	3,86 mm	1 pc.
	10863	#25	0,173"	4,43 mm	1 pc.
	10864	#27	0,195"	4,99 mm	1 pc.
	10865	#30	0,216"	5,52 mm	1 pc.
	10866	#40	0,260"	6,65 mm	1 pc.

Nut driver with autoclavable nylon handle
inch
total length: 8" (200 mm)

item. No.		pack. unit
10300	3/16"	1 pc.
10301	1/4"	1 pc.
10302	5/16"	1 pc.
10303	3/8"	1 pc.
10304	7/16"	1 pc.
10305	1/2"	1 pc.
10306	9/16"	1 pc.
10310	set of 7 (10300-10306)	1 set



Nut driver with steel handle,
inch
total length: 9" (225 mm)

20300	3/16"	1 pc.
20301	1/4"	1 pc.
20302	5/16"	1 pc.
20303	3/8"	1 pc.
20304	7/16"	1 pc.
20305	1/2"	1 pc.
20306	9/16"	1 pc.



Nut driver with autoclavable nylon handle
metric
total length: 8" (200 mm)

10320	6 mm	1 pc.
10321	7 mm	1 pc.
10322	8 mm	1 pc.
10323	10 mm	1 pc.
10324	11 mm	1 pc.
10325	12 mm	1 pc.
10326	13 mm	1 pc.
10327	14 mm	1 pc.
10330	set of 8 (10320-10327)	1 set



Nut driver with steel handle,
metric
total length: 9" (225 mm)

20320	6 mm	1 pc.
20321	7 mm	1 pc.
20322	8 mm	1 pc.
20323	10 mm	1 pc.
20324	11 mm	1 pc.
20325	12 mm	1 pc.
20326	13 mm	1 pc.



Two position pliers

	item No.		pack. unit
	10010	150 mm (6")	1 pc.
	10011	250 mm (10")	1 pc.

Two position pliers especially for sterile deployment

	10131	200 mm (8")	1 pc.
---	-------	-------------	-------

Five position pliers especially for sterile deployment

	10132	250 mm (10") five position (channelock)	1 pc.
---	-------	---	-------

Ultimate pliers

	10127	165 mm (6 5/8") square nose, 6 mm (1/4") wide	1 pc.
	10128	175 mm (7") slim nose, 3 mm (1/8") wide	1 pc.
	10129	200 mm (8") long nose, 3 mm (1/8") wide	1 pc.

Gripping pliers

item. No		pack. unit	
10121	125 mm (5") length, long nose, straight, serrated jaws, spring loaded (removable), no cutter	1 pc.	
10122	125 mm (5") length, long nose, bent, serrated jaws, spring loaded (removable), no cutter	1 pc.	
10123	125 mm (5") length, long nose, straight, not spring loaded, jaws serrated for outer half of total length	1 pc.	
10170	125 mm (5") length, long nose, straight, not spring loaded, flat jaws (no serrations)	1 pc.	

Locking pliers

10014	125 mm (5"), curved jaws, critical series	1 pc.	
10015	175 mm (7"), straight jaws, critical series	1 pc.	
10016	250 mm (10"), straight jaws, industrial series	1 pc.	
10093	250 mm (10"), straight jaws, industrial series	1 pc.	
10017	150 mm (6"), long nose, critical series	1 pc.	
10018	225 mm (9"), long nose, critical series	1 pc.	
10019	275 mm (11"), long nose, critical series	1 pc.	
10024	175 mm (7"), curved jaws, critical series	1 pc.	
10029	200 mm (8"), curved jaws, industrial series	1 pc.	
10025	250 mm (10"), curved jaws, industrial series	1 pc.	

Locking pliers / Slap hammer

10028	250 mm (10"), straight jaws, industrial series with slap hammer, 350 mm (14")	1 pc.	
10094	350 mm (14") slap hammer	1 pc.	

Parallel jaw pliers

	item No.		pack. unit
	10013	150 mm (6") serrated jaws with pin groove with side cutter	1 pc.

Punches, inch, (3 1/2" length)

	10210	3/32"	1 pc.
	10211	1/8"	1 pc.
	10212	5/32"	1 pc.
	10213	3/16"	1 pc.
	10214	1/4"	1 pc.
	10244	1/16"	1 pc.
	10208	set of 5 (10210-10214)	1 set

Punches, metric, (88 mm length)

	10215	2.5 mm	1 pc.
	10216	3.0 mm	1 pc.
	10217	3.5 mm	1 pc.
	10218	4.0 mm	1 pc.
	10219	6.0 mm	1 pc.
	10209	set of 5 (2,5 - 6,0 mm)	1 set

Punches, inch, (8" length)

	10245	3/32" (2.55 mm)	1 pc.
	10246	1/8" (3.16 mm)	1 pc.
	10247	5/32" (3.97 mm)	1 pc.
	10248	3/16" (4.75 mm)	1 pc.
	10249	1/4" (6.37 mm)	1 pc.

Tapered punches, inch, (12-15" length) / hex stock

	10296	5/32" x 12"	1 pc.
	10297	3/16" x 12"	1 pc.
	10298	1/4" x 12"	1 pc.
	10299	1/4" x 15"	1 pc.

Drive with ratchet**item. No****pack. unit**

10496	1/4" drive, torque rating 300 in./lbs., 162 mm length	1 pc.
10596	3/8" drive, torque rating 500 in./lbs., 212 mm length	1 pc.
10696	1/2" drive, torque rating 800 in./lbs., 262 mm length	1 pc.

**Extensions for ratchet**

10492	50 mm (2") extensions, 1/4" drive	1 pc.
10493	100 mm (4") extensions, 1/4" drive	1 pc.
10494	150 mm (6") extensions, 1/4" drive	1 pc.
10592	50 mm (2") extensions, 3/8" drive	1 pc.
10593	100 mm (4") extensions, 3/8" drive	1 pc.
10594	150 mm (6") extensions, 3/8" drive	1 pc.
10692	50 mm (2") extensions, 1/2" drive	1 pc.
10693	100 mm (4") extensions, 1/2" drive	1 pc.
10694	150 mm (6") extensions, 1/2" drive	1 pc.

**Drive without ratchet,
with T Bar**

10597	1/4" drive, 275 mm length	1 pc.
10589	3/8" drive, 100 mm length	1 pc.
10588	1/2" drive, 150 mm length	1 pc.



**1/2" Drive sockets, deep well,
inch, length: 81 mm (3 1/4")**

	item No.	pack. unit
	10650	3/4"
	10651	13/16"
	10652	7/8"
	10653	15/16"
	10654	1"
	10655	1 1/16"
	10656	1 1/8"
	10657	1 3/16"
	10658	1 1/4"
	10659	1 5/16"
	10660	1 3/8"
	10661	1 7/16"
	10662	1 1/2"
10663	1 9/16"	
10664	1 5/8"	
10688	set of 13 (10650-10662)	

**1/2" Drive sockets, deep well,
metric, length: 81 mm (3 1/4")**

	10670	19 mm	1 pc.
	10671	20 mm	1 pc.
	10672	21 mm	1 pc.
	10673	22 mm	1 pc.
	10674	23 mm	1 pc.
	10675	24 mm	1 pc.
	10676	25 mm	1 pc.
	10677	26 mm	1 pc.
	10678	27 mm	1 pc.
	10679	28 mm	1 pc.
	10680	29 mm	1 pc.
	10681	30 mm	1 pc.
	10682	31 mm	1 pc.
	10683	32 mm	1 pc.
	10689	set of 14 (10670-10683)	1 set

**1/4" Drive sockets, deep well,
inch, length: 50 mm (2")**

	10470	1/8"	1 pc.
	10471	5/32"	1 pc.
	10472	3/16"	1 pc.
	10473	7/32"	1 pc.
	10474	1/4"	1 pc.
	10475	9/32"	1 pc.
	10476	5/16"	1 pc.
	10477	11/32"	1 pc.
	10478	3/8"	1 pc.
10479	set of 9 (10470-10478)		1 set

**1/4" Drive sockets, deep well,
metric, length: 50 mm (2")**

item. No		pack. unit
10480	4.0 mm	1 pc.
10481	4.5 mm	1 pc.
10482	5.0 mm	1 pc.
10483	5.5 mm	1 pc.
10484	6.0 mm	1 pc.
10485	7.0 mm	1 pc.
10486	8.0 mm	1 pc.
10487	9.0 mm	1 pc.
10488	10.0 mm	1 pc.
10489	set of 9 (10480-10488)	1 set

**3/8" Drive sockets, deep well,
inch, length: 63 mm (2 1/2")**

10600	1/4"	1 pc.
10601	5/16"	1 pc.
10602	3/8"	1 pc.
10603	7/16"	1 pc.
10604	1/2"	1 pc.
10605	9/16"	1 pc.
10606	5/8"	1 pc.
10607	11/16"	1 pc.
10608	3/4"	1 pc.
10611	15/16"	1 pc.
10614	set of 9 (10600-10608)	1 set

**3/8" Drive sockets, deep well,
metric, length: 63 mm (2 1/2")**

10620	6 mm	1 pc.
10621	7 mm	1 pc.
10622	8 mm	1 pc.
10623	10 mm	1 pc.
10624	11 mm	1 pc.
10625	12 mm	1 pc.
10626	13 mm	1 pc.
10627	14 mm	1 pc.
10628	15 mm	1 pc.
10629	16 mm	1 pc.
10630	17 mm	1 pc.
10631	19 mm	1 pc.
10634	set of 12 (10620-10631)	1 set



**3/8" Drive sockets, standard depth,
inch**

item No.		pack. unit
10500	1/4"	1 pc.
10501	5/16"	1 pc.
10502	3/8"	1 pc.
10503	7/16"	1 pc.
10504	1/2"	1 pc.
10505	9/16"	1 pc.
10506	5/8"	1 pc.
10507	11/16"	1 pc.
10508	3/4"	1 pc.
10509	13/16"	1 pc.
10510	7/8"	1 pc.
10511	15/16"	1 pc.
10512	1"	1 pc.
10514	set of 9 (10500-10508)	1 set
10515	set of 13 (10500-10512)	1 set

**3/8" Drive sockets, standard depth,
metric**

10520	6 mm	1 pc.
10521	7 mm	1 pc.
10522	8 mm	1 pc.
10523	10 mm	1 pc.
10524	11 mm	1 pc.
10525	12 mm	1 pc.
10526	13 mm	1 pc.
10527	14 mm	1 pc.
10528	15 mm	1 pc.
10529	16 mm	1 pc.
10530	17 mm	1 pc.
10531	19 mm	1 pc.
10532	21 mm	1 pc.
10533	22 mm	1 pc.
10534	set of 12 (10520-10531)	1 set
10535	set of 14 (10520-10533)	1 set

**Parallel tip screwdrivers,
with autoclavable nylon handle**

item. No

pack. unit

11208	1/10" (2.5 mm) x 4" (100 mm)
11200	1/8" (3.0 mm) x 4" (100 mm)
11201	5/32" (4.0 mm) x 5" (125 mm)
11202	3/16" (4.7mm) x 6" (150 mm)
11211	7/32" (5.5 mm) x 6" (150 mm)
11203	1/4" (6.35 mm) x 6" (150 mm)
11204	5/16" (8.0 mm) x 7" (175 mm)
11205	3/8" (9.5 mm) x 8" (200 mm)
11210	set of 8

1 pc.
1 pc.
1 pc.
1 pc.
1 pc.
1 pc.
1 pc.
1 pc.
1 set



**Parallel Tip screwdrivers,
with autoclavable nylon handle**

11213	1/8" (3.0 mm) x 1.5" (37 mm)
11214	5/32" (4.0 mm) x 1.5" (37 mm)
11215	3/16" (4.7 mm) x 1.5" (37 mm)
11216	7/32" (5.5 mm) x 1.5" (37 mm)
11217	1/4" (6.35 mm) x 1.5" (37 mm)
11209	set of 5 (ea. 1 of 11213-11217)

1 pc.
1 pc.
1 pc.
1 pc.
1 pc.
1 set



**Screwdrivers (Phillips),
with autoclavable nylon handle**

11221	Phillips #0 x 3" (75 mm)
11222	Phillips #1 x 4" (100 mm)
11223	Phillips #2 x 6" (150 mm)
11224	Phillips #3 x 6" (150 mm)
11229	set of 4 (ea. 1 of 11221-11224)

1 pc.
1 pc.
1 pc.
1 pc.
1 set



**Screwdrivers (Phillips),
with autoclavable nylon handle**

11220	Phillips #0 x 1.5" (37 mm)
11225	Phillips #1 x 1.5" (37 mm)
11226	Phillips #2 x 1.5" (37 mm)
11228	set of 3

1 pc.
1 pc.
1 pc.
1 set



**Square drive screwdrivers (Robertson),
with autoclavable nylon handle**

item No.		pack. unit
11231	Robertson #1 x 6" (150 mm)	1 pc.
11232	Robertson #2 x 6" (150 mm)	1 pc.
11233	Robertson #3 x 6" (150 mm)	1 pc.

**Parallel tip screwdrivers,
with stainless steel handle**

	21208	1/10" (2.5 mm) x 4" (100 mm)	1 pc.
	21200	1/8" (3.0 mm) x 4" (100 mm)	1 pc.
	21201	5/32" (4.0 mm) x 5" (125 mm)	1 pc.
	21202	3/16" (4.7 mm) x 6" (150 mm)	1 pc.
	21211	7/32" (5.5 mm) x 6" (150 mm)	1 pc.
	21203	1/4" (6.35 mm) x 6" (150 mm)	1 pc.
	21204	5/16" (8.0 mm) x 7" (175 mm)	1 pc.
	21205	3/8" (9.5 mm) x 8" (200 mm)	1 pc.

**Screwdrivers (Phillips),
with stainless steel handle**

	21222	Phillips #1 x 4" (100 mm)	1 pc.
	21223	Phillips #2 x 6" (150 mm)	1 pc.

**Mini precision screwdrivers,
total length 4" (10,2 cm)**

	11241	1.5 mm with parallel tip	1 pc.
	11242	2.0 mm with parallel tip	1 pc.
	11243	2.5 mm with parallel tip	1 pc.
	11244	3.0 mm with parallel tip	1 pc.
	11247	Phillips #0	1 pc.
	11248	Phillips #1	1 pc.
	11240	set of 6 precision screwdrivers	1 set

Bit screwdrivers and bits

	11300	hex bit driver 1/4"	1 pc.
	11310	1/8" with parallel tip	1 pc.
	11311	5/32" with parallel tip	1 pc.
	11312	3/16" with parallel tip	1 pc.
	11313	7/32" with parallel tip	1 pc.
	11314	1/4" with parallel tip	1 pc.
	11322	Phillips #1	1 pc.
	11323	Phillips #2	1 pc.
	11324	Phillips #3	1 pc.
	11301	1/4" bit holder (with magnet)	1 pc.

Adjustable wrench

item. No		pack. unit	
10228	open-jaw capacity 22 mm (7/8")	1 pc.	

Adjustable spanner wrenches

10221	20-35 mm (7/8" - 1 3/8")	1 pc.	
10222	35-60 mm (1 3/8" - 2 3/8")	1 pc.	
10223	60-90 mm (2 3/8" - 3 1/2")	1 pc.	
10224	90-155 mm (3 1/2" - 6 1/8")	1 pc.	
10225	155-230 mm (6 1/8" - 9 1/8")	1 pc.	
10226	set of 5 (10221 - 10225)	1 set	

Combination wrenches, inch

20134	1/4"	1 pc.	
20135	5/16"	1 pc.	
20136	3/8"	1 pc.	
20137	7/16"	1 pc.	
20138	1/2"	1 pc.	
20139	9/16"	1 pc.	
20140	5/8"	1 pc.	

Combination wrenches, metric

20035	6 mm	1 pc.	
20038	8 mm	1 pc.	
20041	10 mm	1 pc.	
20042	11 mm	1 pc.	
20044	12 mm	1 pc.	
20045	13 mm	1 pc.	
20047	14 mm	1 pc.	
20048	15 mm	1 pc.	

Open end wrenches, inch

	item No.		pack. unit
	10134	1/4" x 5/16"	1 pc.
	10135	3/8" x 7/16"	1 pc.
	10136	1/2" x 9/16"	1 pc.
	10137	5/8" x 11/16"	1 pc.
	10138	3/4" x 13/16"	1 pc.
	10139	7/8" x 15/16"	1 pc.
	10140	1" x 1 1/16"	1 pc.
	10141	1 1/8" x 1 1/4"	1 pc.
	10160	set of 8 (10134 - 10141)	1 set

Open end wrenches, metric

	10035	6 x 7 mm	1 pc.
	10038	8 x 9 mm	1 pc.
	10041	10 x 11 mm	1 pc.
	10044	12 x 13 mm	1 pc.
	10047	14 x 15 mm	1 pc.
	10049	16 x 17 mm	1 pc.
	10053	19 x 22 mm	1 pc.
	10054	19 x 24 mm	1 pc.
	10055	24 x 27 mm	1 pc.
	10056	28 x 29 mm	1 pc.
	10057	30 x 32 mm	1 pc.
	10060	set of 7 (10035, 10038, 10041, 10044, 10047, 10049, 10053)	1 set
	10061	set of 9 (10035, 10038, 10041, 10044, 10047, 10049, 10053, 10055, 10057)	1 set

Stainless Steel Tools for repair work

Screwdriver - set

	21224	screwdriver - set with wall holder 6 pcs. screwdriver - parallel tip: 3.0; 4.0; 5.5 und 6.5 mm screwdriver - square drive: PH 1 und PH 2	1 Set
---	-------	---	-------

Hex key - set L pattern

	11985	hex key - set with ball-end 9 pcs. 1,5; 2; 2,5; 3; 4; 5; 6; 8 und 10 mm	1 Set
---	-------	--	-------